


NEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico



WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Company or Operator \_\_\_\_\_ Address \_\_\_\_\_  
Well No. \_\_\_\_\_ in \_\_\_\_\_ of Sec. \_\_\_\_\_, T. \_\_\_\_\_  
Lease \_\_\_\_\_  
R. \_\_\_\_\_, N. M. P. M. \_\_\_\_\_ Field, \_\_\_\_\_ County.  
Well is \_\_\_\_\_ feet south of the North line and \_\_\_\_\_ feet west of the East line of \_\_\_\_\_  
\_\_\_\_\_ oil and gas lease is No. \_\_\_\_\_ Assignment No. \_\_\_\_\_  
If patented land the owner is \_\_\_\_\_, Address \_\_\_\_\_  
If Government land the permittee is \_\_\_\_\_, Address \_\_\_\_\_  
The Lessee is \_\_\_\_\_, Address \_\_\_\_\_  
Drilling commenced \_\_\_\_\_ 19\_\_\_\_. Drilling was completed \_\_\_\_\_ 19\_\_\_\_  
Name of drilling contractor \_\_\_\_\_, Address \_\_\_\_\_  
Elevation above sea level at top of casing \_\_\_\_\_ feet.  
The information given is to be kept confidential until \_\_\_\_\_ 19\_\_\_\_.

OIL SANDS OR ZONES

No. 1, from \_\_\_\_\_' to \_\_\_\_\_' No. 4, from \_\_\_\_\_' to \_\_\_\_\_'  
No. 2, from \_\_\_\_\_' to \_\_\_\_\_' No. 5, from \_\_\_\_\_' to \_\_\_\_\_'  
No. 3, from \_\_\_\_\_' to \_\_\_\_\_' No. 6, from \_\_\_\_\_' to \_\_\_\_\_'

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.  
No. 1, from \_\_\_\_\_' to \_\_\_\_\_' feet.  
No. 2, from \_\_\_\_\_' to \_\_\_\_\_' feet.  
No. 3, from \_\_\_\_\_' to \_\_\_\_\_' feet.  
No. 4, from \_\_\_\_\_' to \_\_\_\_\_' feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
8 5/8"	20	8	Wells	100'	1 1/2"	30' to 100'			
7"	20	8	Wells	100'	1 1/2"	30' to 100'			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
8 5/8"	7"	100'	100	Wells		
7"	6 1/2"	100'	100	Wells		

PLUGS AND ADAPTERS

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth Set \_\_\_\_\_  
Adapters — Material \_\_\_\_\_ Size \_\_\_\_\_

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
8 5/8"						
7"						

Results of shooting or chemical treatment \_\_\_\_\_  
\_\_\_\_\_

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet  
Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

PRODUCTION

Put to producing \_\_\_\_\_, 19\_\_\_\_.  
The production of the first 24 hours was \_\_\_\_\_ barrels of fluid of which \_\_\_\_\_% was oil; \_\_\_\_\_% emulsion; \_\_\_\_\_% water; and \_\_\_\_\_% sediment. Gravity, Be \_\_\_\_\_  
If gas well, cu. ft. per 24 hours \_\_\_\_\_ Gallons gasoline per 1,000 cu. ft. of gas \_\_\_\_\_  
Rock pressure, lbs. per sq. in. \_\_\_\_\_

EMPLOYEES

\_\_\_\_\_, Driller \_\_\_\_\_, Driller  
\_\_\_\_\_, Driller \_\_\_\_\_, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_

Name \_\_\_\_\_  
Position \_\_\_\_\_  
Representing \_\_\_\_\_  
Address \_\_\_\_\_

Notary Public

My Commission expires \_\_\_\_\_

Company or Operator \_\_\_\_\_

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	10	10	Loam
10	110	100	Red beds sandy
110	200	90	Red beds
	210	10	Anhydrite
210	217	7	Red beds
217	240	23	Anhydrite
240	270	30	Red beds
270	310	40	Green anhydrite
310	1190	880	Salt
1190	1245	55	Anhydrite
1245	1260	15	Shale & shells
1260	1300	40	Anhydrite
1300	1310	10	Red rock
1310	1340	30	Anhydrite & red beds
1340	1350	10	Shale & shells
1350	2700	1350	Anhydrite
2700	2750	50	Red Sand
2750	2760	10	Anhydrite
2760	2780	20	Grey lime
2780	2777	17	Pink sandy lime & grey carbonate
2777	2800	23	Grey lime
2800	2810	10	Grey sand
2810	2815	5	Grey lime
2815	2820	5	Grey sandy lime
2820	2827	7	Grey lime
2827	2830	3	White lime
2830	2831	1	Dark lime
2831	2837	6	White lime
2837	2840	3	Grey lime
2840	2845	5	White lime
2845	2850	5	Grey lime
2850	2855	5	White lime
2855	2860	5	Grey lime
2860	2865	5	Black lime
2865	2870	5	Blue lime
2870	2875	5	Blue & Grey lime
2875	2880	5	Grey lime