


N

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Repollo Oil Company Hobbs, New Mexico
Company or Operator Address
W.D. McIntyre "C" Well No. 2 in SE of Sec. 20, T. 17
Lease
R. 30, N. M. P. M., Artesia Field, Eddy County.
Well is 330 feet south of the North line and 330 feet west of the East line of section 20
If State land the oil and gas lease is No. _____ Assignment No. _____
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address _____
The Lessee is _____ Address _____
Drilling commenced 3-12-38 19 _____ Drilling was completed 5-11-38 19 _____
Name of drilling contractor _____ Address _____
Elevation above sea level at top of casing _____ feet.
The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from 3082 to 3265 No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.
No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
9 5/8"	40	8		515	TP				
7" OD	24	10		2939	Fleat				
2"	4.6#	Reg SS Tubing 3254							

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
	9 5/8	515	50	Halliburton		
	7" OD	2939	100	Halliburton		7 ton

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
Acidized well with 5000 gallon Dowell "XX" acid F/ 3165 to 3265						
Swabbed 53 bbl. oil in 8 hrs. after acid						

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from 0 feet to 3265 feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing 5-11-38 19 _____
The production of the first 6 hours was 26 barrels of fluid of which 100 % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Bob Helms, Driller Henry Etz, Driller
Jim Thompson, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 5 th Hobbs, New Mexico
day of May 19 38 Name Repollo Oil Company

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	20		Caliche
20	285		Red bed
285	380		Anhy
380	385		Sand water--4 bailers per hour.
385	500		Red rock
500	990		Salt
990	2050		Anhy
2050	2090		Red sand
2090	2430		Anhy
2430	2445		Sand
2445	3265		Lime
3265			Total depth