

N

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

AREA 640 ACRES
LOCATE WELL CORRECTLY

Rebollo Oil Company Hobbs, New Mexico
Company or Operator Address
D.H. Jarle Well No. 6 in SW NW of Sec. 22, T. 17
Lease
R. 30 N. M. P. M. Artesia Field, east west red County.
Well is 1650 feet south of the North line and 330 feet west of the East line of section 22
If State land the oil and gas lease is No. _____ Assignment No. _____
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address _____
The Lessee is _____ Address _____
Drilling commenced June 15 1939 Drilling was completed August 22 1939
Name of drilling contractor _____ Address _____
Elevation above sea level at top of casing _____ feet.
The information given is to be kept confidential until _____ 19_____

OIL SANDS OR ZONES

No. 1, from 3365 to 3410 No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.
No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
8 5/8"	32	8		534	TP				
7" OD	20	8		2940	Float				
2" UE	4.7# Seamless Tubing 3394 W/ American Flow Baker @ 2914'								

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
8 5/8"	539	100	Halliburton			
7" OD	2940	100	Halliburton			7 ton

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
8-16 & 19-1939-	5000 Gal. Dowell "XX" Acid F-				3365 to 3442	

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from 0 feet to 3442 feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing 9-3-39 19_____
The production of the first 4 hours was 14 barrels of fluid of which 100 % was oil _____ %
emulsion; After acid % water; and _____ % sediment. Gravity, Be. _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Mr. Edwards Driller Mr. K. R. Swanberg Driller
Mr. Thompson Driller Mr. Sands Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this _____ Hobbs, New Mexico
day of _____ 19_____
Notary Public
Name L. Surret
Position Dist. Supt
Representing Rebollo Oil Co.
Company or Operator
Address Hobbs, New Mexico

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	340		Red rock
340	362		Sand and red rock
362	430		Gyp and red rock
430	600		Red rock and anhy
600	1065		Salt
1065	1895		Anhy
1895	1975		Anhy and red beds
1975	2190		Anhy
2190	2210		Red sand
2210	2580		Anhy
2580	2883		Lime
2883	3442		Lime
3442			Total depth