

**APPROVED**

APR 25 1963  
RONNIE E. SHOOK  
ACTING DISTRICT ENGINEER

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

LAND OFFICE NM 04175 (b)  
LEASE NO. 231616  
UNIT I

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____		SUBSEQUENT REPORT OF WATER SHUT-OFF _____	
NOTICE OF INTENTION TO CHANGE PLANS _____		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____		SUBSEQUENT REPORT OF ALTERING CASING _____	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL _____		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR _____	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	X	SUBSEQUENT REPORT OF ABANDONMENT _____	
NOTICE OF INTENTION TO PULL OR ALTER CASING _____		SUPPLEMENTARY WELL HISTORY _____	
NOTICE OF INTENTION TO ABANDON WELL _____			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Abo Chalk Bluff Draw Unit

Hobbs, New Mexico April 23, 1963

WELL NO. 25 IS LOCATED 2314 FT. FROM S LINE AND 330 FT. FROM E LINE OF SEC. 17

NE of SE of 17      18-S      27-E      NMPM  
(1/4 SEC. AND SEC. NO.)      (TWP.)      (RANGE)      (MERIDIAN)  
Empire Abo      Eddy      New Mexico  
(FIELD)      (COUNTY OR SUBDIVISION)      (STATE OR TERRITORY)

THE ELEVATION OF THE DERRICK FLOOR ABOVE SEA LEVEL IS 3441 FT.

DETAILS OF WORK

(STATE NAMES OF AND EXPECTED DEPTHS TO OBJECTIVE SANDS; SHOW SIZES, WEIGHTS, AND LENGTHS OF PROPOSED CASINGS; INDICATE MUDDING JOBS, CEMENTING POINTS, AND ALL OTHER IMPORTANT PROPOSED WORK.)

1. Perforate the interval 5280 to 5296' with one jet shot per foot.
2. Acidize with 5,000 gallons low fluid loss acid.
3. Return well to production.

I UNDERSTAND THAT THIS PLAN OF WORK MUST RECEIVE APPROVAL IN WRITING BY THE GEOLOGICAL SURVEY BEFORE OPERATIONS MAY BE COMMENCED.

COMPANY Humble Oil & Refining Company

ADDRESS Box 2347, Hobbs, New Mexico

BY [Signature]

TITLE Agent

/mcb