

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

IL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

MAR 11 1981

Form C-101
Revised 10-1-785a. Indicate Type of Lease
State ☐ Fee ☒

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Anadarko Production Company	8. Firm or Lease Name Glass
3. Address of Operator P. O. Box 67, Loco Hills, New Mexico 88255	9. Well No. 1
4. Location of Well UNIT LETTER <u>P</u> <u>1830</u> FEET FROM THE <u>North</u> LINE AND <u>1980</u> FEET FROM <u>West</u> <u>12</u> LINE, SECTION <u>198</u> TOWNSHIP <u>25E</u> RANGE <u>25E</u> NMPM.	10. Field and Pool, or WHdcat Boyd Morrow
15. Elevation (Show whether DF, RT, GR, etc.) 3398.0 GL	12. County Eddy

16.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/> <u>Complete in Atoka</u>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1703.

1. Rig up pulling unit; install BOP.
2. Set "Wireline" CIBP @ 9020' KB to effectively shut off perforated Morrow Zones without contaminating these zones with cement.
Note: This well is being considered for future water disposal in the Morrow.
3. Note: Top of Morrow is @ 8967' KB; top of Morrow Clastics is 9027' KB.
4. Perforate by Wireline in Atoka 8806' - 12' KB @ 4 SPF (total holes = 24 w/1/2" diam.).
5. Test Atoka Zone; acidize and/or frac if necessary.

Note: If well is later converted to water disposal in Morrow, the Atoka perms will be cement squeezed and a hearing in Santa Fe requested.

If the well is P & Aed (rather than converted to disposal) we plan to start P & A operations by placing a 35' cement plug on top of this second CIBP.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Area Supervisor DATE March 10, 1981

APPROVED BY [Signature] TITLE SUPERVISOR, DISTRICT II DATE MAR 12 1981

CONDITIONS OF APPROVAL, IF ANY: