

Form 9-330 R-21-E

U. S. LAND OFFICE New Mexico
SERIAL NUMBER NM-040781
LEASE OR PERMIT TO PROSPECT

T
22
6

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company Shell Oil Company Address P. O. Box 1856, Roswell, New Mexico
 Lessor or Tract Shell Federal S.O.T. Field Wildcat State New Mexico
 Well No. 1A Sec. 35 T. 22S R. 21E Meridian NMPM County Eddy
 Location 1220 ft. NEX of N Line and 660 ft. NEX of E Line of Section 35 Elevation 4630
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Original Signed By R. A. Lowery R. A. LOWREY
Signed

Date June 13, 1963 Title District Exploitation Engineer

The summary on this page is for the condition of the well at above date.

Commenced drilling May 10, 1963 Finished drilling May 29, 1963

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
 No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
13 3/8"	48 1/2	8rd		49'					Conductor
9 5/8"	36 1/2	6rd		635'					Surf casing
7 5/8"	28 1/2	5rd		1200'					Production casing

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
13 3/8"	49'				
9 5/8"	650'	200	Pump & Plug	Cemented to surface	
7 5/8"	1200'	300	Pump & Plug	Cemented to surface	

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from _____ feet to 4050 feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

June 13, 1963 Put to producing P & A June 1, 1963

The production for the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

MARK
FOLD

