

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE
(Other instructions on reverse side)

Copy to SF
Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-0472759

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Amarillo "12" Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat SR

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 12, T-20-S, R-27-E, N4PM

12. COUNTY OR PARISH

Blky

13. STATE

New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

RECEIVED

1. OIL WELL GAS WELL OTHER Abandon

JUN 4 1975

2. NAME OF OPERATOR
David Fasken

3. ADDRESS OF OPERATOR
608 First Natl. Bank Bldg., Midland, Texas 79701 O.C.C. ARTESIA, OFFICE

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

660' ESL & 660' EWL, Sec. 12, T-20-S, R-27-E, N4PM

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3314' G.L.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)

PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other)

REPAIRING WELL
ALTERING CASING
ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 3-5/8" casing cemented at 350'.
- Drilled 3" hole 350' to 1144'.
- Sulphur water entry 1135' - 1144' from Seven Rivers Sand.
- Ran tubing to 1100' and circulated hole with water.
- Spotted 30 sxs. Class "C" cement from 1100' to 1000' by measured displacement.
- Pulled tubing to 450'.
- Spotted 45 sxs. Class "C" cement plug 450' to 300' by measured displacement.
- Put 5 sxs. cement plug in top of 3-5/8" surface casing.
- Well plugged and abandoned.
- Log attached to Form 9-330.

RECEIVED

FEB 13 1974

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED James B. Henry
(This space for Federal or State office use)

TITLE Agent

DATE Feb. 12, 1974

APPROVED BY: _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

*See Instructions on Reverse Side

Received
ID-2
2-7-75

APPROVED
JUL 3 1975
L. BECK

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

U.S. GOVERNMENT PRINTING OFFICE: 1963 - O-685229

847 - 485

RECEIVED
JUN 4 1972
O. O. O.
FEDERAL OFFICE