

NM STATE COMMISSION  
Drainage  
Reservoir, NM 88110

RECEIVED BY  
OCT 11 1984  
O. C. D.  
ARTESIA, OFFICE

C/SF

Form 9-331  
Dec. 1973

Form Approved.  
Budget Bureau No. 42-R1424

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other

2. NAME OF OPERATOR  
Santa Fe Energy Co. ✓

3. ADDRESS OF OPERATOR  
500 W. Ohio, Midland, TX 79701

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 760' FSL & 660' FWL  
AT TOP PROD. INTERVAL: Same  
AT TOTAL DEPTH: Same

5. LEASE  
NM 19842

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME  
Co-Fed

9. WELL NO.  
1

10. FIELD OR WILDCAT NAME  
Wildcat - *Manuel*

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 26, T-22S, R-28E NMPM

12. COUNTY OR PARISH | 13. STATE  
Eddy | New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
GL 3082.2, KDB 25' AGL

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input checked="" type="checkbox"/>		<input type="checkbox"/>
(other)			

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

All zones tested have proven noncommercial & no zones worth testing remain. We propose to P&A the Co-Fed as follows: Load hole w/10 ppg mud. Set CIBP @ 11,240' & spot 35' cmt on CIBP. Cut 5 1/2" & 9 5/8" csg @ free point & ~~POOH~~. Spot ~~100~~ cmt plug from ~~75~~ below to ~~150~~ above 5 1/2" csg stub. Spot ~~100~~ cmt plug across 9 5/8" csg shoe @ 9847-9747'. Spot 100' cmt plugs from 7600-7500' & 6250-6150'. Spot 100' cmt plug across 13 5/8" csg shoe @ 2746-2646'. Spot 100' cmt plug from 50' below 9 5/8" csg stub to 50' above csg stub. Spot 100' cmt plug across 20" surface csg shoe & 450-350'. Spot ~~10~~ surface plug. Cut off csg at least 5' below ground level. Set steel marker with, "Co-Fed No. 1 SW/4, SW/4, Sec. 26-T22S-R28E" permanently engraved into marker.

*Sub plugs must be tagged*  
Please see attached well data sheet.  
We will P&A as soon as your approval is received.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED T. A. Saume TITLE Production Engr DATE August 22, 1984

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE CARLENE REED DATE 10 9 84

CONDITIONS OF APPROVAL, IF ANY: