NOTICE OF INTENTION TO DRILL

Notice must be given to	the District Office of the Oil Conservation Commission and approval obtained before drilling or recompleti	on
begins. If changes in the prop	posed plan are considered advisable, a copy of this notice showing such changes will be returned to the send	
Submit this notice in QUINI	I UPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regu	la-
tions of the Commission.	If State Land submit 6 Copies Attach Form G- 128 in triplicate to first 3 copies of form G-1	.01

Conservation Commission Conservation Commission Conservation Commission Conservation Commission Company or Operator)			idlan	4 80	submit 6 Copies Att		A 4 1 0		_
NNTA FE, NEW MEXICO continuent: You are hereby notified that it is our intention to commence the Drilling of a well to be known as El Paso Natural Gas Products Company Welch Unit (Company or Operator) Welch Unit (Company		•••••••••••	•••••••		•••••••••••••••••••••••••••••••••••••••				
Note that it is our intention to commence the Drilling of a well to be known as El Paso Natural Gas Products Company Welch Unit (Company or Operator) Welch Unit (Italian and 1650 (Company or Operator) Welch Unit (Italian and 1650 (Company or Operator) Welch Unit (Italian and 1650 (It									
Welch Unit (Company or Operator) Welch Unit (Lease) (Access) (Acc		-							
(Lesse) 990 feet from the. South line and. 1650 feet from West line of Section. line of Section. Sive LOCATION FROM SECTION LINE) Welch Delaware Pool, Eddy Con If State Land the Oil and Gas Lease is No. Bell's Reserved L K J I Drilling Contractor. Pico Derilling Company Breckenridge, Texas M To P We intend to complete this well in the Delaware. CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Backs Cement 12-1/4" 8-5/8 249 J-55 New 2200 200 If changes in the above plans become advisable we will notify you immediately.	You a	re hereby	notified	that it is our int tural Gas Pr	ention to commence the	Drilling of a well to	be known as		
Size of Hole Si		Welch	Unit		(Company	or Operator)		w	
Formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Noice Size of Casing We plans become advisable we will notify you immediately. If State Land the Oil and Gas Lease is No. R-1719-4 If patented land the owner is. Address. We propose to Mile Size of Casing and to cement them as indicated: Size of Noice Size of Noice Size of Noice Size of Asing PROGRAM We propose to use the above plans become advisable we will notify you immediately.	ca ted	990	f	eet from the	South		line and	1650	feet from t
FIVE LOCATION FROM SECTION LINE) If State Land the Oil and Gas Lease is No	······································	West			line of Section	16 _T	26 S R 2	7 E N	MPM.
If State Land the Oil and Gas Lease is No	SIVE LO) Welch Dela	ware Pool,	Eddy		Cour
D C B A Address. We propose to drill well with drilling equipment as follows: Botary E F G H The status of plugging bond is. Active Drilling Contractor Pico Drilling Company Breckenridge, Texas M F O P We intend to complete this well in the Dalsware Sand formation at an approximate depth of 2200 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 12-1/4" 8-5/8 24# J-55 New 264 250 6-3/4" 4-1/2 9.5# P-25 New 2200 200 If changes in the above plans become advisable we will notify you immediately.					If State Land the Oil ar	d Gas Lease is No	E-1719-	4	
E F G H The status of plugging bond is Active L K J I Drilling Contractor Pico Drilling Company Breckenridge, Texas M E O P We intend to complete this well in the Dalsware Sand formation at an approximate depth of 2200 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 12-1/4" 8-5/8 24# J-55 New 264 250 6-3/4" 4-1/2 9.5# F-25 New 2200 200 If changes in the above plans become advisable we will notify you immediately.		1			If patented land the ow	ner is	***************************************	****************	•••••
The status of plugging bond is Active L K J I Drilling Contractor Pico Brilling Company Brecken ridge, Texas M E O P We intend to complete this well in the Palsware Sand formation at an approximate depth of 2200 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 12-1/4" 8-5/8 24# J-55 New 264 250 6-3/4" 4-1/2 9.5# F-25 New 2200 200 If changes in the above plans become advisable we will notify you immediately.	D	С	В	A	Address	•••••••	***********	••••••••	
The status of plugging bond is Active L K J I Drilling Contractor Pico Brilling Company Breckenridge, Texas M T O P We intend to complete this well in the Balaware Sand formation at an approximate depth of 2200 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 12-1/4" 8-5/8 24# J-55 New 264 250 6-3/4" 4-1/2 9.5# F-25 New 2200 200 If changes in the above plans become advisable we will notify you immediately.					We propose to drill well	with drilling equipmen	t as follows:	otary	
The status of plugging bond is Active L K J I Drilling Contractor Pico Brilling Company Breckenridge, Texas M T O P We intend to complete this well in the Balaware Sand formation at an approximate depth of 2200 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 12-1/4" 8-5/8 24# J-55 New 264 250 1f changes in the above plans become advisable we will notify you immediately.	E	F	G	н				•	
M X O P We intend to complete this well in the Balaware Sand formation at an approximate depth of 2200 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 12-1/4" 8-5/8 24# J-55 New 264 250 6-3/4" 4-1/2 9.5# F-25 New 2200 200 If changes in the above plans become advisable we will notify you immediately.					The status of plugging h	ond is. Activ	•	••••••	***************************************
M X O P We intend to complete this well in the Balanare Sand formation at an approximate depth of 2200 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 12-1/4" 8-5/8 244 J-55 New 264 250 6-3/4" 4-1/2 9.54 P-25 New 2200 200 If changes in the above plans become advisable we will notify you immediately.	,								
We intend to complete this well in the Belaware Sand formation at an approximate depth of 2200 formation at an app			J	1	Drilling Contractor	Rrackanyld	ing Company		•
We intend to complete this well in the Palamare Sand formation at an approximate depth of 2200 formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 12-1/4" 8-5/8 24# J-55 New 264 250 6-3/4" 4-1/2 9.5# F-25 New 2200 200 If changes in the above plans become advisable we will notify you immediately.									
formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 12-1/4" 8-5/8 24# J-55 New 264 250 6-3/4" 4-1/2 9.5# F-25 New 2200 200 If changes in the above plans become advisable we will notify you immediately.	M	X	0	P					
CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 12-1/4" 8-5/8 24f J-55 New 264 250 6-3/4" 4-1/2 9.5f F-25 New 2200 200 If changes in the above plans become advisable we will notify you immediately.									
Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 12-1/4" 8-5/8 24f J-55 New 264 250 6-3/4" 4-1/2 9.5f F-25 New 2200 200 If changes in the above plans become advisable we will notify you immediately.							******************************		IC
12-1/4" 8-5/8 24f J-55 New 264 250 6-3/4" 4-1/2 9.5f F-25 New 2200 200 If changes in the above plans become advisable we will notify you immediately.	We pr	ropose to u	se the fo	llowing strings of	Casing and to cement th	em as indicated:	_		
6-3/4" 4-1/2 9.5# F-25 New 2200 200 If changes in the above plans become advisable we will notify you immediately.	Size	of Hole		Size of Casing	Weight per Foot	New or Second Hand	Depth		Sacks Cement
If changes in the above plans become advisable we will notify you immediately.	12-1/	4"		8-5/8	24# J-55	Nev	264		250
- , , , , , , , , , , , , , , , , , , ,	6-3/	411		4-1/2	9.5# ¥-25	Nev	2200		200
- , , , , , , , , , , , , , , , , , , ,									
- , , , , , , , , , , , , , , , , , , ,									
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)	If cha	inges in th	e above	plans become advi	sable we will notify you	immediately.		**	
	ADD	TIONAL	INFOR	MATION (If red	completion give full det	ails of proposed plan o	f work.)		
We inadvertently made application to the USGS to drill this well, and they in turn approve	appli	cation.	Dri	lling operati	lons began April	1, 1959, and as	s of this da	te we ar	e total
application. Drilling operations began April 1, 1959, and as of this date we are total	ceptn				re reports will	be submitted to	the correct	agency.	
application. Drilling operations began April 1, 1959, and as of this date we are total depth of 2220 feet. All future reports will be submitted to the correct agency.			E .			Sincerely yours,			
application. Drilling operations began April 1, 1959, and as of this date we are total depth of 2220 feet. All future reports will be submitted to the correct agency.	pproved xcept as	follows:	••••••	***************************************	19		tural Gas Pm	odusta G	Amadany
application. Drilling operations began April 1, 1959, and as of this date we are total depth of 2220 feat. All future reports will be submitted to the correct agency. Approved								~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Japan,
application. Drilling operations began April 1, 1959, and as of this date we are total depth of 2220 feet. All future reports will be submitted to the correct agency. Approved						By LUNG	/. /. / J. R. V. T. J. A. V		
application. Drilling operations began April 1, 1959, and as of this date we are total depth of 2220 feet. All future reports will be submitted to the correct agency. April Sincerely yours, Sincerely yours, El Pago Matural Gas Products Company Company of Operator)								etion Su	ot.
application. Drilling operations began April 1, 1959, and as of this date we are total depth of 2220 feet. All future reports will be submitted to the correct agency. Sincerely yours, El Paso Natural Cas Products Company Company of Operator) By Loyd R. Baskin							7.44		F. # 3
application. Drilling operations began April 1, 1959, and as of this date we are total depth of 2220 feet. All future reports will be submitted to the correct agency. April Sincerely yours, Sincerely yours, El Pago Matural Gas Products Company Company of Operator)		OIL C	ONSER	VATION COMM	ISSION		Communications r	egarding we	
application. Drilling operations began April 1, 1959, and as of this date we are total depth of 2220 feet. All future reports will be submitted to the correct agency. Sincerely yours, El Paso Matural Gas Products Company Loyd R. Baskin Position Drilling and Production Supt.	, <i>></i> /				ISSION	Send Name	Natural Ga	. Produc	il to ts Company

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Sect	tion A.				Д	ate_ Apr	11 1, 199	9	
Oper	rator 11 Pag	o Maturel Ges	Products Co. Le	ease	ielch Unit				
∷ell	l No.	_Unit Letter_	■ Section_	16	_Township_		Range	27 B	NMPM
	ated 990		n <u>South</u> Line, L. Elevation				West 40		Line _Acres
	nty Eddy		Polarage Sand		Pool		plenere		_Acres
			owner* in the de					below?	
	Yes	No			_		•		
2.			n one is "no," ha						
	"ves." Type	of Consolida	ization agreement tion	dt Acres	erwiser les	IVO_	·	answer	15
3.	If the answ	er to question	tion In two is "no," li	st all	the <mark>owners</mark> a	nd their	respecti	ve inte	rests
	below:								
		Owner			Land Descr	intion			
		OWNET			Land Desci	<u> ipcion</u>			
		·							
						\mathbb{Q}	EGEI	VER	
							ADD a	V IC 	
							GEORGE	359	
Sect	tion B	, '				ARI	ESIA, NEW M	IEXICO .	
		; }		1					
		! }		1			to certi		
		! 		1			tion in S s true ar		
		i İ		1	1		best of m		
		1				and bel		.,	
						Pl Bass	Mahumal d	lan Maind	
		1		1	1		Operator)	1/6	
		1							
		1				- Alfile	K / PAUL	in	
		! !		1		,	preśentat L. Beski n		
		<u>}</u>		i		2006 1	ilee Buil		
	· · · · · · · · · · · · · · · · · · ·						Address		
		1		1		Hidlan	d, Texas		
		 		1			to certi		
				i			cation sh Section		
]					1		eld notes		
				1	1	•	made by		
 	-, 						rvision a true and		
	—— <i>1650'</i> ——	→o ⁸ Welc	h Unit No. 8]			t of my k		
	7830			1		belief.	la.	1-	<i>α</i>
İ		0,-		1		Date Su	rveyed	erch so	<u>-193</u> 7
		066 -		1	1,	Des	Is an	indle	12
				j I	ľ		red Profe		
				1		Enginee:	r and/or	Land Sur	veyor.
0 33	90 660 990 13	20 1650 1980 2310	2640 2000 15	00 1000	500 0	Cartifi	cate No	648	
		(See insti	ructions for comp	oletina t	his form on	the rou	orco sido	70	

INSTRUCTIONS FOR COMPLETION:

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

^{* &}quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)