Submit 3 Copies to Appropriate
District Office

State of New Mexico Energy, Minerals and Natural Resources Department

Form C-103

DISTRICT I

CONDITIONS OF APPROVAL, IF ANY:

OIL CONSERVATION DIVISION

Revised 1-1-89

P.O. Box 1980, Hobbs NM 88240	NM 88240 2040 South Pacheco		WELL API NO.	
DISTRICT II			30-015-20742 5. Indicate Type of Lease	
			STATE STATE	
DISTRICT III 1000 Rio Brazos Rd, Aztec, NM 87410			6. State Oil & Gas Lease No.	
CUMDDVAIC	TICES AND DEDOCTS ON	WELLS	B-514-7	
(DO NOT USE THIS FORM FOR PR DIFFERENT RES (FORM	TICES AND REPORTS ON OPOSALS TO DRILL OR TO DEEP SERVOIR. USE "APPLICATION FO C-101) FOR SUCH PROPOSALS).	EN OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name	
1. Type Of Well: OIL GAS WELL WELL	OTHER	RECEIVED	GJ West Coop Unit	
2. Name of Operator Mack Energy Corporation		APR 0 5 7004	8. Well No. 87	
3. Address of Operator D. O. Doy 060, Astonia NIM 98211	0040	OCD-ARTESIA	9. Pool name or Wildcat	
P.O. Box 960, Artesia, NM 88211- 4. Well Location	0900	· · · · · · · · · · · · · · · · · · ·	Grayburg Jackson, SR, QN, GB, SA	
Unit Letter B: 710	Feet From The North	h Line and 19	80 Feet From The East Line	
Section 28	Township 17S		NMPM Eddy County	
	10. Elevation (Show wheth	ther DF, RKB, RT, GR, etc.) 3547' GR		
11. Check A	Appropriate Box to Indica	te Nature of Notice, Re	eport, or Other Data	
NOTICE OF INT	ENTION TO:	SUB	SEQUENT REPORT OF:	
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK	ALTERING CASING	
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRILLING	COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT	
PULL OR ALTER CASING		CASING TEST AND CE	MENT JOB	
OTHER:		OTHER		
12. Describe Proposed or Completed Opwork) SEE RULE 1103.	erations (Clearly state all pertinent de	etails, and give pertinent dates, inci	luding estimated date of starting any proposed	
Mack Energy Corporation proposes t	o plug and abandon well as fol	llows:		
1. Notify OCD 24 hours prior to start 2. Set 4 1/2" CIBP @ 2517' w/35' cer 3. Set 100' cement plug from 670-570 4. Set 100' cement plug from 394-294 6. Set 60' surface plug.	nent cap. O', 50' above and below bottom		G	
I hereby certify that the information above is true SIGNATURE TYPE OR PRINT NAME	1 10	Production Production	on Clerk DATE 4/1/2004 TELEPHONE NO.	
(This space for State Use)				
ADDROVED BY		TITLE Field R	P I DATE 4/2/04	
APPROVED BY		11100	DATE T	

STATE

G J WEST COOP UNIT 87 SEC 28 T17S R29E 710FNL 1980 FEL.

BEFORE

11 3/4" 42# @344' C/w 350sks

- 1. Notify OCD 24 hrs. prior to any work done.
- 2. Set 4 1/2" CIBP 2517' w/35'cmt cap
- 3. Set 100' cmt plug from 670-570' 50' above and below bottom salt
- 4. Set 100' cmt plug from 394-294' 50' above and below 11/3/4" csg
- 5. set 60' plug surface
- 6. Install dry hole marker

8 5/8" 32# @ 3522' C/w 400sks

CIBP @ 4614" w/35'cmt cap

Perfs 2617-4253'

SV Retainer 7100' squeezed perfs 7138-7660' 100sks

Perfs-7138-7660

CIBP @ 10,752' w/ cmt cap 4 1/2" 11.6# & 10.5# @ 10,869' C/w Class "H" Perf 10,762-10,784