<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II

1000 Rio Brazos Road, Aztec, NM 87410

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

March 12, 2004


Form C-144

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Ro	egistration or Closure
Is pit or below-grade tank covered by a	"general plan"? Yes No

Type of action: Registration of a pit or below-grade tank 🛛 Closure of a pit or below-grade tank 🗍			
Operator: Mack Energy Corporation Telephone: (505)748-1288 e-mail address: jerrys@mackenergycorp.com			
Operator: Mack Energy Corporation Telephone: Address: P.O. Box 960, Artesia, NM 88211-0960	(505)/46-1266 e-mail address: Jeff ys willact	kener gycor p.com	
Facility or well name Red Lake Sand Unit #73 API # 30-015	5_33297 I 20 1	75 - 28F	
** * *			
County Eddy Latitude Longitude	NAD: 1927 [1983 [_] Surface Ov	vner Federal [_] State 🔀 Private [_] Indian [_]	
Pit	Below-grade tank		
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:		
Workover Emergency	Construction material:		
Lined Mullined	Double-walled, with leak detection? Yes I fnot, explain why not,		
Liner type: Synthetic ⊠ Thickness 20 mil Clay □ Volume	Bouble-waited, with reak detection: Tes I flot, explain why hot,		
2000 _{bbl}		MAY 1 4 7004	
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than I 00 feet	(10 points)	
water elevation of ground water.)	100 feet or more	1	
	100 rect of more	(0 points) 0 Points	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0 Points	
· · · · · · · · · · · · · · · · · · ·			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	(0 points) 0 Points	
	Ranking Score (Total Points)	0 Points	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks (2) Indicate	e disposal location:	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite offsite for If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end			
date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results. (5) Attach soil sample results and a			
diagram of sample locations and excavations.			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has			
been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan			
Date: 5/14/2004			
Printed Name/Title Jerry W. Sherrell/Production Clerk Signature Signature Signature Signature Signature Signature			
Tour certification and NMOCD approval office ground water or			
regulations.			
Approval: Date: Accepted for record Accepted for			
Approval:			
Date: Acceptable			
Printed Name/TitleSignature			
0.1.			
P. + built trior to 4-15-04			
	L.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		

LOCATION VERIFICATION MAP



SCALE: 1" = 2000'

CONTOUR INTERVAL: 10'
RED LAKE, N.M.

SEC. <u>20</u>	TWP. 17-S	RGE. 28-E		
SURVEY	N.M.P.M.			
COUNTY	EDDY			
DESCRIPTION 2310' FSL & 990' FWL				
ELEVATION	<u> 36191 -</u>			

OPERATOR MACK ENERGY CORPORATION

JOHN WEST SURVEYING
HOBBS, NEW MEXICO
(505) 393-3117

U.S.G.S. TOPOGRAPHIC MAP

LEASE RED LAKE SAND UNIT

RED LAKE N.M.