

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
Expires January 31, 2004

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to enter an abandoned well. Use Form 3160-3 (APD) for such purposes.*

Oil Cons.  
N.M. DIV-Dist. 2  
1301 W. Grand Avenue  
Artesia, NM 88210

5. Lease Serial No.  
NM-0284972  
6. If Indian, Allottee or Tribe Name

**SUBMIT IN TRIPLICATE - Other instructions on reverse side**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Yates Petroleum Corporation

3a. Address

105 S. 4th Str., Artesia, NM 88210

3b. Phone No. (Include area code)

505-748-1471

4. Location of Well (Footage, Sec., T., R., M., OR Survey Description)

330'FSL & 330'FEL of Section 27-T15S-R29E (Unit P, SESE)

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

Federal CL #4

9. API Well No.

30-005-60218

10. Field and Pool, or Exploratory Area

Sulimar Queen

11. County or Parish, State

Chaves County, New Mexico

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Yates Petroleum Corporation plans to plug and abandon this well as follows:

Call BLM (Carlsbad) with 24 hr notice before commencing operations

Call OCD (Artesia) with 24 hr notice before commencing operations

**NOTE: This well has a 7" x 5.5" combination production string, the changeover is at +/-1464'. The calculated TOC +/-450'.**

1. Rig up all H2S safety equipment. No casing recovery will be attempted.
2. Set a 5-1/2" CIBP at 1796' with 35' cement on top. *Additional Plug from 1045'-945' - B. Salt*
3. Perforate 7" casing with 6 shots at 357'. Tie on to the 7" casing and establish circulation. Pump 110 sx Class "C" plug. Leave the cement in the 7" casing. This will leave a plug across the top of the salt section, across the surface casing shoe and act as a surface plug.
4. WOC 24 hrs and tag the plug. Set a surface plug if necessary.
5. Remove all surface equipment and weld dry hole marker per regulations.

**NOTE: Yates Petroleum Corporation will use steel pits and no earth pits**

**SEE ATTACHED FOR  
CONDITIONS OF APPROVAL**

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Tina Huerta

Title

Regulatory Compliance Supervisor

Signature

Date

July 1, 2004

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

WELL NAME: Federal CL #4 FIELD: Sulimar Queen  
 LOCATION: Unit A 330' S & 330' E Sec 27-15S-29E Chaves County  
 GL: 3872' ZERO:  KB:   
 SPUD DATE: 6-12-72 COMPLETION DATE: 7-5-72  
 COMMENTS: API # 30-005-60218

# CASING PROGRAM

8 5/8"	307'
7" 20 & 23# J-55	1464'
5 1/2" 15.5# J-55	444'
	1908'

## TOPS

Top of Salt 225'  
 Base of Salt 945'  
 Queen Sand 1868'

10 1/4" hole

8 5/8" @ 307'  
w/150 sx cmt (circ)

8" hole

Est TOC @ 450'

2 3/8" @ 1840'

TD 1908'

7" tapers to 5.5" @ +/- 1464'

**Queen Sd**  
 Perf's: 1845.5-1858' w/20 holes (1 spf)  
 Acidize: 250 g  
 Frac: 15000# 20/40

7" x 5.5" @ 1908'  
w/ 150 sx cmt

Not to Scale  
 6/11/04  
 Cam/MH


WELL NAME: Federal CL #4 FIELD: Sulimar Queen  
 LOCATION: Unit A 330' S & 330' E Sec 27-15S-29E Chaves County  
 GL: 3872' ZERO: KB:  
 SPUD DATE: 6-12-72 COMPLETION DATE: 7-5-72  
 COMMENTS: API # 30-005-60218

# CASING PROGRAM

8 5/8"	307'
7" 20 & 23# J-55	1464'
5 1/2" 15.5# J-55	444'
	1908'

## TOPS

Top of Salt 225'  
 Base of Salt 945'  
 Queen Sand 1868'



*plus from 1045' - 945' - B-Salt*

Not to Scale  
 6/23/04  
 Cam/MH/MSH