

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)FORM APPROVED
OMB NO. 1004-0137
Expires: February 28, 1995

5. LEASE DESIGNATION AND SERIAL NO.

NMMN0467933

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME, WELL NO.

DALE H PARKE B TR C #13

9. API WELL NO.

30-015-32380

10. FIELD AND POOL, OR WILDCAT

LOCO HILLS-PADDOCK

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

SEC. 15-T17S-R30E

12. COUNTY OR PARISH

EDDY

13. STATE

NM

1a. TYPE OF WELL:

OIL
WELL ☒GAS
WELL ☐DRY ☐Other ☐

b. TYPE OF COMPLETION:

NEW
WELL ☒WORK
OVER ☐DEEP-
EN ☐PLUG
BACK ☐DIFF.
RESVR. ☐Other ☐

2. NAME OF OPERATOR

PREMIER OIL & GAS, INC.

3. ADDRESS AND TELEPHONE NO.

PO BOX 1246, ARTESIA, NM 88211-1246

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface 2310 FNL 990 FEL, UNIT H

At top prod. interval reported below

SAME

At total depth

SAME

14. PERMIT NO.

DATE ISSUED

15. DATE SPUDDED

2/28/03

16. DATE T.D. REACHED

3/7/03

17. DATE COMPL. (Ready to prod.)

3/21/03

18. ELEVATIONS (DF, RKB, RT, GE, ETC.)*

3709' GL

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

5008'

21. PLUG, BACK T.D., MD & TVD

5007'

22. IF MULTIPLE COMPL.,
HOW MANY*23. INTERVALS
DRILLED BY

ROTARY TOOLS

0 - 5008'

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)*

4492' - 4824' PADDOCK

25. WAS DIRECTIONAL
SURVEY MADE

NO

26. TYPE ELECTRIC AND OTHER LOGS RUN

DLL, CSNG

27. WAS WELL CORED

NO

28. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
13 3/8"	48#	293'	17 1/2"	395 SX	NONE
8 5/8"	24#	1224'	12 1/4"	750 SX	NONE
5 1/2"	17#	5008'	7 7/8"	1025 SX, CIRC	NONE

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8"	4485'	

31. PERFORATION RECORD (Interval, size and number)

4492' - 4824' (20 SHOTS)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4492' - 4824'	ACDZ W/ 2000 GAL 15% HCL

33. * PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump)				WELL STATUS (Producing or shut-in)	
3/24/03		PUMPING				PROD	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL---BBL.	GAS---MCF.	WATER---BBL.	GAS-OIL RATIO
3/25/03	24			78	104	387	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL---BBL.	GAS---MCF.	WATER---BBL.	OIL GRAVITY-API (CORR.)	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

SOLD

TEST WITNESSED BY

LENDELL HAWKINS

35. LIST OF ATTACHMENTS

LOGS, DEVIATION SURVEY

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TITLE

AGENT

DATE 3/25/03

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.

38. GEOLOGICAL MARKERS			38. GEOLOGICAL MARKERS		
NAME	TOP		NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH		MEAS. DEPTH	TRUE VERT. DEPTH
YATES	1309'				
QUEEN	2206'				
SAN ANDRES	2920'				
GLORIETA	4388'				

L & M DRILLING, INC.

OIL WELL DRILLING CONTRACTORS

PO BOX 1370 ARTESIA, NEW MEXICO 88211-1370
(505) 746-4405 746-3518 748-2205

March 12, 2003

MAR 13 2003

Premier Oil & Gas
c/o Marbob Energy Corporation
PO Drawer 227
Artesia, NM 88211-0227

RE: Parke B Tr. C #13
2310' FNL & 990' FEL
Sec. 15, T17S, R30E
Eddy County, New Mexico



Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION	DEPTH	DEVIATION
240'	1/4°	3291'	1/2°
329'	1 1/4°	3789'	1/2°
841'	1 1/2°	4283'	1/2°
1336'	3/4°	4781'	1/2°
1811'	3/4°	4968'	1°
2302'	1/2°	5008'	1°
2801'	1/2°		

Very truly yours,

Eddie C. LaRue
Vice President

STATE OF NEW MEXICO }
COUNTY OF EDDY }

The foregoing was acknowledged before me
this 12th day of March, 2003.

Notary Public



NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

BILL RICHARDSON

Governor

Joanna Prukop

Cabinet Secretary

Lori Wrotenbery

Director

Oil Conservation Division

GEOLOGICAL TOPS

Premier Oil & Gas

Dale H. Parke 'B' Tr C #13

Unit H Sec. 15,T-17S R-30-E

2310' FNL & 990' FEL (G.L.-3709'; K.B.-3721')

Eddy Co., N.M.

30-015-32380

Geological Tops per/Bryan G. Arrant-OCD

Salado	@586'
Base of Salt	@ 1156'
Yates	1292'
Seven Rivers	1600'
Bowers	1979'
Queen	2206'
San Andres	2920'
Lovington Sand	3001'
Glorieta	4388'