District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-14

March 12, 200

Pit or Below-Grade Tank Registration or Closure

Is not or below-grade tank covered by a "general plan"? Yes No XX

Is pit or below-grade tank covered by a "general plan"? Yes [] No [A] Type of action: Registration of a pit or below-grade tank [A] Closure of a pit or below-grade tank [A]		
Operator: Pogo Producing Company 432-68 Address: P. O. Box 10340, Midland, TX 79702- Facility or well name: Patton 17 Fed #12 API #: 30-015 County: Eddy County Latitude 32:13:18.1 Nongitude 103:	5-33013 U/L or Qtr/Qtr_B Sec_17 T_2	24 r31
County: Lddy country Latitude 32.13.10.11 Longitude 103.	1927 (A 1983 Surface Of	wher Federal [1] State [1] Private [1] Indian [1]
Pit Type: Drilling Production Disposal Workover Emergency Lined Unlined Liner type: Synthetic Thickness 2 mil Clay Volume 16000 bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes	t, explain why not. SEP 0 2 2004
10000 БЫ		OOD:ARTESIA
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more X	(20 points) (10 points) (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No X	(20 points) (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more X	(20 points) (10 points) (0 points)
	Ranking Score (Total Points)	0
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite foffsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes for yes, show depth below ground surface for an attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.		
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , a Date: 09/01/04 Printed Name/Title Cathy Wright, Sr Eng Tech Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the oregulations.	general permit , or an (attached) alternative O Signature Signatur	CD-approved plan . the pit or tank contaminate ground water or
Approval: Date: SEP 3 2664 Ap P Signature Signature		



Water Resources

Data Category: Geographic Area:

Site Information New Mexico 90


Site Map for New Mexico

USGS 320856103502801 25S.30E.12.113211

Available data for this site

Station site map






Questions about data New Mexico NWISWeb Data Inquiries
Feedback on this websiteNew Mexico NWISWeb Maintainer
NWIS Site Inventory for New Mexico: Site Map
http://waterdata.usgs.gov/nm/nwis/nwismap?

Top Explanation of terms



Water Resources



Ground-water levels for New Mexico

Search Results -- 1 sites found

Search Criteria

site_no list = • 320856103502801

Save file of selected sites to local disk for future upload

USGS 320856103502801 25S.30E.12.113211

Available data for this site

Ground-water: Levels



Eddy County, New Mexico **Output formats** Hydrologic Unit Code Table of data Latitude 32°08'56", Longitude 103°50'28" NAD27 Gage datum 3,359.10 feet above sea level NGVD29 Tab-separated data The depth of the well is 482 feet below land surface. Graph of data This well is completed in ALLUVIUM, BOLSON DEPOSITS AND OTHER Reselect period SURFACE DEPOSITS (110AVMB) USGS 320856103502801 25S.30E.12.113211 389,00 2970.00 below surface 389,50 2969.50 390.00 2969.00 ij. 390,50 2968.50 Ground-Hater 391.00 2968,00 391.50 1960 1965 1970 1975 1980 1985 1990 1995 2000 2005 DRTES: 03/25/1959 to 09/01/2004 23:59 Breaks in the plot represent a gap of at least one calendar year between two consecutive points.

Great Circle Calculator.


By Ed Williams

You need Javascript enabled if you want this page to do anything useful! For Netscape, it's under Options/Network Preferences/Languages.

Compute true course and distance between points.

Enter lat/lon of points, select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that if either point is very close to a pole, the course may be inaccurate, because of its extreme sensitivity to position and inevitable rounding error.



Compute lat/lon given radial and distance from a known point

Enter lat/lon of initial point, true course and distance. Select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that the starting point cannot be a pole.

Reset

Compute

Input data Lat1 Lon1 0:00.00 0:00.00 W Course 1-2 Distance 1-2