District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District II
1000 Rto Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-144 hase 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \(\) No \(\)
Decoration: Registration of a pit or below-grade tank \(\) Closure of a pit or below-grade tank \(\)

Type of acuton; Regustration of a pit of octow-grade tank [1] Closure of a pit of below-grade tank [2]		
Operator: Read & Stevens, Inc. Telephone: 622-3770 c-mail address:		
Address: P. O. Box 1518 Roswell, NM 88202		
Facility or well name: Bandit State #5 API # 3001533319 U/L or Qtr/Qtr C Sec 10 1235 126E		
County: Eddy Latitude Longitude NAD: 1927 1983 Surface Owner Federal State Private Indian		
Pit	Below-grade tank	
Type: Drilling 🔀 Production 🗌 Disposal 🗍	Volume:bbi Type of fluid:	
Warkovez Emergency	Construction material: Double-walled, with leak detection? Yes If not, explain why not.	
Lined 🖾 Unlined 🔲		
Liner type: Synthetic A Thickness 12 mil Clay		
Pit Volumebbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)
water elevation of ground water.) Based on St. Engr.	50 feet or more, but loss than 100 foot	(10 points)
website. Sec 3 & 10 T23S-R26E	100 feet or mare	(O points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	NO	(0 points)
	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wedlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)
		(o points)
	Ranking Score (Total Points)	0
If this is a nit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the ensite box if		
your are burying in place) coaste 🔀 offsite. If offsite, name of facility		
remediation start date and end date. (4) Groundwater encountered: No 🖾 Yes 🛄 If yes, show depth below ground surfaceft. and attach sample results. (5)		
Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: This pit was constructed prior to 4/15/04. This pit will be closed		
by digging a 100' x 25' x 15' deep bury pit and lining w/ 12 mil plastic.		
Twenty five tons of fly ash will be mixed into the contents of the		
drilling pit, and all the contents will then be pushed into the deep		
bury pit. The deep bury pit will then be covered w/ a 40 mil synthetic		
liner and 3' of top soil TOP of 3' cover to grade only -		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be countracted or closed according to NMOCD guidelines [2], a general permit [3], or an (mitached) alternative OCD-approved plan [3]. Date:		
Printed Name/Title John C. Maxey, Jr. Operations Signature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of ability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: SEP 15 2004 Printed Name/Title Signature		