

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
N.M. Oil Cons. DIV-Dist. 2  
1001 W. Grand Avenue  
Artesia, NM 88210

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well  
☒ Oil Well ☐ Gas Well ☐ Other \_\_\_\_\_

2. Name of Operator  
DEVON ENERGY PRODUCTION COMPANY, LP.

3. Address and Telephone No.  
20 NORTH BROADWAY, SUITE 1500, OKLAHOMA CITY, OKLAHOMA 73102 (405) 552-4615

4. Location of Well (Footage. Sec., T., R., M., or Survey Description)  
2310' FNL & 990' FWL, Unit E, Section 6-T20S-R28E

RECEIVED

OCT 06 2004

OGD-ARTESIA

5. Lease Designation and Serial No.  
NM-NM96212

6. If Indian, Allottee or Tribe Name  
NA

7. If Unit or CA, Agreement Designation  
NA

8. Well Name and No.  
Angell 6 Federal #5

9. API Well No.  
30-015-31621

10. Field and Pool, or Exploratory Area  
Fadeaway Ridge (San Andres)

11. County or Parish, State  
Eddy County, NM

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input checked="" type="checkbox"/> Notice of Intent	<input checked="" type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Other _____	<input type="checkbox"/> Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

1. Pull out existing 2-7/8" production tubing and sucker rods.
2. Circulate hole with 9.0# Mud
3. Pump cement plug from 2470' to 2977'. WOC and Tag.
4. Pump cement plug from surface to 424'. WOC.
5. Cut off casings 3' below ground level.
6. Install dry hole marker.
7. Clean and restore location.

Note: Cement class "C" at 14.8 ppg with a yield of 1.32 cu. ft/sx

APPROVAL SUBJECT TO  
GENERAL REQUIREMENTS AND  
SPECIAL STIPULATIONS ATTACHED



14. I hereby certify that the foregoing is true and correct

Signed Ronnie Slack Title Engineering Technician Date 9/30/2004

This space for Federal or State office use)

Approved by \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any: \_\_\_\_\_

Accepted for record - 10/1/04

# DEVON ENERGY PRODUCTION COMPANY LP

Well Name: Angell 6 Federal 5		Field: Fadeaway Ridge	
Location: Sec 6-20S-28E, 2310' FNL & 990' FWL		County: Eddy	State: NM
Elevation: 3374' GL; 3389' KB		Spud Date: 6/29/01	Compl Date: 10/2/02
API#: 30-015-31621	Prepared by: Ronnie Slack	Date: 9/30/04	Rev:

## PROPOSED P&A

17-1/2" hole  
13-3/8", 48#, H40, ST&C, @ 349'  
 Cmt'd w/ 300 sxs. Circ'd 94 sxs

SAN ANDRES  
 2570' - 2640' (9/26/01)

11" Hole  
8-5/8", 32#, J55, @ 2902'  
 Cmt'd w/ 600 sxs. Circ'd 30 sxs

DELAWARE  
 3442' - 3472'  
 3548' - 3576'  
 Acidized & Frac'd. Tested wet.

7-7/8" Hole  
5-1/2", 17#, J55, LT&C, @ 3817'  
 Cmt'd w/ 875 sxs. Circ'd 50 sxs.

PROPOSED  
 Cut casings off 3' below GL  
 Set dry hole marker

PROPOSED  
 Set cement plug from 0' - 424'

PROPOSED  
 Set cement plug from 2470' - 2977'

PROPOSED  
 Circulate hole w/ 9.0# mud

Capped w/ 35' cement. PBD @ 3365'  
 CIBP @ 3400' (9/25/01)

PBD @ 3773'

Tagged at 4471'  
 35 sx cement plug @ 4450' - 4550'

35 sx cement plug @ 6450' - 6550'

35 sx cement plug @ 8480' - 8580'

35 sx cement plug @ 9500' - 9600'

TD @ 9900'

**DEVON ENERGY PRODUCTION COMPANY LP**

Well Name: Angell 6 Federal 5		Field: Fadeaway Ridge	
Location: Sec 6-20S-28E, 2310' FNL & 990' FWL		County: Eddy	State: NM
Elevation: 3374' GL; 3389' KB		Spud Date: 6/29/01	Compl Date: 10/2/02
API#: 30-015-31621	Prepared by: Ronnie Slack	Date: 9/30/04	Rev:

**■ CURRENT**

17-1/2" hole  
13-3/8", 48#, H40, ST&C, @ 349'  
 Cmt'd w/ 300 sxs. Circ'd 94 sxs

SAN ANDRES  
 2570' - 2640' (9/26/01)

11" Hole  
8-5/8", 32#, J55, @ 2902'  
 Cmt'd w/ 600 sxs. Circ'd 30 sxs

DELAWARE  
 3442' - 3472'  
 3548' - 3576'  
 Acidized & Frac'd. Tested wet.

7-7/8" Hole  
5-1/2", 17#, J55, LT&C, @ 3817'  
 Cmt'd w/ 875 sxs. Circ'd 50 sxs.

2-7/8" Production Tubing

ROD STRING--10/2/01  
 2-1/2" X 2" X 16' Pump w/6' gas anchor  
 20-7/8" Norris 78 Rods  
 84-3/4" Norris 78 Rods  
 1-2 X 3/4 Sub  
 1-1-1/4" X 20' polish rod with liner

Packer @ 2474' (9/26/01)

Capped w/ 35' cement. PBD @ 3365'  
 CIBP @ 3400' (9/25/01)

PBD @ 3773'

Tagged at 4471'  
 35 sx cement plug @ 4450' - 4550'

35 sx cement plug @ 6450' - 6550'

35 sx cement plug @ 8480' - 8580'

35 sx cement plug @ 9500' - 9600'

TD @ 9900'