

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
N.M. Oil Cons. Div-Dist. 2
1301 W. Grand Avenue
Alamosa, NM 88210

FORM APPROVED
Budget Bureau No. 1004-0135
Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other _____

2. Name of Operator
DEVON ENERGY PRODUCTION COMPANY, LP.

3. Address and Telephone No.
20 NORTH BROADWAY, SUITE 1500, OKLAHOMA CITY, OKLAHOMA 73102 (405) 552-4615

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1980' FNL & 660' FWL, Sec 35-T20S-R28E

RECEIVED

DEC 16 2004

OOD-ALAMOSA

5. Lease Designation and Serial No.
NM 82992

6. If Indian, Allottee or Tribe Name
NA

7. If Unit or CA, Agreement Designation
Burton Flat Deep Unit

8. Well Name and No.
Burton Flat Deep Unit #9

9. API Well No.
30-015-20960

10. Field and Pool, or Exploratory Area
Burton Flat Strawn/Burton Flat Morrow

11. County or Parish, State
EDDY, NM

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input checked="" type="checkbox"/> Notice of Intent	<input checked="" type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Other _____	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Circulate well with 9.0 ppg mud.
2. Set 150' cement plug from 7425' to 7575'. WOC & Tag.
3. Set 150' cement plug from 5425' to 5575'. WOC & Tag.
4. Set 150' cement plug from 2875' to 3025'. WOC & Tag.
5. Cut 7" casing at 1950' and POOH. (note: Calculated TOC @ 2051')
6. Set 100' cement plug from 1900' to 2000'. WOC & Tag.
7. Set 150' cement plug from 540' to 690'. WOC & Tag.
8. Set 60' cement plug at surface. WOC.
9. Cut wellhead off and install P&A marker. Clean location.

Note: Cement class "C" at 14.8 ppg with a yield of 1.32 cu. ft/sx

**APPROVAL SUBJECT TO
GENERAL REQUIREMENTS AND
SPECIAL STIPULATIONS ATTACHED**

14. I hereby certify that the foregoing is true and correct

Signed *Ronnie Slack*

Ronnie Slack

Title Engineering Technician

Date 12/9/04

(This space for Federal or State office use)

Approved by (ORIG. SGD.) ALEXIS C. SWOBODA

Title PETROLEUM ENGINEER

Date DEC 14 2004

Conditions of approval, if any:

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: Burton Flat Deep Unit #9	Field: Burton Flat Strawn/Burton Flat Morrow
Location: 1980' FNL & 660' FWL, Sec 35-T20S-R28E	County: EDDY State: NM
Elevation: 3228' DF; 3214' CH	Spud Date: 11/12/73 Compl Date: 3/5/74
API#: 30-015-20960	Prepared by: Ronnie Slack Date: 12/9/2004 Rev:

PROPOSED P&A

Lease Number: NM 82992

17-1/2" hole

13-3/8", 48#, H40, ST&C, @ 615'

Cmt'd w/ 600 sx to surface

Calc TOC @ 2051' on 7" csg

12-1/4" hole

9-5/8", 36#, K55, ST&C, @ 2950'

Cmt'd w/1250 sx, + Topped out w/570 sx.

Cement to surface


DV Tool @ 5203'
Note: Records show 400 sx
thru DV tool. Calc TOC @ 2051'

WOLFCAMP (Perfed 10/93)
9496' - 9502'

STRAWN
10310' - 10318'
10332' - 10346'

MORROW
10932' - 10937'
11166' - 11170'
11212' - 11220'
11354' - 11360'

8-3/4" Hole
7", 26#, S95 & N80, LTC, @ 11540'
Cmt'd 1st stage w/600 sx. 2nd stage w/400 sx



Proposed:
Set 60' surface plug
Cut wellhead off & install P&A marker
Clean location

Proposed:
Set 150' cement plug from 540' to 690'
WOC & Tag

Proposed:
Cut 7" casing at 1950' and POOH.
Set 100' cement plug from 1900' to 2000'
WOC & Tag

Proposed:
Set 150' cement plug from 2875' to 3025'
WOC & Tag

Proposed:
Set 150' cement plug from 5425' to 5575'
WOC & Tag

Proposed:
Set 150' cement plug from 7425' to 7575'
WOC & Tag

CIBP @ 9460', w/ 35' cement (Set 2/7/97)

CIBP @ 10280', w/35' cement on top (10/93)

CIBP @ 10710' (10/93)

Model "D" Packer @ 10720'

PBD @ 11501'

TD @ 11540'

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: Burton Flat Deep Unit #9		Field: Burton Flat Strawn/Burton Flat Morrow	
Location: 1980' FNL & 660' FWL, Sec 35-T20S-R28E		County: EDDY	State: NM
Elevation: 3228' DF; 3214' CH		Spud Date: 11/12/73	Compl Date: 3/5/74
API#: 30-015-20960	Prepared by: Ronnie Slack	Date: 12/9/2004	Rev:

■ CURRENT

Lease Number: NM 82992

17-1/2" hole
13-3/8", 48#, H40, ST&C, @ 615'
 Cmt'd w/ 600 sx to surface

Calc TOC @ 2051' on 7" csg

12-1/4" hole
9-5/8", 36#, K55, ST&C, @ 2950'
 Cmt'd w/1250 sx, + Topped out w/570 sx.
 Cement to surface


DV Tool @ 5203'
 Note: Records show 400 sx
 thru DV tool. Calc TOC @ 2051'

WOLFCAMP (Perfed 10/93)
 9496' - 9502'

STRAWN
 10310' - 10318'
 10332' - 10346'

MORROW
 10932' - 10937'
 11166' - 11170'
 11212' - 11220'
 11354' - 11360'

8-3/4" Hole
7", 26#, S95 & N80, LTC, @ 11540'
 Cmt'd 1st stage w/600 sx. 2nd stage w/400 sx



CIBP @ 9460', w/ 35' cement (Set 2/7/97)

CIBP @ 10280', w/35' cement on top (10/93)

CIBP @ 10710' (10/93)

Model "D" Packer @ 10720'

PBD @ 11501'

TD @ 11540'