

UNITED STATES N.M. Oil Cons. DIV-Dist. 2
DEPARTMENT OF THE INTERIOR 1301 W. Grand Avenue
BUREAU OF LAND MANAGEMENT Artesia, NM 88210

FORM APPROVED
Budget Bureau No. 1004-0135
Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other _____

2. Name of Operator

DEVON ENERGY PRODUCTION COMPANY, LP.

3. Address and Telephone No.

20 NORTH BROADWAY, SUITE 1500, OKLAHOMA CITY, OKLAHOMA 73102 (405) 552-4615

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

822' FSL & 2310' FWL, SEC 29-T18S-R31E, Unit Letter N

RECEIVED

DEC 15 2004

OOD-ARTESIA

5. Lease Designation and Serial No.

LC029387A

6. If Indian, Allottee or Tribe Name

NA

7. If Unit or CA, Agreement Designation

8. Well Name and No.

West Shugart 29 Federal #4

9. API Well No.

30-015-30870

10. Field and Pool, or Exploratory Area

West Shugart Delaware

11. County or Parish, State

Eddy County, NM

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other _____

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Dump bail 35' cement on top of existing CIBP @ 4959'.
2. Circulate hole with 9 ppg mud.
3. Set 150' cement plug from 3400' to 3550'. WOC and tag.
4. Cut 5-1/2" casing at 2670' and pull from hole. Set 234' cement plug from 2620' to 2854'. WOC and tag.
5. Set 150' cement plug from 685' to 835'. WOC and tag.
6. Set 60' cement plug at surface.
7. Cut casings off 3' below ground level and install P&A marker.
8. Clean up location.

Note: Cement class "C" at 14.8 ppg with a yield of 1.32 cu. ft/sx

SEE ATTACHED FOR
CONDITIONS OF APPROVAL



14. I hereby certify that the foregoing is true and correct

Signed Ronnie Slack

Accepted for record - NMOCD

Ronnie Slack

Title Engineering Technician

Date 12/6/04

Approved by _____

Conditions of approval, if any: _____

Title _____

Date _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representation on any matter within its jurisdiction.

See Instruction on Reverse Side

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: West Shugart 29 Federal 4		Field: West Shugart Delaware	
Location: Sec 29-T18S-R31E, 822' FSL & 2310' FWL		County: Eddy	State: NM
Elevation: 3584' Casing Head		Spud Date: 7/21/00	Compl Date: 8/24/00
API#: 30-015-30870	Prepared by: Ronnie Slack	Date: 12/6/04	Rev:

PROPOSED P&A


17-1/2" hole
13-3/8", 48#, H40, @ 760'
 Cmt'd w/570 sxs. Cmt to surface

TOC on 5-1/2" casing @ 2770'

8-5/8", 32#, J55, @ 2804'
 Cmt'd w/950 sxs. Cmt to surface

DELAWARE
5018' - 5030'
 Frac'd w/87755# 16/30

7-7/8" hole
5-1/2", 15.5 & 17#, J55, @ 5300'
 Cmt'd w/500 sxs. TOC @ 2770' (cbl)



Proposed:
 Set 60' surface cement plug
 WOC. Cut casings 3' below GL. Set P&A marker

Proposed:
 Set 150' cement plug from 685' to 835'
 WOC & Tag

Proposed:
 Cut 5-1/2" casing at 2670' and retrieve
 Set 234' cement plug from 2620' to 2854'
 WOC & Tag

Proposed:
 Set 150' cement plug from 3400' to 3550'
 WOC & Tag

Proposed:
 Dump bail 35' cement on top of existing CIBP @ 4959'

CIBP @ 4959' (set 11/7/03)

PBTD @ 5269'

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: West Shugart 29 Federal 4		Field: West Shugart Delaware	
Location: Sec 29-T18S-R31E, 822' FSL & 2310' FWL		County: Eddy	State: NM
Elevation: 3584' Casing Head		Spud Date: 7/21/00	Compl Date: 8/24/00
API#: 30-015-30870	Prepared by: Ronnie Slack	Date: 11/17/04	Rev:

CURRENT

17-1/2" hole
13-3/8", 48#, H40, @ 760'
 Cmt'd w/570 sxs. Cmt to surface

11" hole
8-5/8", 32#, J55, @ 2804'
 Cmt'd w/950 sxs. Cmt to surface

DELAWARE
 5018' - 5030'
 Frac'd w/87755# 16/30

7-7/8" hole
5-1/2", 15.5 & 17#, J55, @ 5300'
 Cmt'd w/500 sxs. TOC @ 2770' (cbl)

11/8/03: POOH and laid down production tubing

CIBP @ 4959' (set 11/7/03)

PBTD @ 5269'

TD @ 5300'