

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural ResourcesOil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505Form C-1.
March 12, 20For drilling and production facilities, submit:
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office**Pit or Below-Grade Tank Registration or Closure**Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Pogo Producing Company Telephone: 432-685-8100 e-mail address: wrightc@pogoproducing.com
 Address: P.O. Box 10340, Midland, TX 79702-7340
 Facility or well name: Patton 18 Fed #1 API #: 30-015-32435 U/L or Qtr/Qtr G Sec 18 T 24 R 31
 County: Eddy Latitude 32:13:153N Longitude 103:48:865W NAD: 1927 ☒ 1983 ☐ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐


PitType: Drilling ☐ Production ☐ Disposal ☐Workover ☐ Emergency ☐Lined ☐ Unlined ☐Liner type: Synthetic ☐ Thickness mil Clay ☐ Volume
 bbl**Below-grade tank**Volume: bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes ☐ If not, explain why not.
 Depth to ground water (vertical distance from bottom of pit to seasonal high
water elevation of ground water.)Less than 50 feet
50 feet or more, but less than 100 feet
100 feet or more(20 points)
(10 points)
(0 points)**RECEIVED**
FEB 02 2005Wellhead protection area: (Less than 200 feet from a private domestic
water source, or less than 1000 feet from all other water sources.)Yes
No(20 points)
(0 points)**OCD-ARTESIA**Distance to surface water: (horizontal distance to all wetlands, playas,
irrigation canals, ditches, and perennial and ephemeral watercourses.)Less than 200 feet
200 feet or more, but less than 1000 feet
1000 feet or more(20 points)
(10 points)
(0 points)**Ranking Score (Total Points)****If this is a pit closure:** (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:onsite ☒ offsite ☐ If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and
end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results
and a diagram of sample locations and excavations.I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has
been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.Date: 1/26/05Printed Name/Title Cathy Wright, Sr Eng TechSignature Cathy WrightYour certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or
regulations.

Approval:

Date: FEB 7 2005Printed Name/Title Wild Sep IISignature Wild Sep II

Pit Closing Procedure:

Pits are dewatered. Dirt contractor digs a deep bury pit adjacent to the drilling pit. Deep bury pit is lined with 12 mil plastic. Dirt contractor pushes contents of drilling pit into ²/₃ LINER the deep bury pit. Deep bury pit is capped with 20 mil plastic then covered with 3 feet of fill dirt.



30-015-32435
32: 13: 153M
103: 48 865W