1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit 1 appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Form C-1

March 12, 20

Pit or Below-Grade Tank Registration or Closure

	covered by a "general plan"? Yes No X elow-grade tank Closure of a pit or below-grade ta	
Operator: Pogo Producing Company 432-68 Telephone: P.O. Box 10340, Midland, TX 79702-	5-8100 e-mail address: wrightc@pogo	producing.com
Facility or well name: Pecos 32 State #1 API #.30-015	5-32471 U/L or Qtr/Qtr H Sec 32 T 19) _R 27
County: Eddy Latitude 32:37:146N Longitude 104	17:797W NAD: 1927 🖾 1983 🗆 Surface Own	ner Federal
Landoc Longitude	1727 1735 Garlage Own	The restoral Explanation of the state of the
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover Emergency	Construction material:	
Lined Unlined	Double-walled, with leak detection? Yes lf not, explain why not.	
Liner type: Synthetic Thicknessmil Clay Volume	bouto wanted with the Control of the	
		RECEIVED
Death to ground water (vertical distance from bottom of nit to sessonal high	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points) FEB 0 2 2005
water elevation of ground water.)	100 feet or more	(0 points)
	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Indica	ate disposal location:
onsite \(\bar{\text{\tinx{\text{\ti}\text{\texi{\text{\texi{\text{\texi{\text{\text{\text{\text{\texi}\text{\text{\text{\texi}\text{\text{\text{\text{\texi}\text{\text{\texi}\text{\text{\texit{\text{\texi}\text{\texi}\text{\text{\texi}\text{\text{\text{\tex	(3) Attach a general description of remedial acti	ion taken including remediation start date and
end date. (4) Groundwater encountered: No 🖾 Yes 🔲 If yes, show depth		
and a diagram of sample locations and excavations.		(*)
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines ☑, Date: 1/26/05	a general permit 🔲, or an (attached) alternative O	CD-approved plan .
Printed Name/Title Cathy Wright, Sr Eng Tech	Signature Other Whyl	1
Your certification and NMOCD approval of this application/closure does no otherwise endanger public health or the environment. Nor does it relieve the regulations.		
Approval:	222	<u> </u>
Date: EED 7 2005 A -AAAA	- /'VC)
Printed Name Title 2003	Signature /	
ğ		

Pit Closing Procedure:

Pits are dewatered. Dirt contractor digs a deep bury pit adjacent to the drilling pit. Deep bury pit is lined with 12 mil plastic. Dirt contractor pushes contents of drilling pit into - & Line the deep bury pit. Deep bury pit is capped with 20 mil plastic then covered with 3 feet of fill dirt.

