1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

June 1, 2004 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Value Fe

Form C-144

89PARTERIA

office

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \) No \( \subseteq \)

	r below-grade tank 🔲 Closure of a pit or below-grade	de talik LA
Operator:Devon Energy Production Co., L.PTelephone: _505-74  Address: _P.O. Box 250 Artesia, NM 88210  Facility or well name:Apache 25 Federal #8API #: _30-015-3342		
_		
County: Eddy Latitude Latitude	Longitude	NAD. 1927   1963
Surface Owner: Federal State Private Indian	Below-grade tank	
<u>Pit</u> <u>Type:</u> Drilling ⊠ Production □ Disposal □	Volume:bbl Type of fluid:	
Workover   Emergency	Construction material:  Double-walled, with leak detection? Yes  If not, explain why not.	
Lined \( \subseteq Unlined \( \subseteq \)		
Liner type: Synthetic ☑ Thickness _12_mil Clay ☐		
Pit Volumebbl \		
rit volulie	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	( 0 points)
	Too leet of more	( o points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	( 0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	( 0 points)
	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's		
your are burying in place) onsite 🛛 offsite 🔲 If offsite, name of facility_		
remediation start date and end date. (4) Groundwater encountered: No 🛛 Y	es If yes, show depth below ground surface	ft. and attach sample results.
CENTAGE OF THE STATE OF THE STA	ions.	
(5) Attach soil sample results and a diagram of sample locations and excavat		
Additional Comments:		
:		we will line the trench with 12 mil liner
Additional Comments:	rule 50 of the Pit and Below-Grade Tank Guidelines,	
We plan to trench bury the drilling pit at the Apache 25 Federal #8. As per	rule 50 of the Pit and Below-Grade Tank Guidelines,	
Additional Comments:  We plan to trench bury the drilling pit at the Apache 25 Federal #8. As per  And bury pit contents and liner then cover with 20 mil plastic. We will cap	rule 50 of the Pit and Below-Grade Tank Guidelines,	
Additional Comments:  We plan to trench bury the drilling pit at the Apache 25 Federal #8. As per  And bury pit contents and liner then cover with 20 mil plastic. We will cap	rule 50 of the Pit and Below-Grade Tank Guidelines,	
Additional Comments:  We plan to trench bury the drilling pit at the Apache 25 Federal #8. As per And bury pit contents and liner then cover with 20 mil plastic. We will cap To prevent erosion and ponding of rainwater over the site.  I hereby certify that the information above is true and complete to the best	rule 50 of the Pit and Below-Grade Tank Guidelines,  with 3' of native material capable of supporting nati	ve plant growth. We will contour the pit area
Additional Comments:  We plan to trench bury the drilling pit at the Apache 25 Federal #8. As per And bury pit contents and liner then cover with 20 mil plastic. We will cap To prevent erosion and ponding of rainwater over the site.  I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline.	rule 50 of the Pit and Below-Grade Tank Guidelines,  with 3' of native material capable of supporting nati	ve plant growth. We will contour the pit area
Additional Comments:  We plan to trench bury the drilling pit at the Apache 25 Federal #8. As per And bury pit contents and liner then cover with 20 mil plastic. We will cap To prevent erosion and ponding of rainwater over the site.  I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline.  Date 2/1-05	rule 50 of the Pit and Below-Grade Tank Guidelines, o with 3' of native material capable of supporting nation of my knowledge and belief. I further certify that the same and permit, or an (attached) alterna	ve plant growth. We will contour the pit area
Additional Comments:  We plan to trench bury the drilling pit at the Apache 25 Federal #8. As per And bury pit contents and liner then cover with 20 mil plastic. We will cap To prevent erosion and ponding of rainwater over the site.  I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline.  Date 2//-05  Printed Name/TitleVivian Rodriguez/Field Tech II Signature.	rule 50 of the Pit and Below-Grade Tank Guidelines, o with 3' of native material capable of supporting nation of my knowledge and belief. I further certify that the same and permit, or an (attached) alternation of my knowledge and belief.	the above-described pit or below-grade tank tive OCD-approved plan .
Additional Comments:  We plan to trench bury the drilling pit at the Apache 25 Federal #8. As per And bury pit contents and liner then cover with 20 mil plastic. We will cap To prevent erosion and ponding of rainwater over the site.  I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline.  Date 2/1-05	rule 50 of the Pit and Below-Grade Tank Guidelines, o with 3' of native material capable of supporting nation of my knowledge and belief. I further certify that the same and permit, or an (attached) alternation of relieve the operator of liability should the contents	the above-described pit or below-grade tank tive OCD-approved plan
Additional Comments:  We plan to trench bury the drilling pit at the Apache 25 Federal #8. As per And bury pit contents and liner then cover with 20 mil plastic. We will cap To prevent erosion and ponding of rainwater over the site.  I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline.  Date 2//-05  Printed Name/TitleVivian Rodriguez/Field Tech II Sig Your certification and NMOCD approval of this application/closure does notherwise endanger public health or the environment. Nor does it relieve the	rule 50 of the Pit and Below-Grade Tank Guidelines, o with 3' of native material capable of supporting nation of my knowledge and belief. I further certify that the same and permit, or an (attached) alternation of relieve the operator of liability should the contents	the above-described pit or below-grade tank tive OCD-approved plan