# N.M. Oil Cons. DIV-Dist. 2 1301 W. Grand Avenue

Artesia, NM 88210

Form 3160 - 3 (April 2004) FORM APPROVED OMB No. 1004-0137 Expires March 31 200

HIMITED CTATES	LIMITED CTATEC					Expires March 31, 2007		
UNITED STATES  DEPARTMENT OF THE  BUREAU OF LAND MAN	5. Lease Serial No. NM 32323							
APPLICATION FOR PERMIT TO	6. If Indian, Allotee	or Tribe Name						
la. Type of work: DRILL REENT	Type of work: DRILL REENTER			7 If Unit or CA Agreement, Name and No.				
lb. Type of Well: Oil Well Gas Well Other	<b>✓</b> Singl	e ZoneMultip	ole Zone	8. Lease Name and Snakeweed B				
2. Name of Operator  McKay Oil Corporation		9, API Well No.	105-6	37				
3a. Address PO Box 2014 Roswell, NM 88202-2014	3b. Phone No. (i. 505-623-	nclude area code) 4735		10. Field and Pool, or W. Pecos ABC		974		
4. Location of Well (Report location clearly and in accordance with at At surface 1980' FNL & 1980' FWL	ny State requirement	RECEIVE	D	11. Sec., T. R. M. or E	3lk. and Survey or	Area		
At proposed prod. zone (F)		JAN 2 5 20		Unit F, Sec. 18	8, T6S, R23E			
14. Distance in miles and direction from nearest town or post office*  Approximately 25 miles	C	CD-ARTE	SIA	12. County or Parish  Chaves	13. S	tate NM		
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)	16. No. of acre	s in lease	17. Spacin	g Unit dedicated to this	well			
8. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.	19. Proposed D	epth		BIA Bond No. on file		<del></del>		
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 4138'	22 Approxima	te date work will sta 11/01/2004	rt*	23. Estimated duration 7-10 days	on			
	24. Attachi	nents						
he following, completed in accordance with the requirements of Onsho	ore Oil and Gas Or	der No.1, shall be a	ttached to th	is form:				
<ol> <li>Well plat certified by a registered surveyor.</li> <li>A Drilling Plan.</li> <li>A Surface Use Plan (if the location is on National Forest System</li> </ol>		<ol> <li>Bond to cover the litem 20 above).</li> <li>Operator certification.</li> </ol>	•	ns unless covered by an	existing bond o	n file (see		
SUPO shall be filed with the appropriate Forest Service Office).	, I		specific info	ormation and/or plans a	s may be require	d by the		
25. Signature July	, i	rinted/Typed) mes L. Schultz			Date 10/11/200	)4		
Title Agent								
Approved by (Signature)  (ORIG, SGD.) ARMANDO A. LOPEZ	Name (F	Name (Printed/Typed) (ORIG. SGD.) ARMANDO A. LOPEZ			Date JAN	212		
Lenge And Minerals	.   511100	ROSWELL F			ROVED FOR	-		
Application approval does not warrant or certify that the applicant holonduct operations thereon. Conditions of approval, if any, are attached.	ds legal or equitab	le title to those righ	its in the sub	ject lease which would o	entitle the applica	intto		
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a c States any false, fictitious or fraudulent statements or representations as	crime for any pers to any matter with	on knowingly and in its jurisdiction.	willfully to n	nake to any department	or agency of the	United		

\*(Instructions on page 2)



#### State of New Mexico

DISTRICT I

Energy, Minerals and Natural Resources Department

DISTRICT II

DISTRICT III

1301 W. GRAND AVENUE, ARTESIA, NM 88210

1000 Rio Brazos Rd., Aztec, NM 87410

1220 S. ST. PRANCES DR., SANTA PR. NM 87505

OIL CONSERVATION DIVISION 1220 SOUTH ST. FRANCIS DR. Santa Fe, New Mexico 87505 Form C-102 Revised JUNE 10, 2003 Submit to Appropriate District Office

State Lease - 4 Copies Fee Lease - 3 Copies

DISTRICT IV

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

☐ AMENDED REPORT

API Number	Pool Code	Pool Name
Property Code	Property Name SNAKEWEED B	Well Number
OGRID No.	Operator Name McKAY OIL CORPORATIO	N Elevation 4138'


#### Surface Location


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	18	6-S	23-E		1980	NORTH	1980	WEST	CHAVES

#### Bottom Hole Location If Different From Surface


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Peet from the	East/West line	County
Dedicated Acre	s Joint o	r Infill	Consolidation (	Code Or	der No.				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION





# LOCATION VERIFICATION MAP



SCALE: 1" = 2000'

MESA SW, N.M.

CONTOUR INTERVAL: MESA SW, N.M. - 10'

SEC. 18 TWP. 6-S RGE. 23-E

SURVEY N.M.P.M.

COUNTY CHAVES

DESCRIPTION 1980' FNL & 1980' FWL

ELEVATION 4138'

McKAY


OPERATOR OIL CORPORATION

LEASE SNAKEWEED FEDERAL B

U.S.G.S. TOPOGRAPHIC MAP



PROVIDING SURVEYING SERVICES SINCE 1946 IOHN WEST SURVEYING COMPANY 412 N. DAL PASO HOBBS, N.M. 88240 (805) 383-3117




## MCKAY OIL COPRORATION

Snakeweed B #1

SE4NW4 of Section 18, T6S, R23E Chaves County, New Mexico

EXHIBIT "D"



#### SUPPLEMENTAL DRILLING DATA

## MCKAY OIL CORPORATION SNAKEWEED B #1 1980' FNL & 1980' FWL Sec. 18, T6S, R23E

Chaves County, New Mexico

The following items supplement Form 3160-3 in accordance with instruction contained in Onshore Oil and Gas Order No. 1:

- 1. SURFACE FORMATION: San Andres
- 2. ESTIMATED TOPS OF GEOLOGICAL MARKERS:

Yeso - 921' Tubb - 2417' Abo - 2630'

3. ESTIMATED DEPTHS TO WATER, OIL OR GAS FORMATIONS:

Fresh Water - In surface formation above 600' Gas - In Abo Formation below 2630'

4. PROPOSED CASING PROGRAM:

1-55

12-1/4" hole 8-5/8" <del>X 2</del> 24# 950' + 7-7/8" hole 5-1/2" J-55 15.5# TD

5. PROPOSED CEMENTING PROGRAM:

Surface to 950' class "C" - 350 sxs cemented and circulated

to surface.

Production Casing class "C" - 300 sxs cemented with adequate

cover.

#### 6. PROPOSED DRILLING PROGRAM:

McKay Oil Corporation proposes to drill and test the ABO formation. Approximately 950' of surface casing will be set and cemented to surface. 5-1/2" production casing will be set and cemented with adequate cover, perforated and stimulated as needed for production.

- 7. PRESSURE CONTROL EQUIPMENT: Blowout preventer will consist of 2 ram, 2M system. A sketch of the BOP is attached.
- 8. CIRCULATION MEDIUM: Air Drilling
- 9. <u>AUXILIARY EQUIPMENT</u>: Full-opening drill string safety valve fit for the drill string in use, will be kept on the rig floor at all times.
- 10. TESTING, LOGGING AND CORING PROGRAM:

Samples:

Catch samples from surface to TD.

DST's:

None.

Logging:

GR-CNL, Dual Lateral MSFL from

surface to TD.

Coring:

None.

- 11. <u>ABNORMAL PRESSURES</u>, <u>TEMPERATURES OR HYDROGEN SULFIDE</u>: None anticipated.
- 12. <u>ANTICIPATED STARTING DATE</u>: On or before November 1, 2004 Drilling should be completed within 10 days. Completion operations (perforations and stimulation) will follow drilling operations.

# Southwest Petroleum Land Services, LLC

100 N. Pennsylvania Roswell, NM 88203 (505) 622-6713 (505) 622-9282 fax

October 13, 2004

Oil Conservation Division Bryan Arrant 1301 W. Grand Avenue Artesia, NM

Re: H2S Contingency Plan-Snakeweed B #1

Bryan,

Please see attached Contingency Plan-H2S for the Snakeweed B #1 located in Sec 18, T6S, R23E 1980' FNL & 1980' FWL in Chaves County. Should you need any further information, please contact me at 505-626-6879.

Sincerely,

Jim Schultz

Agent for McKay Oil Corporation

### MCKAY OIL CORPORATION PO BOX 2014 ROSWELL, NM 88202-2014 505-623-4735

HYDROGEN SULFIDE (H2S) CONTINGENCY PLAN FOR THE SNAKEWEED B #1
LOCATED IN SEC 18, T6S, R23E IN CHAVES COUNTY, NEW MEXICO


NO HYDROGEN SULFIDE OR OTHER HAZARDOUS GASES OR FLUIDS HAVE BEEN ENCOUNTERED, REPORTED OR KNOWN TO EXIST AT THIS DEPTH IN THIS AREA.

#### **SNAKEWEED B #1**

This is an open drilling Site. H2S monitoring equipment and emergency response equipment will be used within 500' of zones known to contain H2S, including warning signs, wind indicators and H2S monitor. Pumpers carry (MICROPACKS) H2S pocket testers at all times. Pulling units have an H2S indicator that puts off light and alarm on any indication of H2S being present.

MAPS - SEE ATTACHED


# LOCATION VERIFICATION MAP



SCALE: 1" = 2000'

CONTOUR INTERVAL: MESA SW, N.M. - 10'

SEC. 18 TW	/P. <u>6-S</u> RGE. <u>23-E</u>
SURVEY	N.M.P.M.
COUNTY	CHAVES
DESCRIPTION_	1980' FNL & 1980' FWL
ELEVATION	4138'
OPERATOR	McKAY OIL CORPORATION
	KEWEED FEDERAL B
U.S.G.S. TOPO	OGRAPHIC MAP
MEDA DIV, IV.	141 .





#### **EMERGENCY PROCEDURES**

In the case of a release of gas containing H2S, the first responder must isolate the area and prevent entry by other persons into the 100 ppm ROE. Additionally the first responder must evacuate any public spaces encompassed by the 100 ppm ROE. First responder must take care not to injure themselves during this operation. Company and or local officials must be contacted to aid in this operation. Evacuation of the public should be beyond the 100 ppm ROE.

All responders must have training in the detection of H2S measures for protection against the gas, equipment used for protection and emergency response. Additionally, responders must be equipped with H2S monitors and air packs in order to control the release. Use the "buddy system" to ensure no injuries occur during the response.

#### **IGNITION OF GAS SOURCE**

Should control of the well be considered lost and ignition considered, take care to protect against exposure of sulfur Dioxide (SO2). Intentional ignition must be coordinated with the NMOCD and local officials. Additionally the NM State Police may become involved. NM State Police shall be the Incident Command on scene of any major release. Take care to protect downwind whenever there is an ignition of the gas.

#### **CHARACTERISTICS OF H2S & SO2**

COMMON NAME	CHEMICAL FORMULA	SPECIFIC GRAVITY	THRESHOLD LIMIT	HAZARDOUS LIMIT	LETHAL CONCENTRATION
HYDROGEN SULFIDE	H2S	1.189 AIR=1	10 PPM4	100 PPM/HR	600 PPM
SULFUR DIOXIDE	SO2	2.21 AIR=1	2 PPM	N/A	1000 PPM

#### **CONTACTING AUTHORITIES**

McKay Oil Corporation personnel must liaison with local and state agencies to ensure a proper response to a major release. Additionally, the OCD must be notified of the release as soon as possible but no later than 4 hours. Agencies will ask for information such as type and volume of release, wind direction, location of release, etc. be prepared with all information available. The following call list of essential and potential responders must be in coordination with the State of New Mexico's Hazardous Materials Emergency Response Plan (HMER).

## MCKAY OIL CORPORATION CALL LIST

CHAVES COUNTY (505)	OFFICE	CELL PHONE	HOME PHONE
HUMBERTO PEREZ	625-1154	626-8580	627-1985
JIM ROBINSON	625-1154	626-8579	624-1093
APRIL MCKAY	623-4735	626-8575	625-2848

## **CHAVES COUNTY (505)**

**ROSWELL** 

STATE POLICE 622-7200

CITY POLICE 911 or 624-6770

SHERIFF'S OFFICE 624-6500

AMBULANCE 911

FIRE DEPARTMENT 624-6800

LEPC (Local Emergency Planning Committee) Teresa Barncastle 624-6770

ext 129

NMOCD 748-1283 ENMMC (Hospital) 622-8170

		N.M. C	)il Co	no 1711			
Form 3160-5 April 2004) D	UNITED STATES PEPARTMENT OF THE SUREAU OF LAND MAN	S INTERSORT	W. G	rand A	V-Dist. Venue	POWM APPROVED OMB No. 1004-0137 Expires: March 31, 2007	
	NOTICES AND REF	77117	esia.	NM 88	5. Lease Serial 2 110 3232	No. 3	
Do not use th	is form for proposals t ell. Use Form 3160-3 (	to drill or to	re-enter	an		Allottee or Tribe Name	
ATT	PLICATE- Other insti	-			7. If Unit or (	CA/Agreement, Name and/or No.	
1. Type of Well Oil Well	Gas Well Other				_		
					8. Well Name and No. Snakeweed B Federal #1		
2. Name of Operator McKay Oil O	orporation	1			9. API Wel	No.	
3a. Address PO Box 2014, Roswell, NM 882	202-2014	3b. Phone No. (i 505.623.4735	5	,	<del>-</del> ∤	Pool, or Exploratory Area	
4. Location of Well (Footage, Sec.,	T., R., M., or Survey Description)		RECE	VED	W. Pecos ABO Slope  11. County or Parish, State		
1980' FNL, 1980' FWL, Unit F	F, Section 18, T6S, R23E		JAN 2 5	2005	Chaves, NM		
12. CHECK AI	PPROPRIATE BOX(ES) TO	INDICATE N	ATURE O	NOTICE, R	REPORT, OR	OTHER DATA	
TYPE OF SUBMISSION			TYPE OF	ACTION			
If the proposal is to deepen dire Attach the Bond under which the following completion of the inv testing has been completed. Fir determined that the site is ready	ectionally or recomplete horizontal ne work will be performed or proventied of perations. If the operational Abandonment Notices shall be	ly, give subsurface l ride the Bond No. o n results in a multiple filed only after all r	ng estimated docations and ifle with BL e completion equirements,	measured and tra M/BIA. Requir or recompletion including reclan	ny proposed wor ue vertical depths red subsequent re in a new interval,	a Form 3160-4 shall be filed once	
14. Thereby certify that the fore Name (Printed/Typed)	going is true and correct	[					
James L. Schultz	2	Ti	itle <b>Agent</b>				
Signature /			)ate	1	12/02/2004	-13-05	


certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Assistant Field Mahager


Office ROSWELL FIELD OFFICE

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

THIS SPACE FOR FEDERAL OR STATE OFFICE USE



## VICINITY MAP



SCALE: 1'' = 2 MILES


SEC. 18 IV	WP. <u>6-S</u> RGE. 23-E
SURVEY	N.M.P.M.
COUNTY	CHAVES
DESCRIPTION	1980' FNL & 1980' FWL
ELEVATION	4138'
OPERATOR	McKAY OIL CORPORATION
LEASE SNI	AKEWEED FEDERAL R



PROVIDING SURVEYING SERVICES
SINCE 1946
JOHN WEST SURVEYING COMPANY
412 N. DAL PASO
HOBBS, N.M. 88240
(506) 383-3117



# LOCATION VERIFICATION MAP



SCALE: 1" = 2000'

CONTOUR INTERVAL: MESA SW, N.M. - 10'

SEC. 18 TWP. 6-S RGE. 23-E

SURVEY N.M.P.M.

COUNTY CHAVES

DESCRIPTION 1980' FNL & 1980' FWL

ELEVATION 4138'

MCKAY

OPERATOR OIL CORPORATION

LEASE SNAKEWEED FEDERAL B

U.S.G.S. TOPOGRAPHIC MAP

MESA SW, N.M.



PROVIDING SURVEYING SERVICES SINCE 1946 JOHN WEST SURVEYING COMPANY 412 N. DAL PASO HOBBS, N.M. 88240 (505) 393-3117