

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

|   |  |   |
|---|--|---|
| <p><b>SUNDRY NOTICES AND REPORTS ON WELLS</b><br/>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)</p>             |  | <p>WELL API NO.<br/>30-015-23235</p>  |
| <p>1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/></p>   |  | <p>5. Indicate Type of Lease<br/>STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/></p> |
| <p>2. Name of Operator<br/>Yates Petroleum Corporation</p>  |  | <p>6. State Oil &amp; Gas Lease No.</p>   |
| <p>3. Address of Operator<br/>105 South Fourth Street, Artesia, NM 88210</p>  |  | <p>7. Lease Name or Unit Agreement Name<br/>Gissler AV</p>  |
| <p>4. Well Location<br/>Unit Letter <u>L</u> : <u>2310</u> feet from the <u>South</u> line and <u>990</u> feet from the <u>West</u> line<br/>Section <u>23</u> Township <u>17S</u> Range <u>25E</u> NMPM <u>Eddy</u> County</p> |  | <p>8. Well Number<br/>19</p>  |
| <p>11. Elevation (Show whether DR, RKB, RT, GR, etc.)<br/>3506' GR</p>  |  | <p>9. OGRID Number<br/>025575</p>   |
| <p>10. Pool name or Wildcat<br/>Eagle Creek; San Andres</p>   |  |   |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

|  |   |
|--|---|
| <p><b>NOTICE OF INTENTION TO:</b></p> <p>PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/><br/>         TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/><br/>         PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/><br/>         DOWNHOLE COMMINGLE <input type="checkbox"/></p> | <p><b>SUBSEQUENT REPORT OF:</b></p> <p>REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/><br/>         COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/><br/>         CASING/CEMENT JOB <input type="checkbox"/></p> |
| <p>OTHER: <input type="checkbox"/></p>   | <p>OTHER: <input type="checkbox"/></p>  |


13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum Corporation plans to plug and abandon this well as follows:

1. Install BOP. TOH with production equipment.
2. Set a CIBP at 1280'.
3. Cement to surface with 185 sx Class "C" cement.
4. Cut off wellhead, install dry hole marker and clean location as per regulations.

NOTE: Yates Petroleum Corporation will use steel pits and no earth pits

**Notify OCD 24 hrs. prior  
to any work done.**



Spud Date:  Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Compliance Supervisor DATE July 27, 2011

Type or print name Tina Huerta E-mail address: tinah@yatespetroleum.com PHONE: 575-748-4168

**For State Use Only**

APPROVED BY: [Signature] TITLE Approval Granted providing work is complete by 11/1/2011 DATE 8/1/2011

Conditions of Approval (if any):

Well Name: Gissler AV #19 Field: Eagle Creek


Location: 2310' FSL & 990' FWL Sec 23-17S-25E

GR: 3,506' Zero:        KB:       

Spud Date: 3/20/1983 Completion Date: 4/07/1983

Comments: API #30015232350000

| Casing Program     |           |
|--------------------|-----------|
| Size/Wt/Grade/Conn | Depth Set |
| 10-3/4" 40.5# K-55 | 340'      |
| 7" 23# K-55        | 1159'     |
| 4-1/2" 9.5# J-55   | 1488'     |
|                    |           |
|                    |           |
|                    |           |



SKETCH NOT TO SCALE

DATE: 6/23/2011

Well Name: Gissler AV #19 Field: Eagle Creek


Location: 2310' FSL & 990' FWL Sec 23-17S-25E

GL: 3,506' Zero:        KB:       

Spud Date: 3/20/1983 Completion Date: 4/07/1983

Comments: API #30015232350000

| Casing Program     |           |
|--------------------|-----------|
| Size/Wt/Grade/Conn | Depth Set |
| 10-3/4" 40.5# K-55 | 340'      |
| 7" 23# K-55        | 1159'     |
| 4-1/2" 9.5# J-55   | 1488'     |
|                    |           |
|                    |           |
|                    |           |



SKETCH NOT TO SCALE

DATE: 6/23/2011

NEW MEXICO OIL CONSERVATION DIVISION  
DISTRICT 2 OFFICE  
1301 W. GRAND AVENUE  
ARTESIA, NM 88210  
(575)748-1283

CONDITIONS OF APPROVAL FOR PLUGGING & ABANDONMENT

Operator: Yates Petroleum Corp.

Well Name & Number: Gissler AV #19

API #: 30-015-23235

1. Produced water will not be used during any part of the plugging & abandonment operation.
2. Notify NMOCD Dist. 2 office at least 24 hrs before beginning work.
3. Trucking companies being used to haul oilfield waste fluids to a disposal – commercial or private – shall have an approved NMOCD C-133 permit. A copy of this permit shall be available in each truck used to haul waste products. It is the responsibility of the operator, as well as the contractor, to verify that this permit is in place prior to performing work. Drivers shall produce a copy upon request of NMOCD Field Inspectors.
4. A subsequent C-103 will serve as notification that the well bore has been plugged ONLY. A C-103 FINAL shall be filed before any bonding can be released on the well. Upon receipt of the Final, an inspection will be performed to verify that the location has been satisfactorily cleaned to NMOCD standards.
5. If work has not begun within 90 days of the approval of this procedure, an extension request must be filed, stating reason that well has not been plugged.
6. Every attempt must be made to clean the well bore out to below the perfs, before any plugs can be set, by whatever means possible.

DG

Date: 8/1/2011