



Mapped, edited, and published by the Geological Survey
Control by USGS and NGS/WGMA

Topography by photogrammetric methods from aerial
photographs taken 1965. Fields checked 1967

Polyconic projection. 10,000-foot grid ticks based on
New Mexico coordinate system, east zone. 1000-meter
Universal Transverse Mercator grid ticks, zone 13
shown in black. 1927 North American Datum. To
place on the projected North American Datum
1983 move the projection lines 6 meters
north and 45 meters east as shown by dashed
corner ticks

Fine red dashed lines indicate selected fence lines

UTM GRID AND 1983 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

SCALE 1:24,000

CONTOUR INTERVAL 10 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS
NATIONAL GEODESIC DATUM OF 1983

THIS MAP COMPLEYS WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80202 OR WESTON, VIRGINIA 22097
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION
Light duty ————— Unimproved dirt —————

COTTONWOOD DRAW, N. MEX.
H3345—W10415/7.5

1967
GSA 616 17 SE SERIES 1981

**New Mexico Office of the State Engineer
Well Reports and Downloads**

Township: 06S Range: 25E Sections:

NAD27 X: Y: Zone: Search Radius:

County: Basin: Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic
☒ All

Well / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

WATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 03/15/2005

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
RA	06S	25E	35				1	174	174	174

Record Count: 1