Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Rec'd 05/11/2020 - NMOCD FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018 5. Lease Serial No. NMNM0545035

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an

abandoned well. Use form 3160-3 (APD) for such proposals.				6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on page 2				7. If Unit or CA/Agreement, Name and/or No.		
1. Type of Well ☑ Oil Well ☐ Gas Well ☐ Other				8. Well Name and No. PURE GOLD MDP1 29-17 FED COM 3H		
Name of Operator				9. API Well No. 30-015-45647-00-S1		
3a. Address 5 GREENWAY PLAZA SUITE HOUSTON, TX 77046-0521	one No. (include area code) 13-497-2492		10. Field and Pool or Exploratory Area INGLE WELLS			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, State		
Sec 29 T23S R31E SESW 430FSL 2500FWL 32.269359 N Lat, 103.800268 W Lon				EDDY COUNTY, NM		
12. CHECK THE AF	PPROPRIATE BOX(ES) TO INI	DICATE NATURE OF	F NOTICE, 1	REPORT, OR OTH	ER D	ATA
TYPE OF SUBMISSION	TYPE OF ACTION					
☐ Notice of Intent	☐ Acidize	Deepen	☐ Production (Start/Resume)		\square N	ater Shut-Off
_	☐ Alter Casing [☐ Hydraulic Fracturing	□ Reclama	ımation		ell Integrity
Subsequent Report	☐ Casing Repair	☐ New Construction	☐ Recomplete			
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon	□ Tempora	orarily Abandon		ing Operations
	☐ Convert to Injection	☐ Plug Back	☐ Water D	Water Disposal		
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. THIS IS TO CORRECT A PREVIOUSLY SUBMITTED SUNDRY ES#466089. THIS IS TO ADD THE TD DATE REACHED. 4/14/19 NU BOP, test to 5000psi high/250psi low, good test. Test 9-5/8" casing to 1500psi for 30 min, good test. RIH and drill new formation to 4234', perform FIT to EMW=9.9ppg 220psi, good test. Drill 8-1/2" hole to 9235'. RIH and set 7-5/8" 26.4# HCL-80 SF/FJ casing @9225', pump 40bbls spacer then cement with 152sx (44bbls) class c with additives 13.2ppg 1.61yield cement, no returns. Pumped 2nd stage with 315 sx (110bbls) class c with additives 12.8ppg 1.96yield then 161sx (25bbls) class c with additives 12.8ppg 1.75yield cement. Full returns during job, circ cement to surface. 4/19/19 RD and RR.						
Electronic Submission #514396 verified by the BLM Well Information For OXY USA INCORPORATED, sent to the Carlsbad Committed to AFMSS for processing by PRISCILLA PEREZ on 05/06/2020 Name (Printed/Typed) LESLIE REEVES Title REGULATORY ADV				20PP2716SE)		
Tvanic(Tranca Typea) ELOCIE IVI	THE KLOOL	THE REGULATORY ADVISOR				
Signature (Electronic S	Date 05/06/20	Date 05/06/2020				
	THIS SPACE FOR FEE	DERAL OR STATE (OFFICE US	SE .		
Approved By ACCEPT	JONATHOI _{Title} PETROLEI	N SHEPARI UM ENGINE	LEED.		Date 05/08/2020	
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to condu	ease	Office Carlsbad				
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.						

Additional data for EC transaction #514396 that would not fit on the form

32. Additional remarks, continued

4/26/19 NU BOP, test to 5000psi high/ 250psi low, good test. RIH and test 7-5/8" casing to 1500psi for 30 min, good test. RIH and drill new formation to 9245', permit FIT to EMW=11.5ppg 800psi, good test. Drill 6-3/4" hole to 10065'V/23058'M, TD 5/6/19. RIH and set 5-1/2" 20# P-110 DQX casing @ 23058'. Pump 130bbls spacer then cement with 1065sx (275bbls) class H with additives 13.2pppg 1.36yield, full returns during job. TOC $\sim\!\!8725'$. 5/9/19 RD and RR.

Revisions to Operator-Submitted EC Data for Sundry Notice #514396

Operator Submitted BLM Revised (AFMSS)

DRG SR DRG Sundry Type: SR

Lease: NMNM0545035 NMNM0545035

Agreement:

Operator: **OXY USA INC OXY USA INCORPORATED**

PO 4294 HOUSTON, TX 77210 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521

Ph: 713-497-2492 Ph: 713.350.4816

LESLIE REEVES Admin Contact:

REGULATORY ADVISOR E-Mail: LESLIE_REEVES@OXY.COM Cell: 281-733-0824 Ph: 713-497-2492

LESLIE REEVES REGULATORY ADVISOR E-Mail: LESLIE_REEVES@OXY.COM Cell: 281-733-0824 Ph: 713-497-2492

Tech Contact: LESLIE REEVES

REGULATORY ADVISOR E-Mail: LESLIE_REEVES@OXY.COM Cell: 281-733-0824

LESLIE REEVES REGULATORY ADVISOR E-Mail: LESLIE_REEVES@OXY.COM Cell: 281-733-0824 Ph: 713-497-2492 Ph: 713-497-2492

Location:

State: County: NM EDDY NM EDDY

INGLE WELLS; BONE SPRING **INGLE WELLS** Field/Pool:

PURE GOLD MDP1 29-17 FED COM 3H Sec 29 T23S R31E Mer NMP SESW 430FSL 2500FWL PURE GOLD MDP1 29-17 FED COM 3H Sec 29 T23S R31E SESW 430FSL 2500FWL Well/Facility:

32.269360 N Lat, 103.800270 W Lon 32.269359 N Lat, 103.800268 W Lon