

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NMNM43744

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Name and No. PLATINUM MDP1 34-3 FEDERAL COM 176
2. Name of Operator OXY USA INCORPORATED		9. API Well No. 30-015-45233-00-S1
3a. Address 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521		10. Field and Pool or Exploratory Area PURPLE SAGE-WOLFCAMP (GAS)
3b. Phone No. (include area code) Ph: 432-685-5936		11. County or Parish, State EDDY COUNTY, NM
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 34 T23S R31E NWNE 110FNL 1003FEL 32.267890 N Lat, 103.760370 W Lon		

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Drilling Operations
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

OXY USA Inc. respectfully requests to replace the original drilling operations sundry filed on 8/15/2019 (EC Transaction #478348, Serial Number 950-49794) with this amended sundry:

6/24/19 MIRU, test BOP to 5000# high 250# low, good test. Test 13-3/8" csg to 1500# for 30 minutes, good test. RIH & drill new formation to 707', perform FIT test to EMW=9.6ppg 317psi, good test.
6/25/19 Drill 12-1/4" hole to 4465', 6/26/19. RIH & set 9-5/8" 40# HCL-80 csg @ 4455', pump 80bbl mudpush spacer then cmt w/ 1191sxs (365bbl) class C w/ additives 12.9ppg 1.71 yield followed by 167sxs (35bbl) class C w/ additives 14.8ppg 1.33 yield. Full returns throughout job, circ 127bbl cmt to surface. 6/27/19 RD and rig release. 7/9/2019 MIRU, test BOP to 5000# high 250# low, good test. Test 9-5/8" csg to 1500# for 30 minutes, good test. RIH & drill new formation to 4475', perform FIT test to EMW=14.5ppg 1350# good test. 7/9/19 Drill 8-1/2" hole to 10947', 7/13/19. RIH & set 7-5/8" 26.4# HCL-80 FJ/SF csg @ 10927', pump 40bbl mudpush spacer then cmt w/ 226sxs (59bbl)

Accepted for record 6/26/2020 ab

14. I hereby certify that the foregoing is true and correct.	
Electronic Submission #520193 verified by the BLM Well Information System For OXY USA INCORPORATED, sent to the Carlsbad Committed to AFMSS for processing by PRISCILLA PEREZ on 06/25/2020 (20PP3256SE)	
Name (Printed/Typed) JANA MENDIOLA	Title REGULATORY SPECIALIST
Signature (Electronic Submission)	Date 06/24/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	JONATHON SHEPARD Title PETROLEUM ENGINEER	Date 06/25/2020
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #520193 that would not fit on the form

32. Additional remarks, continued

class H w/ additives 13.2ppg 1.61 yield, wait on cement for 2 hours. Bradenhead squeeze 2nd stage job w/ 331sxs (110bbl) class H w/ additives 12.8ppg 1.96 yield, no cmt to surface. Run an additional job w/ 113sxs (35bbl) class C w/ additives 12.8ppg 1.75 yield, full returns throughout job, circ 23bbl cmt to surface.

7/24/19 MIRU, test BOP to 5000# high 250# low, good test. Test 7-5/8" to 4000# for 30 minutes, good test. RIH & drill new formation to 10957', perform FIT test to EMW=11.9ppg 1766psi, good test. 7/25/19 Drill 6-3/4" hole to 21902'M 11808'V 8/1/19. RIH & set 5-1/2" 20# P-110 DQX/TORQ DQW csg @ 21877', pump 120bbl mudpush spacer then cmt/ w/ 775sxs (207bbl) class H w/ additives 13.2ppg 1.38 yield, TOC @ 10427'. 8/5/19 ND BOP, cut csg, install nightcap and rig release.

Revisions to Operator-Submitted EC Data for Sundry Notice #520193

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM43744	NMNM43744
Agreement:		
Operator:	OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710 Ph: 432-685-5936	OXY USA INCORPORATED 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521 Ph: 713.350.4816
Admin Contact:	JANA MENDIOLA REGULATORY SPECIALIST E-Mail: janalyn_mendiola@oxy.com Ph: 432-685-5936	JANA MENDIOLA REGULATORY SPECIALIST E-Mail: janalyn_mendiola@oxy.com Ph: 432-685-5936
Tech Contact:	JANA MENDIOLA REGULATORY SPECIALIST E-Mail: janalyn_mendiola@oxy.com Ph: 432-685-5936	JANA MENDIOLA REGULATORY SPECIALIST E-Mail: janalyn_mendiola@oxy.com Ph: 432-685-5936
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	PURPLE SAGE WOLFCAMP	PURPLE SAGE-WOLFCAMP (GAS)
Well/Facility:	PLATINUM MDP1 34-3 FEDERAL COM 176H Sec 34 T23S R31E Mer NMP NENE 110FNL 1003FEL 32.267886 N Lat, 103.760368 W Lon	PLATINUM MDP1 34-3 FEDERAL COM 176H Sec 34 T23S R31E NWNE 110FNL 1003FEL 32.267890 N Lat, 103.760370 W Lon