Form 3160-5	UNITED STATES DEPARTMENT OF THE INTER BUREAU OF LAND MANAGEMI			OCD – REC'D 12/4/2020			
(June 2015)			NTERIOR		FORM OMB Expires:	FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018	
	SUNDRY NOTICES AND REPORTS ON WI			ELLS	5. Lease Serial No. NMNM38636		
Do not use this form for proposals to drill or to abandoned well. Use form 3160-3 (APD) for su			drill or to re-	-enter an			
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agr	reement, Name and/or No.	
1. Type of Well □ Oil Well ⊠ Gas Well □ Other					8. Well Name and No WTG FED COM		
2. Name of Operator Contact: BILL RAMSE TAP ROCK OPERATING LLC E-Mail: bramsey@taprk.com				ΞY	9. API Well No. 30-015-47029	9. API Well No. 30-015-47029-00-X1	
3a. Address 602 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401			3b. Phone No Ph: 720-36	o. (include area code) 60-4028	10. Field and Pool of PURPLE SAG	10. Field and Pool or Exploratory Area PURPLE SAGE-WOLFCAMP (GAS)	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		, R., M., or Survey Description)	i		11. County or Parish	, State	
Sec 27 T26S R29E NENW 285FNL 2000FWL 32.019806 N Lat, 103.974129 W Lon				EDDY COUNT		ΓΥ, NM	
12.	CHECK THE AF	PROPRIATE BOX(ES)	TO INDICA	TE NATURE OF	F NOTICE, REPORT, OR OT	THER DATA	
TYPE OF S	UBMISSION			TYPE OF	ACTION		
□ Notice of I	Intent	□ Acidize	Dee	pen	□ Production (Start/Resume)	□ Water Shut-Off	
_		□ Alter Casing	🗖 Hyd	Iraulic Fracturing	□ Reclamation	Well Integrity	
🛛 Subsequen	it Report	Casing Repair	🗖 New	v Construction	□ Recomplete	Other	
Final Abar	ndonment Notice	<ul> <li>Change Plans</li> <li>Convert to Injection</li> </ul>	🗖 Plug	g and Abandon g Back	<ul> <li>Temporarily Abandon</li> <li>Water Disposal</li> </ul>	Drilling Operations	
If the proposal Attach the Bon following comp testing has been	is to deepen directionand ad under which the wor pletion of the involved	ally or recomplete horizontally, g k will be performed or provide operations. If the operation res bandonment Notices must be file	give subsurface the Bond No. or sults in a multipl	locations and measur n file with BLM/BIA. le completion or record	date of any proposed work and appr ed and true vertical depths of all pert Required subsequent reports must b npletion in a new interval, a Form 31 ng reclamation, have been completed	inent markers and zones. be filed within 30 days 60-4 must be filed once	
Record Clea	an-up 3160-5 Sund	dry submitted for completion	on report:				
6/21/2020: \$ 7/27/2020: 1 Plug back m	Spud well at 1:00. ID Reached at 169	0 PSI for 30 minutes, good 982 ft MD, TVD measured 16916 ft MD, TVD measu 10:00	d at 9857 ft.	ft.			
Rig Release		0.00.					
8/14/2020 to shots. 35 sta 9/5/2020 to	o 8/30/2020: Perfo age frac with 17,67 9/7/2020: Drill out eady to produce	rate from 9836 ft to 16832 74,488 lbs of 100 mesh sa	2 ft, 3 SPF, .4 and.		1365 total		
8/14/2020 to shots. 35 sta 9/5/2020 to 9/8/2020: Re	age frac with 17,67 9/7/2020: Drill out eady to produce	rate from 9836 ft to 16832 74,488 lbs of 100 mesh sa plugs true and correct. Electronic Submission #5	and. 538584 verifie < OPERATING	42 inch holes with d by the BLM Well LLC, sent to the SCILLA PEREZ on	Information System Carlsbad 11/29/2020 (21PP0739SE)		
8/14/2020 to shots. 35 sta 9/5/2020 to 9/8/2020: Ro	age frac with 17,67 9/7/2020: Drill out eady to produce	rate from 9836 ft to 16832 74,488 lbs of 100 mesh sa plugs true and correct. Electronic Submission #5 For TAP ROCK mitted to AFMSS for proce	and. 538584 verifie < OPERATING	42 inch holes with d by the BLM Well LLC, sent to the SCILLA PEREZ on	Information System Carlsbad		
8/14/2020 to shots. 35 sta 9/5/2020 to 9/8/2020: Ro	age frac with 17,67 9/7/2020: Drill out eady to produce fy that the foregoing is Corr	rate from 9836 ft to 16832 74,488 lbs of 100 mesh sa plugs true and correct. Electronic Submission #5 For TAP ROCK mitted to AFMSS for proce SEY	and. 538584 verifie < OPERATING	42 inch holes with d by the BLM Well LLC, sent to the SCILLA PEREZ on	Information System Carlsbad 11/29/2020 (21PP0739SE) ATORY ANALYST		
8/14/2020 to shots. 35 sta 9/5/2020 to 9/8/2020: Ro 14. I hereby certif Name ( <i>Printed</i> ) Signature	age frac with 17,67 9/7/2020: Drill out eady to produce fy that the foregoing is Corr (Typed) BILL RAM	rate from 9836 ft to 16832 74,488 lbs of 100 mesh sa plugs true and correct. Electronic Submission #5 For TAP ROCK mitted to AFMSS for proce SEY	and. 538584 verifie < OPERATINC essing by PRI	t2 inch holes with d by the BLM Well LLC, sent to the SCILLA PEREZ on Title REGUL/ Date 11/25/20	Information System Carlsbad 11/29/2020 (21PP0739SE) ATORY ANALYST		
8/14/2020 to shots. 35 sta 9/5/2020 to 9/8/2020: Ro 14. I hereby certif Name ( <i>Printed</i> ) Signature	age frac with 17,67 9/7/2020: Drill out eady to produce fy that the foregoing is Corr (Typed) BILL RAM (Electronic S	rate from 9836 ft to 16832 74,488 lbs of 100 mesh sa plugs true and correct. Electronic Submission #5 For TAP ROCK mitted to AFMSS for proce SEY	and. 538584 verifie < OPERATINC essing by PRI	d by the BLM Well LLC, sent to the SCILLA PEREZ on Title REGUL/ Date 11/25/20 LOR STATE C	Information System Carlsbad 11/29/2020 (21PP0739SE) ATORY ANALYST	Date 12/03/2020	
8/14/2020 to shots. 35 sta 9/5/2020 to 9/8/2020: Re 14. I hereby certif Name ( <i>Printed</i> ) Signature Med for record – N Approved By Conditions of approcertify that the appli	age frac with 17,67 9/7/2020: Drill out eady to produce fy that the foregoing is (Typed) BILL RAM (Electronic S MOCD gc 12/09/2 CCEPT wal, if any, are attached	rate from 9836 ft to 16832 74,488 lbs of 100 mesh sa plugs true and correct. Electronic Submission #5 For TAP ROCK mitted to AFMSS for proce SEY Submission) 020 THIS SPACE FO	and. 538584 verifie COPERATING essing by PRI DR FEDERA	d by the BLM Well LLC, sent to the SCILLA PEREZ on Title REGUL/ Date 11/25/20 LOR STATE C	Information System Carlsbad 11/29/2020 (21PP0739SE) ATORY ANALYST 20 DFFICE USE N SHEPARD JM ENGINEER	Date 12/03/2020	

## Additional data for EC transaction #538584 that would not fit on the form

## 32. Additional remarks, continued

Formation Tops (Measured Depth): Brushy Canyon: 5090 ft Bonespring Top: 6677 ft Upper Avalon: 6766 ft Avalon: 7365 ft 1st Bonespring Sand: 7597 ft 2nd Bonespring Sand: 8300 ft 3rd Bonespring Sand: 9464 ft Wolfcamp A X: 10000 ft Wolfcamp A Y: 10145 ft

Request for OCD extension of time to file BLM approved Form 3160-4.

## Revisions to Operator-Submitted EC Data for Sundry Notice #538584

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM38636	NMNM38636
Agreement:		
Operator:	TAP ROCK RESOURCES 523 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401 Ph: 720-360-4028	TAP ROCK OPERATING LLC 602 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401 Ph: 720.772.5090
Admin Contact:	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com
	Ph: 720-360-4028	Ph: 720-360-4028
Tech Contact:	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028
	Fii. 720-300-4020	FII. 720-300-4020
Location: State: County:	NM EDDY	NM EDDY
Field/Pool:	PURPLE SAGE WOLFCAMP	PURPLE SAGE-WOLFCAMP (GAS)
Well/Facility:	WTG FED COM 202H Sec 27 T26S R29E NENW 285FNL 2000FWL 32.019806 N Lat, 103.974129 W Lon	WTG FED COM 202H Sec 27 T26S R29E NENW 285FNL 2000FWL 32.019806 N Lat, 103.974129 W Lon