Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

5. Lease Serial No. NMNM138850

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.				n, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2				or CA/Agreement, Name and/or No.	
1. Type of Well			8. Well Na	me and No.	
☐ Oil Well ☑ Gas Well ☐ Other				O IT FED COM 204H	
2. Name of Operator Contact: BILL RAMSEY TAP ROCK OPERATING LLC E-Mail: bramsey@taprk.com				ll No. 5-46859-00-X1	
3a. Address 602 PARK POINT DRIVE SU GOLDEN, CO 80401	e No. (include area code) 0-360-4028		Field and Pool or Exploratory Area PURPLE SAGE-WOLFCAMP (GAS)		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, State	
Sec 36 T26S R30E 766FSL 588FEL 32.002266 N Lat, 103.828018 W Lon				EDDY COUNTY, NM	
12. CHECK THE AI	PPROPRIATE BOX(ES) TO INDI	CATE NATURE O	F NOTICE, REPORT,	OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
□ Notice of Intent	☐ Acidize ☐	Deepen	☐ Production (Start/R	esume)	
	☐ Alter Casing ☐	Hydraulic Fracturing	☐ Reclamation	■ Well Integrity	
Subsequent Report	☐ Casing Repair ☐	New Construction	□ Recomplete	⊘ Other	
☐ Final Abandonment Notice	☐ Change Plans ☐	Plug and Abandon	☐ Temporarily Aband	lon Drilling Operations	
	☐ Convert to Injection ☐	Plug Back	■ Water Disposal		
following completion of the involved testing has been completed. Final Al determined that the site is ready for f Record Clean-up 3160-5 Sund Well Spud on 5/20/2020 at 3:0 Test Production casing to 500 7/11/2020: Reached TD of 15 Plug Back Measured depth at Rig Release on 7/13/2020 at 3:0	dry submitted for completion report 00. 00 PSI for 30 minutes, good test. 335 ft MD, TVD at 10971 ft. 15275 ft MD, TVD at 10972 ft. 18:00. ate from 10880 ft to 15189 ft, 2 SPI 42,014 lbs of 100 mesh sand. but plugs	ultiple completion or recor all requirements, includi	mpletion in a new interval, ng reclamation, have been	a Form 3160-4 must be filed once	
Con	Electronic Submission #538563 ve For TAP ROCK OPERA nmitted to AFMSS for processing by	ΓΙΝ G LĽC, sent to the PRISCILLA PEREZ or	Carlsbad	SE)	
Name(Printed/Typed) BILL RAN	ISE I	Title REGUL	ATORT ANALTST		
Signature (Electronic S	Submission)	Date 11/25/20	020		
ted for record – NMOCD gc 12/09/2	THIS SPACE FOR FEDE	RAL OR STATE (OFFICE USE		
Approved By ACCEPT	ED	_{Title} PETROLE	N SHEPARD JM ENGINEER	Date 12/03/2020	
Conditions of approval, if any, are attache certify that the applicant holds legal or eq which would entitle the applicant to condu-		l			
	U.S.C. Section 1212, make it a crime for a statements or representations as to any matter.		willfully to make to any de	partment or agency of the United	

Accep

Additional data for EC transaction #538563 that would not fit on the form

32. Additional remarks, continued

9/22/2020: Ready to produce

Formation Tops (Measured Depth): Cherry Canyon: 4905 ft Brushy Canyon: 5881 ft Bonespring Top: 7636 ft Upper Avalon: 7754 ft 1st Bonespring Sand: 8583 ft 2nd Bonespring Sand: 9232 ft 3rd Bonespring Sand: 10480 ft Wolfcamp A X: 10884 ft Wolfcamp A Y: 11024 ft

Request for OCD extension of time to file BLM approved Form 3160-4.

Revisions to Operator-Submitted EC Data for Sundry Notice #538563

Operator Submitted BLM Revised (AFMSS)

DRG SR Sundry Type: DRG SR

NMNM138850 Lease: NMNM138850

Agreement:

Operator:

TAP ROCK RESOURCES 523 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401 TAP ROCK OPERATING LLC 602 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401

Ph: 720-360-4028 Ph: 720.772.5090

BILL RAMSEY REGULATORY ANALYST **BILL RAMSEY** Admin Contact:

REGULATORY ANALYST E-Mail: bramsey@taprk.com E-Mail: bramsey@taprk.com

Ph: 720-360-4028 Ph: 720-360-4028

Tech Contact:

BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com

Ph: 720-360-4028 Ph: 720-360-4028

Location:

State: County: NM EDDY NM EDDY

Field/Pool: PURPLE SAGE WOLFCAMP PURPLE SAGE-WOLFCAMP (GAS)

Well/Facility:

NAILED IT FED COM 204H Sec 36 T26S R30E 766FSL 588FEL NAILED IT FED COM 204H Sec 36 T26S R30E 766FSL 588FEL 32.002266 N Lat, 103.828018 W Lon 32.002266 N Lat, 103.828018 W Lon