

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

REC'D NMOCD

11/16/2020

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM138865

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
BOROS FEDERAL 217H9. API Well No.
30-015-46566-00-X110. Field and Pool or Exploratory Area
WOLFCAMP11. County or Parish, State
EDDY COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Contact: NICKY FITZGERALD

MATADOR PRODUCTION COMPANYE-Mail: nicky.fitzgerald@matadorresources.com

3a. Address

ONE LINCOLN CENTER 5400 LBJ FREEWAY SUITE 1500
DALLAS, TX 75240

3b. Phone No. (include area code)

1500 972-371-5448

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 15 T26S R31E NWNE 400FNL 2404FEL
32.049038 N Lat, 103.765175 W Lon

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

BLM BOND NO. NMB001079
SURETY BOND NO. RLB0015172

Production Casing WOC time and Integrity Test. See attached.

1272 hours time waited on cement
Production casing pressure test 7,086 PSI; Dropped 171 psi. Good TestSPUD: 01/23/2020
RR: 04/30/2020

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #533515 verified by the BLM Well Information System
For MATADOR PRODUCTION COMPANY, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 10/13/2020 (21PP0199SE)**

Name (Printed/Typed) NICKY FITZGERALD

Title REGULATORY ANALYST

Signature (Electronic Submission)

Date 10/09/2020

Accepted for record – NMOCD gc 12/01/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTEDJONATHON SHEPARD
Title PETROLEUM ENGINEER

Date 11/13/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #533515 that would not fit on the form

32. Additional remarks, continued

TVD/MD: 11746'/22000'
DATE REACHED: 04/26/2020

Revisions to Operator-Submitted EC Data for Sundry Notice #533515

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM138865	NMNM138865
Agreement:		
Operator:	MATADOR PRODUCTION COMPANY 5400 LBJ FREEWAY, SUITE 1500 DALLAS, TX 75240 Ph: 972-371-5448	MATADOR PRODUCTION COMPANY ONE LINCOLN CENTER 5400 LBJ FREEWAY SUITE 1500 DALLAS, TX 75240 Ph: 972.371.5200
Admin Contact:	NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448	NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448
Tech Contact:	NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448	NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	PURPLE SAGE;WOLFCAMP(GAS)	WOLFCAMP
Well/Facility:	BOROS FEDERAL 217 Sec 15 T26S R31E 400FNL 2404FEL	BOROS FEDERAL 217H Sec 15 T26S R31E NWNE 400FNL 2404FEL 32.049038 N Lat, 103.765175 W Lon

Boros Federal #217H

30-015-46366

DATE	STRING	FLUID TYPE (list)	WT LB/FT (decimal)	GRADE	HOLE SZ (fraction)	CSG SZ (fraction)	TOP CSG (feet)	DEPTH SET (feet)	WAIT ON CMT (decimal hours)	STAGE	STAGE TOOL DEPTH (Btm)	PRESS HELD (psi)	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL BBIs	CLASS (list)	TOP OF CN (feet)
1/24/2020	SURF	Fresh Water	54.50	J-55	17-1/2"	13-3/8"	0	1495'	372.5	1.0		1500	1050	1.72	385	1.33	1435	412.8317	C	0
2/10/2020	INT 1	WBM	40.00	J-55	12-1/4"	9-5/8"	0	4111'	11.0	1.0		1500	945	1.7	380	1.35	1325	377.4711	C	0
2/17/2020	INT 2	WBM	29.70	P-110	8-3/4"	7-5/8"	0	11,654'	1369.5	1.0		2760	558	3.16	306	1.35	864	387.6011	C	0
4/27/2020	PROD	Oil-Based Mud	20.00	P-110	6-3/4"	5-1/2"	0	21,972'	1272.0	1.0		7086.0			992	1.12	992	197.87	H	10,000

	KOP:	11,205' MD / 11,178' TVD
	TD:	22,000' MD / 11,746' TVD
4/26/2020		
	Top of Prod Casing Float Collar (feet):	21,875.80

Boros Federal #223H