District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below	-Grade	Tank	Registr	ration o	or Closure
I IL OI DOIOW	-Orauc	I WILL	TYCETON	LULIOII (or Crosure

	nk covered by a "general plan"? Yes X No it or below-grade tank. Closure of a pit or below-gra				
Operator: Yates Petroleum Corporation Telephone: 505-748-4500 Condition Te	e-mail address: <u>mikes@ypc.com</u>				
Facility or well name: Desert Rose ALS 1 API #: 30-005-62517 U/L or Qtr/Qtr H Sec 11 T 9S R 26E RECEIVED					
County Chaves Latitude 33 48345 Longitude 104 26956 NAD: 1927 🗖 1983 X					
Surface Owner: Federal State X Private Indian		MAR 2 9 7005			
<u>Pit</u>	Below-grade tank	COUNTERIN			
Type: Drilling Production Disposal D	Volume:bbl Type of fluid:				
Work over X Emergency □	Construction material:				
Lined X Unlined	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thickness NA_mil Clay Pit Volume NA_bbl					
	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	` • /			
high water elevation of ground water.)	100 feet or more	(0 points)			
	Too feet of more				
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(0 points)XXXX			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
inigation canais, diteness, and perenniar and epitemeral watercourses.)	1000 feet or more	(0 points)XXXX			
	Ranking Score (Total Points)	10 Points			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Indica	ate disposal location: (check the onsite box if			
your are burying in place) onsite X offsite If offsite, name of facility					
start date and end date. (4) Groundwater encountered: No \(\subseteq \text{Yes} \subseteq \) If ye					
(5) Attach soil sample results and a diagram of sample locations and excaval					
Additional Comments: Work plan for the Closure of workover Pit. A 20 n		min. 3' over lap of the underlaying pit. The			
workover pit will be backfilled to grade using a minimum of 3' of clean so		The and the analysis planting			
workerer pit will be backrifted to glade dailing a minimal of 3 of clean 30	ar and fixe material.				
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline					
		D approved him D.			
Date: <u>03/25/05</u>					
Printed Name/Title Dan Dolan / Regulatory Agent	Signature				
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to regulations.	not relieve the operator of liability should the contents the operator of its responsibility for compliance with an	of the pit or tank contaminate ground water or ny other federal, state, or local laws and/or			
Approval:	de de	o a 2005			
nted Name/Title Signature		MAR 2 9 2005			

Record Count: 1

Recomplete 1 of 1

New Mexico Office of the State Engineer Well Reports and Downloads Township: 098 Range: 26E Sections: // Search Radius: NAD27 X: Zone: Y: Number: Suffix: County: Basin: ○Non-Domestic ○Domestic Owner Name: (First) (Last) Well / Surface Data Report Avg Depth to Water Report Water Column Report WATERS Menu Clear Form Help AVERAGE DEPTH OF WATER REPORT 03/21/2005 (Depth Water in Feet) x Y Wells Rng Sec Min Avg Bsn Zone Max 99 99 99 RA 09S 26E 12

http://iwaters.ose.state.nm.us:7001/iWATERS/WellAndSurfaceDispatcher

