

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT AS-DRILLED PLAT

¹ API Number 30-015-45919	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 325388	⁵ Property Name POKER LAKE UNIT 29 BS	
⁷ OGRID No. 373075	⁸ Operator Name XTO PERMIAN OPERATING, LLC.	
		⁶ Well Number 703H
		⁹ Elevation 3,359'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	29	25 S	31 E		2,310	NORTH	1,920	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	32	25 S	31 E		194	SOUTH	1,587	WEST	EDDY

¹² Dedicated Acres 480	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FURNISHED BY XTO ENERGY.

16

GEODETIC COORDINATES
NAD 83 NME
SURFACE LOCATION
Y= 401,323.5
X= 705,650.7
LAT.= 32.102206°N
LONG.= 103.802684°W

LAST TAKE POINT
NAD 83 NME
Y= 393,363.9
X= 705,333.1
LAT.= 32.080331°N
LONG.= 103.803836°W

FIRST TAKE POINT
NAD 83 NME
Y= 400,630.0
X= 705,323.7
LAT.= 32.100304°N
LONG.= 103.803751°W

BOTTOM HOLE LOCATION
NAD 83 NME
Y= 393,202.0
X= 705,328.6
LAT.= 32.079886°N
LONG.= 103.803853°W

CORNER COORDINATES TABLE
NAD 83 NME

A - Y= 400,984.0 N, X= 706,383.3 E
B - Y= 400,975.3 N, X= 705,056.4 E
C - Y= 398,334.2 N, X= 706,368.7 E
D - Y= 398,321.1 N, X= 705,044.2 E
E - Y= 395,671.4 N, X= 706,385.5 E
F - Y= 395,661.7 N, X= 705,058.7 E
G - Y= 393,015.9 N, X= 706,402.2 E
H - Y= 393,006.1 N, X= 705,072.1 E

KICK OFF POINT
NAD 83 NME
Y= 401,227.4
X= 705,313.2
LAT.= 32.101946°N
LONG.= 103.803776°W

KICK OFF POINT
NAD 27 NME
Y= 401,169.5
X= 664,127.7
LAT.= 32.101822°N
LONG.= 103.803297°W

GEODETIC COORDINATES
NAD 27 NME
SURFACE LOCATION
Y= 401,265.6
X= 664,465.2
LAT.= 32.102082°N
LONG.= 103.802205°W

LAST TAKE POINT
NAD 27 NME
Y= 393,306.2
X= 664,147.3
LAT.= 32.080206°N
LONG.= 103.803358°W

FIRST TAKE POINT
NAD 27 NME
Y= 400,572.1
X= 664,138.2
LAT.= 32.100180°N
LONG.= 103.803272°W

BOTTOM HOLE LOCATION
NAD 27 NME
Y= 393,144.3
X= 664,142.8
LAT.= 32.079761°N
LONG.= 103.803375°W

17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Cassie Evans 03/09/21

Signature _____ Date _____

Cassie Evans

Printed Name _____

cassie.evans@exxonmobil.com

E-mail Address _____

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

2-3-2021
Date of Survey _____

Signature and Seal of Professional Surveyor: _____

MARK DILLON HARP 23786
Certificate Number _____ LM 2017071011

Intent As Drilled

API # 30-015-45919		
Operator Name: XTO PERMIAN OPERATING, LLC.	Property Name: POKER LAKE UNIT 29 BS	Well Number 703H

Kick Off Point (KOP)

UL F	Section 29	Township 25S	Range 31E	Lot	Feet 2,404	From N/S FNL	Feet 1,583	From E/W FWL	County EDDY
Latitude 32.101946					Longitude 103.803776				NAD 83

First Take Point (FTP)

UL K	Section 29	Township 25S	Range 31E	Lot	Feet 2,306	From N/S FSL	Feet 1,595	From E/W FWL	County EDDY
Latitude 32.100304					Longitude 103.803751				NAD 83

Last Take Point (LTP)

UL N	Section 32	Township 25S	Range 31E	Lot	Feet 356	From N/S FSL	Feet 1,592	From E/W FWL	County EDDY
Latitude 32.080331					Longitude 103.803836				NAD 83

Is this well the defining well for the Horizontal Spacing Unit?

Is this well an infill well?

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number



XTO Energy

Eddy County, NM (Nad-27 / East Zone)

PLU 29 Big Sinks

#703H

OH

Design: OH

End Of Well Report

02 January, 2020



I **Larry Wright**, certify that I am employed by **Wellbenders Directional Services**. That I did on the day(s) of **11/28/19** thru **01/01/20** conduct or supervise the taking of a **MWD Survey** from a depth of **192'** to a depth of **19288'**; that the data is true, correct, complete and within the limitations of the tool as set forth by **Wellbenders Directional Services**; that I am authorized and qualified to make this report; that this survey was conducted at the request of **XTO Energy Inc** for the **PLU 29 Big Sinks 703H API No. 30-015-45919** in **Eddy County, New Mexico**; and that I have reviewed this report and find that it conforms to the principles and procedures as set forth by **Wellbenders Directional Services**.

Larry Wright

Larry
Wright

Digitally
signed by Larry
Wright
Date:
2020.01.02
14:45:59 -06'00'



Wellbenders
End Of Well Report

Company:	XTO Energy	Local Co-ordinate Reference:	Well #703H
Project:	Eddy County, NM (Nad-27 / East Zone)	TVD Reference:	RKB = 24' @ 3383.00usft
Site:	PLU 29 Big Sinks	MD Reference:	RKB = 24' @ 3383.00usft
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	WBDS_SQL_2

Project	Eddy County, NM (Nad-27 / East Zone)		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site	PLU 29 Big Sinks		
Site Position:		Northing:	401,257.90 usft
From:	Map	Easting:	663,265.10 usft
Position Uncertainty:	0.00 usft	Slot Radius:	13.200 in
		Latitude:	32.102077
		Longitude:	-103.806081
		Grid Convergence:	0.280 °

Well	#703H					
Well Position	+N/-S	0.00 usft	Northing:	401,265.60 usft	Latitude:	32.102082
	+E/-W	0.00 usft	Easting:	664,465.20 usft	Longitude:	-103.802205
Position Uncertainty		0.00 usft	Wellhead Elevation:	0.00 usft	Ground Level:	3,359.00 usft

Wellbore	OH
-----------------	----

Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	11/7/2019	6.793	59.883	47,596.63126338

Design	OH
---------------	----

Audit Notes:				
Version:	1.0			
Phase:	ACTUAL			
Tie On Depth:	0.00			
Vertical Section:				
	Depth From (TVD)	+N/-S	+E/-W	Direction
	(usft)	(usft)	(usft)	(°)
	0.00	0.00	0.00	179.90

Survey Program	Date	1/2/2020		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
192.00	19,288.00	Survey #1 (OH)	WBDS_IGRF	OWSG MWD + IGRF or WMM



Wellbenders
End Of Well Report

Company:	XTO Energy	Local Co-ordinate Reference:	Well #703H
Project:	Eddy County, NM (Nad-27 / East Zone)	TVD Reference:	RKB = 24' @ 3383.00usft
Site:	PLU 29 Big Sinks	MD Reference:	RKB = 24' @ 3383.00usft
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	WBDS_SQL_2

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)		TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	CL (usft)	CL Azi (°)	DLeg (°/100ft)	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
192.00	0.44	195.70	195.70	192.00	-0.71	-0.20	0.71	192.00	195.70	195.70	0.23
283.00	0.79	231.38	282.99	282.99	-1.44	-0.78	1.44	91.00	218.77	218.77	0.55
374.00	0.97	223.65	373.98	373.98	-2.39	-1.81	2.38	91.00	227.12	227.12	0.24
467.00	1.27	219.17	466.96	466.96	-3.76	-3.00	3.75	93.00	221.11	221.11	0.34
559.00	1.71	233.58	558.93	558.93	-5.36	-4.75	5.35	92.00	227.44	227.44	0.62
651.00	1.71	237.36	650.89	650.89	-6.92	-7.01	6.90	92.00	235.47	235.47	0.12
742.00	1.77	244.74	741.85	741.85	-8.25	-9.42	8.23	91.00	241.11	241.11	0.25
833.00	1.80	247.38	832.81	832.81	-9.40	-12.01	9.38	91.00	246.07	246.07	0.10
1,046.00	1.67	244.92	1,045.71	1,045.71	-12.00	-17.91	11.97	213.00	246.20	246.20	0.07
1,141.00	1.49	246.59	1,140.67	1,140.67	-13.08	-20.30	13.04	95.00	245.71	245.71	0.20
1,234.00	1.27	240.70	1,233.65	1,233.65	-14.06	-22.31	14.02	93.00	243.88	243.88	0.28
1,327.00	1.01	241.49	1,326.63	1,326.63	-14.96	-23.93	14.92	93.00	241.05	241.05	0.28
1,422.00	0.88	259.95	1,421.61	1,421.61	-15.48	-25.38	15.44	95.00	250.08	250.08	0.35
1,516.00	0.88	282.45	1,515.60	1,515.60	-15.45	-26.80	15.41	94.00	271.20	271.20	0.37
1,610.00	0.75	283.59	1,609.59	1,609.59	-15.15	-28.10	15.11	94.00	282.97	282.97	0.14
1,705.00	0.57	273.13	1,704.59	1,704.59	-14.98	-29.18	14.93	95.00	279.08	279.08	0.23
1,799.00	0.44	284.56	1,798.58	1,798.58	-14.87	-29.99	14.81	94.00	278.11	278.11	0.17
1,893.00	0.40	265.40	1,892.58	1,892.58	-14.80	-30.67	14.75	94.00	275.44	275.44	0.15
1,990.00	0.31	277.44	1,989.58	1,989.58	-14.80	-31.27	14.74	97.00	270.65	270.65	0.12
2,082.00	0.22	247.11	2,081.58	2,081.58	-14.83	-31.68	14.78	92.00	264.91	264.91	0.18
2,176.00	0.31	251.16	2,175.58	2,175.58	-14.98	-32.08	14.93	94.00	249.48	249.48	0.10
2,271.00	0.44	224.18	2,270.58	2,270.58	-15.33	-32.58	15.27	95.00	235.29	235.29	0.23
2,366.00	0.44	245.36	2,365.57	2,365.57	-15.74	-33.17	15.68	95.00	234.77	234.77	0.17
2,460.00	0.35	244.39	2,459.57	2,459.57	-16.02	-33.75	15.96	94.00	244.93	244.93	0.10
2,555.00	0.44	275.15	2,554.57	2,554.57	-16.11	-34.38	16.05	95.00	261.56	261.56	0.24
2,650.00	0.62	275.06	2,649.56	2,649.56	-16.03	-35.25	15.97	95.00	275.10	275.10	0.19



Wellbenders
End Of Well Report

Company:	XTO Energy	Local Co-ordinate Reference:	Well #703H
Project:	Eddy County, NM (Nad-27 / East Zone)	TVD Reference:	RKB = 24' @ 3383.00usft
Site:	PLU 29 Big Sinks	MD Reference:	RKB = 24' @ 3383.00usft
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	WBDS_SQL_2

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)		TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	CL (usft)	CL Azi (°)	DLeg (°/100ft)
2,744.00	0.62	270.85	270.85	2,743.56	-15.98	-36.27	15.92	94.00	272.95	0.05
2,839.00	0.57	261.88	261.88	2,838.55	-16.04	-37.25	15.97	95.00	266.55	0.11
2,934.00	0.70	254.06	254.06	2,933.55	-16.26	-38.28	16.20	95.00	257.57	0.16
3,028.00	0.79	251.16	251.16	3,027.54	-16.63	-39.44	16.56	94.00	252.52	0.10
3,122.00	0.75	255.29	255.29	3,121.53	-17.00	-40.65	16.93	94.00	253.17	0.07
3,216.00	0.75	254.50	254.50	3,215.52	-17.32	-41.84	17.24	94.00	254.90	0.01
3,310.00	0.88	258.01	258.01	3,309.51	-17.63	-43.14	17.56	94.00	256.40	0.15
3,405.00	0.88	259.24	259.24	3,404.50	-17.92	-44.57	17.84	95.00	258.62	0.02
3,500.00	0.70	249.40	249.40	3,499.49	-18.26	-45.83	18.18	95.00	254.88	0.24
3,594.00	0.03	233.84	233.84	3,593.49	-18.48	-46.38	18.40	94.00	248.77	0.71
3,688.00	1.01	48.48	48.48	3,687.49	-17.94	-45.78	17.86	94.00	48.32	1.11
3,782.00	1.54	59.91	59.91	3,781.46	-16.76	-44.07	16.68	94.00	55.39	0.62
3,877.00	1.36	82.85	82.85	3,876.43	-15.98	-41.85	15.91	95.00	70.66	0.63
3,971.00	1.49	96.29	96.29	3,970.40	-15.97	-39.53	15.90	94.00	89.88	0.38
4,025.00	1.41	97.61	97.61	4,024.39	-16.14	-38.17	16.07	54.00	96.93	0.16
4,170.00	1.36	96.91	96.91	4,169.35	-16.58	-34.69	16.52	145.00	97.27	0.04
4,263.00	1.23	103.33	103.33	4,262.32	-16.94	-32.63	16.89	93.00	99.96	0.21
4,357.00	0.13	25.54	25.54	4,356.31	-17.08	-31.60	17.03	94.00	97.56	1.29
4,451.00	0.53	276.38	276.38	4,450.31	-16.94	-31.98	16.88	94.00	290.52	0.62
4,546.00	0.53	256.69	256.69	4,545.31	-16.99	-32.85	16.93	95.00	266.54	0.19
4,640.00	0.66	251.42	251.42	4,639.30	-17.26	-33.78	17.20	94.00	253.77	0.15
4,734.00	1.14	286.84	286.84	4,733.29	-17.16	-35.19	17.10	94.00	274.00	0.76
4,829.00	2.46	284.38	284.38	4,828.24	-16.38	-38.07	16.32	95.00	285.16	1.39
4,922.00	3.16	277.88	277.88	4,921.13	-15.54	-42.55	15.46	93.00	280.73	0.83
5,017.00	4.18	275.68	275.68	5,015.94	-14.83	-48.58	14.75	95.00	276.63	1.08
5,111.00	4.84	272.60	272.60	5,109.64	-14.32	-55.95	14.22	94.00	274.03	0.75
5,205.00	4.26	272.69	272.69	5,203.35	-13.97	-63.40	13.86	94.00	272.64	0.62



Wellbenders
End Of Well Report

Company:	XTO Energy	Local Co-ordinate Reference:	Well #703H
Project:	Eddy County, NM (Nad-27 / East Zone)	TVD Reference:	RKB = 24' @ 3383.00usft
Site:	PLU 29 Big Sinks	MD Reference:	RKB = 24' @ 3383.00usft
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	WBDS_SQL_2

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	CL (usft)	CL Azi (°)	DLeg (°/100ft)	
5,299.00	4.13	272.60	5,297.10	-13.65	-70.27	13.53	94.00	272.65	0.14	
5,394.00	4.35	270.93	5,391.84	-13.44	-77.29	13.31	95.00	271.74	0.27	
5,488.00	4.31	269.61	5,485.57	-13.41	-84.39	13.26	94.00	270.27	0.11	
5,581.00	4.40	271.28	5,578.30	-13.35	-91.45	13.19	93.00	270.45	0.17	
5,675.00	4.26	263.11	5,672.03	-13.69	-98.52	13.52	94.00	267.26	0.67	
5,769.00	4.26	258.19	5,765.77	-14.82	-105.40	14.64	94.00	260.65	0.39	
5,864.00	4.04	256.08	5,860.52	-16.35	-112.11	16.15	95.00	257.16	0.28	
5,957.00	4.22	255.29	5,953.28	-18.01	-118.60	17.80	93.00	255.68	0.20	
6,050.00	4.04	253.53	6,046.04	-19.80	-125.05	19.59	93.00	254.43	0.24	
6,145.00	4.18	253.00	6,140.80	-21.77	-131.57	21.54	95.00	253.26	0.15	
6,239.00	4.09	253.97	6,234.55	-23.69	-138.07	23.45	94.00	253.48	0.12	
6,334.00	4.18	254.06	6,329.30	-25.58	-144.65	25.33	95.00	254.02	0.09	
6,427.00	4.57	251.33	6,422.03	-27.70	-151.42	27.43	93.00	252.63	0.48	
6,520.00	5.05	253.27	6,514.70	-30.06	-158.85	29.78	93.00	252.35	0.54	
6,615.00	4.70	249.84	6,609.36	-32.61	-166.51	32.31	95.00	251.62	0.48	
6,709.00	4.79	253.62	6,703.04	-35.04	-173.89	34.74	94.00	251.75	0.35	
6,803.00	4.75	254.76	6,796.71	-37.17	-181.41	36.85	94.00	254.19	0.11	
6,896.00	5.41	254.06	6,889.35	-39.39	-189.34	39.05	93.00	254.39	0.71	
6,991.00	4.97	254.41	6,983.96	-41.72	-197.61	41.38	95.00	254.23	0.46	
7,085.00	5.01	252.48	7,077.60	-44.05	-205.45	43.69	94.00	253.44	0.18	
7,180.00	4.92	252.30	7,172.25	-46.54	-213.28	46.17	95.00	252.39	0.10	
7,275.00	4.92	252.30	7,266.90	-49.02	-221.04	48.63	95.00	252.30	0.00	
7,370.00	4.75	250.72	7,361.56	-51.55	-228.64	51.15	95.00	251.52	0.23	
7,464.00	5.05	255.82	7,455.21	-53.85	-236.32	53.44	94.00	253.35	0.56	
7,558.00	5.19	259.16	7,548.84	-55.66	-244.51	55.24	94.00	257.51	0.35	
7,653.00	5.05	255.46	7,643.46	-57.52	-252.78	57.08	95.00	257.34	0.38	
7,770.00	4.70	252.12	7,760.04	-60.29	-262.32	59.83	117.00	253.85	0.39	



Wellbenders
End Of Well Report

Company:	XTO Energy	Local Co-ordinate Reference:	Well #703H
Project:	Eddy County, NM (Nad-27 / East Zone)	TVD Reference:	RKB = 24' @ 3383.00usft
Site:	PLU 29 Big Sinks	MD Reference:	RKB = 24' @ 3383.00usft
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	WBDS_SQL_2

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)		TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	CL (usft)	CL Azi (°)	DLeg (°/100ft)
7,842.00	4.75	246.50	246.50	7,831.79	-62.38	-267.86	61.91	72.00	249.30	0.65
7,937.00	4.84	253.62	253.62	7,926.46	-65.08	-275.32	64.60	95.00	250.09	0.63
8,030.00	4.75	260.91	260.91	8,019.14	-66.79	-282.88	66.30	93.00	257.23	0.66
8,124.00	4.31	260.30	260.30	8,112.84	-68.00	-290.21	67.50	94.00	260.62	0.47
8,219.00	4.40	260.91	260.91	8,207.57	-69.18	-297.33	68.66	95.00	260.61	0.11
8,313.00	5.10	264.52	264.52	8,301.25	-70.15	-305.05	69.62	94.00	262.85	0.81
8,407.00	5.27	257.57	257.57	8,394.86	-71.48	-313.42	70.93	94.00	260.99	0.69
8,501.00	5.05	252.48	252.48	8,488.48	-73.65	-321.58	73.09	94.00	255.08	0.54
8,594.00	5.23	245.36	245.36	8,581.11	-76.65	-329.34	76.08	93.00	248.86	0.71
8,688.00	4.22	236.92	236.92	8,674.79	-80.33	-336.13	79.74	94.00	241.59	1.30
8,782.00	3.34	235.16	235.16	8,768.58	-83.78	-341.27	83.18	94.00	236.14	0.94
8,876.00	3.21	238.50	238.50	8,862.43	-86.72	-345.77	86.11	94.00	236.80	0.25
8,970.00	2.64	229.01	229.01	8,956.31	-89.51	-349.64	88.90	94.00	234.22	0.79
9,063.00	1.80	193.68	193.68	9,049.24	-92.34	-351.61	91.72	93.00	214.79	1.68
9,157.00	0.70	159.49	159.49	9,143.22	-94.31	-351.75	93.70	94.00	184.29	1.36
9,252.00	0.84	80.03	80.03	9,238.21	-94.73	-350.87	94.12	95.00	115.44	1.04
9,347.00	0.84	48.39	48.39	9,333.20	-94.15	-349.66	93.54	95.00	64.21	0.48
9,441.00	1.10	35.91	35.91	9,427.19	-92.96	-348.61	92.35	94.00	41.31	0.35
9,534.00	1.27	33.10	33.10	9,520.17	-91.38	-347.53	90.77	93.00	34.40	0.19
9,628.00	1.23	27.30	27.30	9,614.15	-89.61	-346.50	89.00	94.00	30.25	0.14
9,721.00	1.32	15.96	15.96	9,707.12	-87.69	-345.74	87.09	93.00	21.43	0.29
9,815.00	1.19	17.63	17.63	9,801.10	-85.72	-345.15	85.12	94.00	16.75	0.14
9,909.00	0.79	358.30	358.30	9,895.09	-84.14	-344.87	83.54	94.00	9.94	0.55
10,004.00	0.40	27.92	27.92	9,990.08	-83.19	-344.74	82.59	95.00	8.16	0.51
10,098.00	0.35	116.51	116.51	10,084.08	-83.03	-344.33	82.43	94.00	68.49	0.56
10,192.00	0.75	162.12	162.12	10,178.08	-83.74	-343.88	83.14	94.00	148.01	0.60
10,286.00	1.05	121.34	121.34	10,272.07	-84.78	-342.96	84.18	94.00	138.19	0.73



Wellbenders
End Of Well Report

Company:	XTO Energy	Local Co-ordinate Reference:	Well #703H
Project:	Eddy County, NM (Nad-27 / East Zone)	TVD Reference:	RKB = 24' @ 3383.00usft
Site:	PLU 29 Big Sinks	MD Reference:	RKB = 24' @ 3383.00usft
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	WBDS_SQL_2

Survey									
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	CL (usft)	CL Azi (°)	DLeg (°/100ft)
10,380.00	1.23	127.14	10,366.05	-85.83	-341.42	85.24	94.00	124.47	0.23
10,476.00	1.54	159.05	10,462.02	-87.66	-340.14	87.07	96.00	144.93	0.85
10,571.00	1.10	148.06	10,556.99	-89.63	-339.20	89.04	95.00	154.47	0.53
10,658.00	0.92	148.85	10,643.98	-90.93	-338.39	90.34	87.00	148.42	0.21
10,813.00	4.54	174.41	10,798.78	-98.11	-337.15	97.52	155.00	170.18	2.41
10,844.00	6.21	175.46	10,829.65	-101.00	-336.90	100.41	31.00	175.02	5.40
10,876.00	7.49	181.07	10,861.42	-104.81	-336.80	104.22	32.00	178.53	4.51
10,907.00	8.73	186.05	10,892.11	-109.17	-337.09	108.58	31.00	183.75	4.59
10,940.00	9.73	179.00	10,924.68	-114.45	-337.30	113.86	33.00	182.34	4.57
10,971.00	11.34	176.45	10,955.16	-120.11	-337.07	119.52	31.00	177.63	5.41
11,003.00	13.50	176.80	10,986.41	-126.98	-336.66	126.39	32.00	176.64	6.75
11,034.00	15.58	177.57	11,016.41	-134.75	-336.29	134.17	31.00	177.21	6.74
11,065.00	17.62	178.01	11,046.12	-143.60	-335.95	143.02	31.00	177.80	6.59
11,097.00	20.22	178.04	11,076.39	-153.97	-335.59	153.39	32.00	178.03	8.13
11,128.00	22.21	177.96	11,105.28	-165.18	-335.20	164.60	31.00	178.00	6.42
11,159.00	24.29	178.37	11,133.76	-177.41	-334.81	176.83	31.00	178.17	6.73
11,190.00	26.60	178.00	11,161.76	-190.72	-334.38	190.14	31.00	178.18	7.47
11,222.00	28.46	177.85	11,190.13	-205.50	-333.85	204.92	32.00	177.92	5.82
11,253.00	30.44	179.15	11,217.12	-220.74	-333.45	220.16	31.00	178.52	6.71
11,284.00	32.29	178.05	11,243.59	-236.87	-333.06	236.29	31.00	178.59	6.25
11,316.00	35.26	177.49	11,270.19	-254.64	-332.36	254.06	32.00	177.76	9.33
11,347.00	37.00	178.56	11,295.23	-272.91	-331.73	272.33	31.00	178.04	5.97
11,378.00	39.05	179.07	11,319.65	-292.00	-331.34	291.42	31.00	178.82	6.69
11,410.00	41.80	179.38	11,344.00	-312.75	-331.06	312.17	32.00	179.23	8.62
11,441.00	42.65	180.39	11,366.96	-333.58	-331.02	333.00	31.00	179.89	3.51
11,449.00	42.81	180.30	11,372.84	-339.01	-331.05	338.43	8.00	180.34	2.14
11,511.00	45.96	181.32	11,417.14	-382.36	-331.68	381.78	62.00	180.82	5.21



Wellbenders
End Of Well Report

Company:	XTO Energy	Local Co-ordinate Reference:	Well #703H
Project:	Eddy County, NM (Nad-27 / East Zone)	TVD Reference:	RKB = 24' @ 3383.00usft
Site:	PLU 29 Big Sinks	MD Reference:	RKB = 24' @ 3383.00usft
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	WBDS_SQL_2

Survey									
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	CL (usft)	CL Azi (°)	DLeg (°/100ft)
11,543.00	51.36	178.44	11,438.27	-406.38	-331.60	405.80	32.00	179.82	18.17
11,574.00	56.89	176.59	11,456.43	-431.46	-330.50	430.88	31.00	177.48	18.48
11,605.00	61.25	175.71	11,472.36	-457.98	-328.71	457.41	31.00	176.14	14.27
11,636.00	65.33	178.41	11,486.29	-485.63	-327.30	485.06	31.00	177.08	15.29
11,667.00	68.55	178.90	11,498.44	-514.14	-326.63	513.57	31.00	178.66	10.49
11,699.00	71.83	180.68	11,509.28	-544.24	-326.53	543.67	32.00	179.80	11.51
11,730.00	77.58	178.52	11,517.45	-574.13	-326.31	573.56	31.00	179.59	19.73
11,761.00	83.28	179.45	11,522.61	-604.68	-325.77	604.11	31.00	178.99	18.62
11,792.00	87.02	180.37	11,525.23	-635.56	-325.73	634.99	31.00	179.91	12.42
11,837.00	89.79	181.89	11,526.48	-680.53	-326.61	679.96	45.00	181.13	7.02
11,887.00	89.40	182.05	11,526.83	-730.50	-328.33	729.93	50.00	181.97	0.84
11,981.00	87.75	181.12	11,529.17	-824.43	-330.93	823.85	94.00	181.59	2.01
12,075.00	86.20	180.92	11,534.13	-918.28	-332.60	917.70	94.00	181.02	1.66
12,169.00	87.80	179.66	11,539.05	-1,012.15	-333.08	1,011.56	94.00	180.29	2.17
12,264.00	87.07	180.37	11,543.30	-1,107.05	-333.10	1,106.47	95.00	180.01	1.07
12,358.00	88.11	180.01	11,547.25	-1,200.96	-333.41	1,200.38	94.00	180.19	1.17
12,452.00	86.96	180.29	11,551.30	-1,294.88	-333.66	1,294.29	94.00	180.15	1.26
12,547.00	88.19	176.02	11,555.32	-1,389.72	-330.60	1,389.14	95.00	178.15	4.67
12,641.00	92.28	177.45	11,554.93	-1,483.54	-325.25	1,482.97	94.00	176.73	4.61
12,736.00	91.67	177.99	11,551.66	-1,578.41	-321.47	1,577.85	95.00	177.72	0.86
12,830.00	89.82	178.70	11,550.44	-1,672.36	-318.76	1,671.80	94.00	178.35	2.11
12,924.00	89.87	179.12	11,550.69	-1,766.34	-316.97	1,765.78	94.00	178.91	0.45
13,019.00	89.54	179.95	11,551.18	-1,861.33	-316.20	1,860.78	95.00	179.53	0.94
13,113.00	89.20	178.58	11,552.21	-1,955.32	-314.99	1,954.77	94.00	179.27	1.50
13,207.00	86.93	178.21	11,555.39	-2,049.22	-312.36	2,048.67	94.00	178.40	2.45
13,301.00	88.45	179.65	11,559.18	-2,143.12	-310.61	2,142.58	94.00	178.93	2.23
13,396.00	90.94	181.36	11,559.68	-2,238.11	-311.45	2,237.56	95.00	180.51	3.18



Wellbenders
End Of Well Report

Company: XTO Energy
Project: Eddy County, NM (Nad-27 / East Zone)
Site: PLU 29 Big Sinks
Well: #703H
Wellbore: OH
Design: OH

Local Co-ordinate Reference: Well #703H
TVD Reference: RKB = 24' @ 3383.00usft
MD Reference: RKB = 24' @ 3383.00usft
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: WBDS_SQL_2

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)		TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	CL (usft)	CL Azi (°)	DLeg (°/100ft)
13,490.00	91.69	181.73	181.73	11,557.53	-2,332.05	-313.98	2,331.50	94.00	181.54	0.89
13,584.00	90.60	181.04	181.04	11,555.65	-2,426.00	-316.25	2,425.44	94.00	181.38	1.37
13,679.00	89.68	180.78	180.78	11,555.42	-2,520.99	-317.76	2,520.43	95.00	180.91	1.01
13,773.00	89.40	181.02	181.02	11,556.17	-2,614.97	-319.24	2,614.41	94.00	180.90	0.39
13,867.00	91.02	182.37	182.37	11,555.83	-2,708.93	-322.02	2,708.36	94.00	181.69	2.24
13,961.00	90.80	182.57	182.57	11,554.33	-2,802.83	-326.07	2,802.25	94.00	182.47	0.32
14,055.00	90.46	181.99	181.99	11,553.30	-2,896.75	-329.81	2,896.17	94.00	182.28	0.72
14,150.00	90.74	182.49	182.49	11,552.30	-2,991.67	-333.52	2,991.08	95.00	182.24	0.60
14,243.00	90.29	180.63	180.63	11,551.47	-3,084.62	-336.05	3,084.03	93.00	181.56	2.06
14,338.00	89.03	180.36	180.36	11,552.03	-3,179.62	-336.87	3,179.02	95.00	180.50	1.36
14,432.00	88.75	180.33	180.33	11,553.85	-3,273.60	-337.44	3,273.00	94.00	180.35	0.30
14,526.00	88.84	181.10	181.10	11,555.83	-3,367.57	-338.61	3,366.97	94.00	180.72	0.82
14,620.00	88.00	180.60	180.60	11,558.42	-3,461.52	-340.00	3,460.92	94.00	180.85	1.04
14,714.00	90.07	182.33	182.33	11,560.00	-3,555.47	-342.41	3,554.87	94.00	181.47	2.87
14,808.00	88.70	178.34	178.34	11,561.01	-3,649.44	-342.96	3,648.84	94.00	180.34	4.49
14,901.00	87.75	177.73	177.73	11,563.89	-3,742.34	-339.77	3,741.74	93.00	178.04	1.21
14,996.00	90.90	177.81	177.81	11,565.01	-3,837.25	-336.07	3,836.66	95.00	177.77	3.32
15,090.00	89.85	174.33	174.33	11,564.40	-3,931.01	-329.63	3,930.43	94.00	176.07	3.87
15,184.00	94.13	182.45	182.45	11,561.13	-4,024.82	-326.99	4,024.24	94.00	178.38	9.76
15,278.00	92.73	182.84	182.84	11,555.51	-4,118.55	-331.32	4,117.96	94.00	182.65	1.55
15,372.00	92.20	182.76	182.76	11,551.46	-4,212.35	-335.90	4,211.75	94.00	182.80	0.57
15,465.00	88.92	179.87	179.87	11,550.55	-4,305.29	-338.04	4,304.70	93.00	181.31	4.70
15,559.00	89.29	180.27	180.27	11,552.02	-4,399.28	-338.15	4,398.69	94.00	180.07	0.58
15,653.00	89.48	180.07	180.07	11,553.03	-4,493.28	-338.43	4,492.68	94.00	180.17	0.29
15,746.00	89.12	179.25	179.25	11,554.17	-4,586.27	-337.88	4,585.67	93.00	179.66	0.96
15,841.00	89.57	178.03	178.03	11,555.25	-4,681.23	-335.63	4,680.64	95.00	178.64	1.37
15,934.00	89.57	176.84	176.84	11,555.95	-4,774.13	-331.46	4,773.55	93.00	177.43	1.28



Wellbenders
End Of Well Report

Company:	XTO Energy	Local Co-ordinate Reference:	Well #703H
Project:	Eddy County, NM (Nad-27 / East Zone)	TVD Reference:	RKB = 24' @ 3383.00usft
Site:	PLU 29 Big Sinks	MD Reference:	RKB = 24' @ 3383.00usft
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	WBDS_SQL_2

Survey									
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	CL (usft)	CL Azi (°)	DLeg (°/100ft)
16,029.00	90.18	176.34	11,556.16	-4,868.97	-325.81	4,868.39	95.00	176.59	0.83
16,123.00	90.29	176.41	11,555.77	-4,962.78	-319.87	4,962.21	94.00	176.37	0.14
16,217.00	88.87	176.10	11,556.46	-5,056.57	-313.73	5,056.02	94.00	176.26	1.55
16,311.00	88.75	176.11	11,558.41	-5,150.33	-307.35	5,149.79	94.00	176.10	0.13
16,405.00	91.13	176.15	11,558.51	-5,244.11	-301.00	5,243.58	94.00	176.13	2.53
16,499.00	94.53	182.34	11,553.87	-5,337.93	-299.76	5,337.40	94.00	179.24	7.51
16,593.00	90.97	183.01	11,549.36	-5,431.70	-304.14	5,431.16	94.00	182.68	3.85
16,687.00	88.78	180.70	11,549.56	-5,525.64	-307.18	5,525.10	94.00	181.86	3.39
16,781.00	95.99	182.36	11,545.65	-5,619.46	-309.69	5,618.91	94.00	181.53	7.87
16,875.00	93.60	182.19	11,537.80	-5,713.05	-313.40	5,712.50	94.00	182.27	2.55
16,968.00	92.65	182.21	11,532.73	-5,805.84	-316.97	5,805.28	93.00	182.20	1.02
17,063.00	91.47	181.49	11,529.31	-5,900.73	-320.03	5,900.16	95.00	181.85	1.45
17,158.00	89.51	179.84	11,528.50	-5,995.71	-321.14	5,995.14	95.00	180.66	2.70
17,251.00	90.01	182.29	11,528.89	-6,088.69	-322.86	6,088.12	93.00	181.07	2.69
17,345.00	90.63	185.52	11,528.36	-6,182.46	-329.26	6,181.87	94.00	183.90	3.50
17,439.00	92.09	186.83	11,526.13	-6,275.88	-339.37	6,275.28	94.00	186.17	2.09
17,533.00	89.59	185.07	11,524.76	-6,369.35	-349.11	6,368.73	94.00	185.95	3.25
17,627.00	83.87	179.78	11,530.12	-6,463.04	-353.09	6,462.42	94.00	182.43	8.28
17,721.00	83.30	175.83	11,540.63	-6,556.37	-349.52	6,555.75	94.00	177.81	4.22
17,815.00	88.70	175.92	11,547.18	-6,649.86	-342.78	6,649.25	94.00	175.88	5.75
17,909.00	91.53	177.00	11,546.99	-6,743.67	-336.97	6,743.07	94.00	176.46	3.22
18,003.00	91.27	177.41	11,544.69	-6,837.53	-332.39	6,836.94	94.00	177.21	0.52
18,097.00	89.37	176.71	11,544.17	-6,931.40	-327.57	6,930.82	94.00	177.06	2.15
18,191.00	88.53	176.25	11,545.89	-7,025.21	-321.80	7,024.63	94.00	176.48	1.02
18,284.00	86.85	177.18	11,549.64	-7,117.97	-316.47	7,117.41	93.00	176.71	2.06
18,379.00	88.89	178.57	11,553.17	-7,212.83	-312.95	7,212.28	95.00	177.88	2.60
18,454.00	88.61	178.44	11,554.81	-7,287.79	-311.00	7,287.24	75.00	178.51	0.41



Wellbenders
End Of Well Report

Company:	XTO Energy	Local Co-ordinate Reference:	Well #703H
Project:	Eddy County, NM (Nad-27 / East Zone)	TVD Reference:	RKB = 24' @ 3383.00usft
Site:	PLU 29 Big Sinks	MD Reference:	RKB = 24' @ 3383.00usft
Well:	#703H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	WBDS_SQL_2

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	CL (usft)	CL Azi (°)	DLeg (°/100ft)
18,525.00	88.09	177.68	11,556.85	-7,358.72	-308.60	7,358.17	71.00	178.06	1.30
18,620.00	91.44	180.65	11,557.24	-7,453.68	-307.21	7,453.14	95.00	179.17	4.71
18,714.00	91.97	180.82	11,554.44	-7,547.64	-308.42	7,547.09	94.00	180.73	0.59
18,808.00	90.52	181.58	11,552.40	-7,641.59	-310.39	7,641.04	94.00	181.20	1.74
18,901.00	90.85	181.09	11,551.29	-7,734.56	-312.55	7,734.00	93.00	181.34	0.64
18,995.00	91.53	180.98	11,549.34	-7,828.52	-314.25	7,827.96	94.00	181.04	0.73
19,089.00	90.94	182.08	11,547.31	-7,922.46	-316.76	7,921.90	94.00	181.53	1.33
19,183.00	90.60	181.49	11,546.05	-8,016.41	-319.69	8,015.84	94.00	181.78	0.72
19,233.00	90.27	181.48	11,545.67	-8,066.39	-320.98	8,065.82	50.00	181.48	0.66
19,288.00	90.27	181.48	11,545.41	-8,121.37	-322.40	8,120.80	55.00	181.48	0.00

Final Station Closure Distance= 8127.77 /Direction= 182.27 - Projection to Bit: 19288.00' MD/ 11545.41' TVD - TD: Latitude = 32.079761 / Longitude = -103.803375 - TD: Y= 393144.23 / X= 664142.80

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
19,288.00	11,545.41	-8,121.37	-322.40	Final Station Closure Distance= 8127.77 /Direction= 182.27
19,288.00	11,545.41	-8,121.37	-322.40	Projection to Bit: 19288.00' MD/ 11545.41' TVD
19,288.00	11,545.41	-8,121.37	-322.40	TD: Latitude = 32.079761 / Longitude = -103.803375
19,288.00	11,545.41	-8,121.37	-322.40	TD: Y= 393144.23 / X= 664142.80

Checked By: _____ Approved By: _____ Date: _____



XTO Energy Inc
EMHC.W4.4A.293
22777 Springwoods Village Pkwy
Spring TX 77389-1425
832-625-4370 - Direct Phone
carlos.salinas@exxonmobil.com

February 4, 2021

New Mexico Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

RE: Waiver of Objection: Non-Standard Spacing Unit or Units

Any combination of the N/2 of Sections 28 & 29, all of Sections 32 & 33, Township 25 South, Range 31 East, and all of Section 4, Township 26 South, Range 31 East, Eddy County, New Mexico. For the following wells:

- PLU 28 Big Sinks 102H, 104H, 106H, 108H, 121H, 122H, 123H, 124H, 125H, 126H, 127H, 128H, 701H, 703H, 705H, 707H, 901H, 903H, 905H, 907H (20 wells)
- PLU 29 Big Sinks 102H, 104H, 106H, 108H, 121H, 122H, 123H, 124H, 125H, 126H, 127H, 128H, 701H, 703H, 705H, 707H, 901H, 903H, 905H, 907H (20 wells)

To whom it may concern:

As operator of the Poker Lake Unit, and 100% owner of leasehold on adjoining sections, XTO Permian Operating, LLC ("XTO") hereby waives its own right to object to the application for an administrative order from the New Mexico Oil Conservation Division approving XTO's future application(s) for a non-standard spacing unit(s) comprised of any combination of the above described lands and wells in Eddy County, New Mexico.

Should you have any questions regarding XTO's self-waiver, please do not hesitate to contact the undersigned at the information provided.

Sincerely,

A handwritten signature in blue ink that reads 'C.R. Salinas'.

C.R. Salinas
Sr. Landman – Delaware Basin
XTO Energy Inc.
832.625.4370
carlos.salinas@exxonmobil.com