

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505				State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017			
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-015-45920			
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name POKER LAKE UNIT 29 BS			
								6. Well Number: 903H			
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER											
8. Name of Operator XTO ENERGY, INC								9. OGRID 373075			
10. Address of Operator 6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707								11. Pool name or Wildcat Purple Sage Wolfcamp (Gas)			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	
Surface:	F	29	25S	31E		2310	North	1950	West	Eddy	
BH:	N	32	25S	31E		182	South	1661	West	Eddy	
13. Date Spudded 2/28/2020	14. Date T.D. Reached 6/8/2020		15. Date Rig Released 6/14/2020			16. Date Completed (Ready to Produce) 1/21/2021			17. Elevations (DF and RKB, RT, GR, etc.) 3359' GL		
18. Total Measured Depth of Well 20,300'			19. Plug Back Measured Depth 20,297'			20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12,973 - 20,146 Purple Sage; Wolfcamp (Gas)											
23. CASING RECORD (Report all strings set in well)											
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
13 3/8"		54.5		1340'		17 1/2"		2216			
9 5/8"		40		4107'		12 1/4"		1821			
7"		32		11,756'		8 3/4"		1149			
4 1/2"		13.5		20,300		6"		1025			
24. LINER RECORD											
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET	PACKER SET
						2 7/8"		11,319		11,311	
26. Perforation record (interval, size, and number) 12,973 - 20,146 4spf, 1976 Total Shots 48 stages						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
						DEPTH INTERVAL			AMOUNT AND KIND MATERIAL USED		
						12,973 - 20,146			408,020 bbl fluid + 18,407,584 lbs proppant		
28. PRODUCTION											
Date First Production 01/22/2021		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Flowing					Well Status (<i>Prod. or Shut-in</i>) Producing				
Date of Test 2/12/2021	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 516	Gas - MCF 8474	Water - Bbl. 4577	Gas - Oil Ratio 16406				
Flow Tubing Press. 2474	Casing Pressure 381	Calculated 24-Hour Rate	Oil - Bbl. 516	Gas - MCF 8474	Water - Bbl. 4577	Oil Gravity - API - (<i>Corr.</i>)					
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold								30. Test Witnessed By			
31. List Attachments C-104 NW, C-102 & Supplement , Directional Survey (Log uploaded to NMOCD)											
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:											
Latitude				Longitude				NAD83			
<i>I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief</i>											
Signature			Printed Name Cassie Evans			Title Regulatory Analyst			Date 3/9/21		
E-mail Address cassie.evans@exxonmobil.com											

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 438'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 3124'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 3,342'	T. Morrison	
T. Drinkard	T. Bone Springs 7,019'	T. Todilto	
T. Abo	T. Rustler 239'	T. Entrada	
T. Wolfcamp 10,383'	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology