District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Approval:

Printed Name/Title

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 June 1, 2004 r drilling and production facilities, submit

Form C-144

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank X Operator: Yates Petroleum Corporation Telephone: 505-748-4500 e-mail address: mikes@ypc.com Address: 105 South 4th Street, Artesia, N.M. 88210 Facility or well name: Rolla TC 2 API #: 30-005-62822 U/L or Qtr/Qtr G Sec 29 T 9S R 26E Latitude <u>33.50563</u> Longitude <u>104.31842</u> NAD: 1927 ☐ 1983 X Surface Owner: Federal 

State X Private Indian RECEIVE Pit Below-grade tank Type: Drilling Production Disposal D Volume: \_\_\_\_\_bbl Type of fluid: \_\_\_\_\_ MAR 3 0 2005 Construction material: Work over X Emergency OCH-AHIENA Lined X Unlined Double-walled, with leak detection? Yes If not, explain why not. Liner type: Synthetic Thickness NA mil Clay Pit Volume NA bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) XXXX high water elevation of ground water.) 100 feet or more ( 0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic Nο ( 0 points)XXXX water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more ( 0 points) XXXX 10 Points Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if start date and end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Work plan for the Closure of workover Pit. A 20 mil synthetic liner will be placed 3' below grade with a min. 3' over lap of the underlaying pit. The workover pit will be backfilled to grade using a minimum of 3' of clean soil and like material. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines [], a general permit [], or an (attached) alternative OCD-approved plan []. Date: <u>03/28/05</u> Printed Name/Title Dan Dolan / Regulatory Agent Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the coments of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature

New Mexico Office of the State Engineer
Well Reports and Downloads

Township: 09S Range: 26E Sections:

NAD27 X: Y: Zone: Search Radius:

County: Basin: Number: Suffix:

Owner Name: (First) (Last) Non-Domestic Domestic

- All

AVERAGE DEPTH OF WATER REPORT 03/25/2005

(Depth Water in Feet)

Bsn Tws Rng Sec Zone X Y Wells Min Max Avg

RA 09S 26E 12 1 99 99 99

Record Count: 1

