Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED OMB NO. 1004-0135

Expires: July 31, 2010

5 Lease Serial No NMNM025527A

| SUNDRY N | OTICES AND F | REPORTS ON | WELLS |
|-----------------|-----------------|-------------------|---------------|
| Do not use this | form for propos | als to drill or t | o re-enter an |
| abandoned well. | Use form 3160- | 3 (APD) for su | ch proposals |

6. If Indian, Allottee or Tribe Name

| | | | | l | | | | | |
|--|--|---|-------------------------------------|---|------------------------------|----------------|----------------------|---|--|
| SUBMIT IN TRII | | 7 If Unit or CA/Agreement, Name and/or No | | | | | | | |
| Type of Well □ Oil Well □ Oth | er | | | 8. Well Name and No. BERRY A 22 | | | | | |
| 2 Name of Operator ALAMO PERMIAN RESOURCE | | 9 API Well No. 30-015-00497-00-S1 | | | | | | | |
| 3a Address 415 WEST WALL STREET SU MIDLAND, TX 79701 | 3b. Phone No Ph: 432-89 | (include area co 7-0673 | ode) | 10 Field and Pool, or Exploratory RED LAKE | | | | | |
| 4. Location of Well (Footage, Sec., T Sec 24 T17S R27E NESW 23 | n) | | <u> </u> | | ty or Parish, ar | | | | |
| 12. CHECK APPR | ROPRIATE BOX(ES) TO | O INDICATE | NATURE O | F NOTICE, R | EPORT, (| OR OTHER | DATA | | |
| TYPE OF SUBMISSION | | | | | | | | | |
| Notice of Intent ☐ Subsequent Report ☐ Final Abandonment Notice | ☐ Acidize ☐ Alter Casing ☐ Casing Repair ☐ Change Plans ☐ Convert to Injection | □ New | ture Treat Construction and Abandon | Produc Reclam Recom | ation olete arily Aban | □ Water Shut-O | | | |
| If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) SEE ATTACHED FOR MIT PROCEDURE: CONDITIONS OF APPROVAL approx. 1,700'. SOTOION SEE COAS Set Wireline CIBP in 5-1/2" casing at +/-1,100 above existing Penrose perforations at 1,172-78' Dump 35' of cement on top of CIBP using wireline. | | | | | | | | | |
| Fill casing with inhibited water & performed Witnessed MIT with BLM inspector on location. Alamo Permian Resources requests permission to perform a witnessed MIT with BLM inspectors on | | | | | | | | | |
| 14. Thereby certify that the foregoing is Comm Name (Printed/Typed) CARIE ST | # Electronic Submission For ALAMO PER itted to AFMSS for proces | MIAN RESOUR | CEŠ LLC, sen S (JIM) HUGHE | t to the Carisb | ad 2 (12JLH0 | |)R | | |
| Signature (Electronic S | Submission) | Date 02/02 | 2/2012 | | | | | | |
| | THIS SPACE FO | OR FEDERA | L OR STAT | E OFFICE U | SE | | | • | |
| Approved By Conditions of approval, if any, are attache certify that the applicant holds legal or equivalent would entitle the applicant to conductive the applicant to c | itable title to those rights in th | | PET Fo | | | Date 15/ | <u>,</u> 2 | | |
| Title 18 U S C Section 1001 and Title 43 States any false, fictitious or fraudulent | U.S.C. Section 1212, make it | a crime for any p | erson knowingly | and willfully to r | nake to any | department or | agency of the United | | |

7 Additional data for EC transaction #129947 that would not fit on the form

location in order to temporarily abandon the well for up to 12-months in order to recomplete to the Seven Rivers within the 12 month timeframe.

ALAMO PERMIAN RESOURCES, LLC WELLBORE DIAGRAM

BERRY "A" FEDERAL No. 22 Lease/Well No.: 3,500 ft **ELEVATION, GL:** Location: 2,310' FSL & 1,659' FWL UL: K, SEC: 24, T: 17-S, R: 27-E FIELD: RED LAKE; QN, GB, SA **EDDY County, NM LEASE No.:** NM - 025527-A Spudded: 6/20/1951 API No.: 30-015-00497 Drlg Stopped: Completed: 8/24/1951 ROTARY TOOLS LAT: LONG: **TOPS** DEPTH, ft SALT **SEVEN RIVERS** SAN ANDRES 2,155 431'-437' SEVEN RIVERS 4 spf - 24 perfs (11/29/55) 4 spf - 24 perfs (11/29/55) 444'-450' SEVEN RIVERS SQUEEZED w/ 50 sks cmt 11/65. CALC. TOC 1075' Asper 7-7/8" HOLE TOC = 860' Est'd Diagram Invell File Calculated - 1.25 SF 1,172' - 1,178' ? spf - ?? perfs (11/30/65) **PENROSE Production Csg:** 5-1/2" Csg Set @ 1,775' Cmt'd w/ 150 sx PBTD = 1,700' (CIBP ?) 1,775' Csg Set 1,775'-2,192' - San Andres (O/H) (8/25/51) 4-3/4" HOLE Zone(s): 2055'-2192' 2,192' TD

Originally completed in San Andres O/H 1775'-2912' on 8/25/51.

Recompleted to 7-Rivers 11/29/55: 431'-437' & 444'-450'.

Recompleted to Penrose (Queen) 11/30/65: 1172'-1178'.

PBTD = 1,700'.

HPS: 11/15/2011

Created by Neevia Document Converter trial version http://www.neevia.com

Revisions to Operator-Submitted EC Data for Sundry Notice #129947

Operator Submitted

BLM Revised (AFMSS)

Sundry Type.

MIT NOI

Lease

NMNM025527A

NMNM025527A

Agreement:

Operator.

ALAMO PERMIAN RESOURCES 415 WEST WALL STREET SUITE 500 MIDLAND, TX 79701 Ph. 432-897-0673

Admin Contact:

CARIE STOKER REGULATORY AFFAIRS COORDINATOR REGULATURY AFFAIRS COORDINA' E-Mail cstoker@alamoresources com Cell: 432-664-7659 Ph: 432-897-0673

Tech Contact.

CARIE STOKER
REGULATORY AFFAIRS COORDINATOR
E-Mail cstoker@alamoresources.com
Cell. 432-664-7659

Ph: 432-897-0673

Location:

State. County: NM EDDY

Field/Pool.

RED LAKE, Q-GB-SA

Well/Facility.

BERRY A 22 Sec 24 T17S R27E NESW 2310FSL 1650FWL

ALAMO PERMIAN RESOURCES LLC 415 WEST WALL STREET SUITE 500 MIDLAND, TX 79701 Ph. 432 897.0673

CARIE STOKER

REGULATORY AFFAIRS COORDINATOR E-Mail: cstoker@alamoresources.com Cell. 432-664-7659

Ph: 432-897-0673

CARIE STOKER
REGULATORY AFFAIRS COORDINATOR
E-Mail: cstoker@alamoresources.com
Cell. 432-664-7659

Ph. 432-897-0673

NM EDDY

RED LAKE

BERRY A 22 Sec 24 T17S R27E NESW 2310FSL 1650FWL

BERRY "A" FEDERAL No. 22

WELL PERFORATION, ACID JOB, FRAC JOB, & WELL TEST DETAILS

| ACID JOB(S) | | | FRAC JOB(S) | | | | | INITIAL POTENTIAL TEST | | | | | | | | |
|-------------|------------|------------------------------|-------------|--------|----------|------------|------------|------------------------|------------|------|----------------|------------|-------------|------|-------------|--|
| | PERF | s | | ACID | ACID | | FRAC FLUID | FLUID | SAND | SAND | | TEST | OIL | GAS | WATER | |
| | воттом | ZONE | DATE | GALS | TYPE | DATE | GALS | <u>TYPE</u> | <u>LBS</u> | SIZE | <u>REMARKS</u> | DATE | <u>BOPD</u> | MCFD | <u>BWPD</u> | |
| • | 2,192 | San Andres Open-Hole | 8/20/1951 | 10,000 | 15% NEFE | | | | | | | 8/24/1951 | 2 | 0 | 0 | |
| , | 2,192 | San Andres Open-Hole | • | | | 11/30/1953 | 4,500 | Gelled Oil | 10,000 | ?? | | - | No Tests | | | |
| | 437 450 | Seven Rivers Seven Rivers | 11/29/1955 | 1,000 | 15% NEFE | | | | | | | 12/1/1955 | 2 | 0 | 0 | |
| | 1,178 | Penrose (Qn) | 11/30/1965 | 1,000 | 15% NEFE | 11/30/1965 | ?? | Gelled Wtr | 25,000 | ?? | | 11/30/1965 | 0 | 419 | 0 | |

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Temporary Abandonment of Wells on Federal Lands Conditions of Approval

A temporarily abandoned well is defined as a completion that is not capable of production in paying quantities but which may have value as a service well. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

Temporary Abandonment (TA) status approval requires a successful mechanical or casing integrity test as follows:

- 1. A Notice of Intent (NOI) Sundry Notice (Form 3160-5) requesting approval to run a mechanical integrity test (MIT) or casing integrity test (CIT).
- 2. A description of the temporary abandonment procedure.
 - a. A bridge plug or packer must be installed as close to 50 feet above any open perforations or open hole as possible. If a cement plug is used, the top of the cement must be verified by tagging.
 - b. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. Any leak-off will be evaluated.
 - c. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if they are not isolated by a packer.
 - d. A bradenhead test must be conducted. If the test indicates a problem exists, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
 - e. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 3. Provides justification why the well should be temporarily abandoned rather than permanently plugged and abandoned and an estimated date that the well will be returned to beneficial use or plugged and abandoned.

Wells that successfully pass the casing integrity test may be approved for Temporary Abandonment (TA) status provided that the operator:

- 1. **Submits a subsequent Sundry Notice** (Form 3160-5) requesting TA approval <u>with well bore diagram</u> with all perforations and CIBP's and tops of cement on CIBP's.
- 2. Describes the temporary abandonment procedure.
- 3. Attaches a clear copy or the original of the pressure test chart.
- 4. Give justification to allow well to be place in TA status and plan for future use of well with time frame that well will be place back on line or plans to P&A well will be submitted.

If the well does not pass the casing integrity test, then the operator shall within 30 days submit to BLM for approval one of the following:

- 1. A procedure to repair the casing so that a TA approval can be granted.
- 2. A procedure to plug and abandon the well.

Berry A #22

- 1. Well may be approved to be TA/SI for a period of 90 days or until 5/15/2012 after successful MIT and subsequent report is submitted.
- 2. This will be the last TA approval for this well.
- 3. Must submit NOI to recomplete or a NOI to P&A. Must be submitted by April 15, 2012.
- 4. Areas of concern Salt zone from 150' to 600' behind 5 ½" casing, TOC behind casing estimated 860' as per your diagram and calculated at 1075' as per diagram in file behind casing.