District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Torm C-144 CLEZ

# State of New Mexico **Energy Minerals and Natural Resources** Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Revised August 1, 2011

Tage Fel'2

Form C-144 CLEZ

For closed-loop systems that only use above ground steel tanks or haut-off hins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

# Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: X Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or hauf-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. Operator: Chesapeake Operating, Inc. Address: P.O. Box 18496 Oklahoma City, OK 73154 Facility or well name: PLU PIERCE CANYON 21 24 30 USA1H 30-015-39768 212 298 API Number: OCD Permit Number: Range 30E U/L or Otr/Otr B Section 21 Township 24S County: EDDY NAD: 1927 X 1983 Center of Proposed Design: Latitude 32.2101230 Surface Owner: X Federal State Private Tribal Trust or Indian Allotment Operation: \( \sum \) Drilling a new well \( \sum \) Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) \( \sum \) P&A ☐ Above Ground Steel Tanks or 🏻 Haul-off Bins RECEIVED Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers MAR -5 2012 X Signed in compliance with 19.15.16.8 NMAC NMOCD ARTESIA Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following Items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC ☐ Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required. Disposal Facility Name: Controlled Recovery, Inc. Disposal Facility Permit Number: NM-01-0006 Disposal Facility Name: Sundance Disposal Disposal Facility Permit Number: NM-01-0003 Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) X No Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications - - based upon the appropriate requirements of Subsection II of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC **Operator Application Certification:** I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief. Title: Regulatory Specialist II Signature: Date: 02/21/2012 e-mail address: bryan.arrant@chk.com Telephone: <u>(405)</u>935-3782

Cil Concessation 'Visitator

OCD Approval: Permit Application (including despte plan) Closure Plan (only) Approval Date: 03/06/12	
OCD Approvat: 12 remin Application (including costic pain) 17 Closure i	Tall (OILLY) PINCING CO.
OCD Representative Signature:	Approval Date: OS/U6/10
Title: D157 JSpen	OCD Permit Number: 212298
S. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:	
9.	
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.	
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  [ Yes (If yes, please demonstrate compliance to the items below) [ No	
Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	
10. Operator Closure Certification;	
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.	
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:

# LATSHAW DRILLING COMPANY, LLC RIG #14

DRAWWORKS - Continental Emsco D3 (1000 hp) with Wichita disk brake

MAST/SUB - IDS 142'- 750,000# hook load mast w/20' box sub

<u>POWER</u> - (3) CAT D3512 gen sets with Kato 1365 KW AC generators Omron/IDM SCR unit

TRAVELING/ROTARY - SJ Petro 27-1/2" rotary table
Gardner Denver 400 ton block
275Ton Canrig Topdrive

MUD SYSTEM - (2) Lewco WH-1312 (1300 hp) mud pumps
(2) Tank mud system (1200 bbl capacity) with roofs
National Oilwell 285P linear motion shakers
Desander (2) 10" cones - 1000 gpm
Desilter (12) 4" cones - 600 gpm
Vacuum degasser - 1000 gpm

BOP EQUIPMENT - 13-5/8"-5000# Cameron Type D annular preventer 13-5/8"-5,000# Cameron Type U double ram preventer Church Energy accumulator, 120 gal cap, 5 station

DRILL STRING - 12,000'-5", 19.50# G/S drill pipe (DWB/HB/PC)
(18) 5", 50# Hevi-Wate drill pipe
(9) 8" slick drill collars w/6-5/8" Reg connections
(21) 6-1/2" slick drill collars w/4-1/2"XH connections

# Chesapeake Operating, Inc.'s Closed Loop System PLU PIERCE CANYON 21 24 30 STATE 1H Unit B, Sec. 21, T-24-S R-30-E Eddy Co., NM API # TBD

## Equipment & Design:

Chesapeake Operating, Inc. is to use a closed loop system with roll-off steel pits. Latshaw Drilling Company, LLC (Rig # 14) is scheduled to drill this well.

### Mud System:

- (2) Lewco WH-1312 (1300 hp) mud pumps.
- (2) Tank mud system (1200 bbl capacity) with roofs. National Oil Well 285P linear motion shale shakers. Desander (2) 10" cones-1000 gpm.

Desilter (12) 4" cones-600 gpm.

Vacuum degasser-1000 gpm.

Fresh and brine water tanks with the capacity to efficiently drill well.

### **Operations & Maintenance:**

During each tour, the rig's drilling crew will inspect and monitor the drilling fluids contained within the steel pits and visually monitor any spill which may occur. Should a spill, release, or leak occur; the NMOCD District II office in Artesia (575-748-1283) will be notified. Please note that notifications may be made earlier to the district office should a greater release occur, per NMOCD's rules.

### Closure:

During and after drilling operations, drilling fluids and cuttings will be hauled to Controlled Recovery, Inc. Permit # NM-01-0006.

The alternative disposal facility will be Sundance Disposal. Permit # NM-01-0003.