District I 1625 N. French Dr., Hobbs, NM 88240 District II District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

June 1, 2004

Form C-144

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

	ık covered by a "general plan"? Yes X No [or below-grade tank ☐ Closure of a pit or below-grad							
Operator: Yates Petroleum Corporation Telephone: _505-748-4500 e Address: _105	e-mail address: mikes@ypc.com Qtr <u>H</u> Sec <u>25 T 21S</u> R <u>26E</u>	RECEIVED						
County: Eddy Latitude 32.44759 Surface Owner: Federal State X Private Indian	Longitude 104.23931 NAD. 1927 1903 X	APR 1 9 2005						
Pit	Below-grade tank	OOD:AATEON						
Type: Drilling Production Disposal	Volume:bbl Type of fluid:							
Work over X Emergency □	Construction material:							
Lined X Unlined	explain why not.							
Liner type: Synthetic Thickness NA mil Clay								
Pit Volume NA_bbl								
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points) XXXX						
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)						
nigh water elevation of ground water.)	100 feet or more	(0 points)						
W. W. A	Yes	(20 points)						
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)XXXX						
water source, or less than 1000 feet from all other water sources.)								
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)						
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)						
	1000 feet or more	(0 points) XXXX						
	Ranking Score (Total Points)	20 Points						
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if						
your are burying in place) onsite X offsite \(\square\) If offsite, name of facility.	. (3) Attach a general description of	f remedial action taken including remediation						
start date and end date. (4) Groundwater encountered: No 🗌 Yes 📋 If yes	s, show depth below ground surface ft.	and attach sample results.						
(5) Attach soil sample results and a diagram of sample locations and excavat								
Additional Comments: Work plan for the Closure of Workover Pit. A 20 n	Due to the same	tive nature of this						
workover-pit will be backfilled to grade using a minimum of 3" of clean so	location, the mit	's contents and the						
workover-par will be packettled to grade using a minimum of 3 for clean, soil and liner must be removed and								
disposed of in a manner approved								
	<u>by the division.</u>	4						
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline								
has been will be constituted of closed according to MANOCO guideline	S L, a general permit L, or an (attached) after hat	те остариот раз						
Date: _04/11/05		()						
Printed Name/Title _Dan Dolan / Regulatory Agent	Signature Latter Larker J	or Daw Dalam						
Your certification and NMOCD approval of this application/closure does notherwise endanger public health or the environment. Nor does it relieve to regulations.								
Approved 2 Annoyali	/00							
Approval: Printed Name/Title	Signature	APR 19 2005						

New Mexico Office of the State Engineer
Well Reports and Downloads 1.

hacy AXW#1 WO Township: 21S Range: 26E Sections: 25 NAD27 X: Y: Zone: Search Radius: County: Basin: Number: Suffix: Owner Name: (First) O Non-Domestic O Domestic (Last) All
 Well / Surface Data Report Avg Depth to Water Report Water Column Report Clear Form **WATERS Menu** Help

AVERAGE DEPTH OF WATER REPORT 04/08/2005

								(Depth	Water in	Feet)
Bsn	Tws	Rng	Sec	Zone	x	Y	Wells	Min	Max	Avg
С	21S	26E	01				1	89	89	89
C	21S	26E	03				1	140	140	140
С	21S	26E	05				1	65	65	65
С	21S	26E	07				1	66	66	66
С	21S	26E	80				34	80	215	161
С	21S	26E	09				1	150	150	150
С	21S	26E	10				1	115	115	115
С	21S	26E	13				1	170	170	170
С	21S	26E	15				2	58	65	62
С	21S	26E	17				18	175	310	199
С	21S	26E	18				1	240	240	240
С	21S	26E	21				1	70	70	70
С	21S	26E	22				5	55	250	108
С	21S	26E	23				4	34	45	38
С	21S	26E					3	43	125	70
С	21S	26E	25				12	15	49	28
С	21S	26E	26				1	40	40	40
С	21S	26E	28				1	190	190	190
С	21S	26E	29				1	220	220	220
С	21S	26E	30				2	115	348	232
С	21S	26E	31				1	18	18	18
С	21S	26E	32				3	164	209	188
С	21S	26E	33				6	52	164	114
С	21S	26E	35				31	20	135	65
С	21S	26E	36				7	14	45	27
FS	215	26E	80				2	160	178	169

Record Count: 142

