

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO 1004-0135
Expires July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side.


1 Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5 Lease Serial No NMNM1372
2 Name of Operator YATES PETROLEUM CORPORATION		6 If Indian, Allottee or Tribe Name
Contact: TINA HUERTA E-Mail tinah@yatespetroleum.com		7 If Unit or CA/Agreement, Name and/or No
3a. Address 105 SOUTH FOURTH STREET ARTESIA, NM 88210	3b. Phone No (include area code) Ph: 575-748-4168 Fx: 575-748-4585	8. Well Name and No WARREN ANW-FED 2
4 Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 9 T.19S R.25E SWSW 660FSL 660FWL		9. API Well No 30-015-28147-00-S1
		10 Field and Pool, or Exploratory N DAGGER DRAW
		11 County or Parish, and State EDDY COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize <input type="checkbox"/> Deepen <input type="checkbox"/> Production (Start/Resume) <input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing <input type="checkbox"/> Fracture Treat <input type="checkbox"/> Reclamation <input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair <input type="checkbox"/> New Construction <input type="checkbox"/> Recomplete <input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans <input type="checkbox"/> Plug and Abandon <input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection <input checked="" type="checkbox"/> Plug Back <input type="checkbox"/> Water Disposal

13 Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

9/25/11 - NU BOP. RIH with 5.719" GR/JB to 7750'. Set a CIBP at 7729' Loaded well with 248 bbls. Tested to 2000 psi for 30 min, good. Bleed well off.
9/26/11 - Spotted a 25 sx Class "H" cement plug on top of CIBP up to 7596'. Spotted 58 bbls 10# liner mud gel up to 6059'. Spotted a 100 sx Class "C" cement plug at 6059' across Wolfcamp and DV tool. TOC at 5462'. Spotted 63 bbls 10# liner mud gel up to 3745'. Spotted a 30 sx Class "C" cement plug at 3745' across Bone Spring top. TOC at 3567'.
9/27/11 - Tested casing to 3000 psi, held good for 30 min. Perforate Yeso 2444'-2448'(5), 2434'-2440'(7), 2424'-2430'(7), 2416'-2422'(7), 2376'-2382'(7), 2330'-2348'(19), 2290'-2324'(35) and 2274'-2286'(13). Loaded and tested casing to 500 psi. Bleed down casing.
9/28/11 - Loaded casing and applied 500 psi. Acidized with 3000g 20% gelled iron controlled HCL acid.
9/29/11 - ND BOP.



14 I hereby certify that the foregoing is true and correct. Electronic Submission #121509 verified by the BLM Well Information System For YATES PETROLEUM CORPORATION, sent to the Carlsbad Committed to AFMSS for processing by DEBORAH MCKINNEY on 10/31/2011 (12DLM0154SE)	
Name (Printed/Typed) TINA HUERTA	Title REG COMPLIANCE SUPERVISOR
Signature (Electronic Submission)	Date 10/27/2011

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	JAMES A AMOS Title SUPERVISOR EPS	Date 11/02/2011
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

62 11/4/11 CS

Additional data for EC transaction #121509 that would not fit on the form

32. Additional remarks, continued

10/13/11 - Frac with slickwater with friction reducer, 7131 bbls fluid, 23,101# 100 mesh sand, 42,128# 40/70 brown sand, 102,774# 16/30 white sand. 2-7/8" 6.5# J-55 tubing at 2526'.

10/26/11 - Date of 1st production for recompletion - Yeso

Revisions to Operator-Submitted EC Data for Sundry Notice #121509

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type	PLUGBACK SR	PLUGBACK SR
Lease	NMNM1372	NMNM1372
Agreement		
Operator	YATES PETROLEUM CORPORATION 105 SOUTH FOURTH STREET ARTESIA, NM 88210 Ph: 575-748-1471	YATES PETROLEUM CORPORATION 105 SOUTH FOURTH STREET ARTESIA, NM 88210 Ph: 575.748.1471
Admin Contact	TINA HUERTA REG COMPLIANCE SUPERVISOR E-Mail: tinah@yatespetroleum.com Ph: 575-748-4168 Fx: 575-748-4585	TINA HUERTA REG COMPLIANCE SUPERVISOR E-Mail: tinah@yatespetroleum.com Ph: 575-748-4168 Fx: 575-748-4585
Tech Contact	TINA HUERTA REG COMPLIANCE SUPERVISOR E-Mail: tinah@yatespetroleum.com Ph: 575-748-4168 Fx: 575-748-4585	TINA HUERTA REG COMPLIANCE SUPERVISOR E-Mail: tinah@yatespetroleum.com Ph: 575-748-4168 Fx: 575-748-4585
Location State County	NM EDDY	NM EDDY
Field/Pool	N.7RIVERS; GLORIETA-YESO	N DAGGER DRAW
Well/Facility	WARREN ANW FEDERAL 2 Sec 9 T19S R25E SWSW 660FSL 660FWL	WARREN ANW FED 2 Sec 9 T19S R25E SWSW 660FSL 660FWL