

30-015-39349

A Gyrodata Directional Survey

for

FASKEN OIL AND RANCH, LTD.

Lease: GOSSETT 20 Well: 3H, 4 1/2" DRILL PIPE
Location: PATTERSON #101, EDDY COUNTY, NEW MEXICO

Job Number: MD0911GVCW393

Run Date: 9/15/2011 7:56:16 PM

Surveyor: Michael Hattar, Will Skelton, Natilo Pena

Calculation Method: MINIMUM CURVATURE

Survey surface coordinates obtained from: Well Plan/Plot
Survey Latitude: 32.558066 deg. N Longitude: 104.514298 deg. W

Azimuth Correction:

Gyro: 0.10000 deg to Grid North

Proposed Well Direction: 270.000 deg

Depth Reference: Rotary Table

Vertical Section Calculated from Well Head Location

Closure Calculated from Well Head Location

Horizontal Coordinates Calculated from Well Head Location

A Gyrodata Directional Survey

FASKEN OIL & RANCH

Lease: GOSSETT 20 Well: 3H, 4 1/2" DRILL PIPE

Location: PATTERSON #101, EDDY COUNTY, NEW MEXICO

Job Number: MD0911GVCW393

MEASURED DEPTH feet	INCL deg.	AZIMUTH deg.	VERTICAL SECTION feet	DOGLEG SEVERITY deg./ 100 ft.	VERTICAL DEPTH feet	CLOSURE DIST. AZIMUTH feet deg.	HORIZONTAL COORDINATES feet
0.00	0.00	0.00	0.0	0.00	0.00	0.0 0.0	0.00 N 0.00 E

0 - 1949 FT. RATE GYROSCOPIC MULTISHOT SURVEY RUN INSIDE 4 1/2" DRILLPIPE							
ALL MEASURED DEPTHS AND COORDINATES REFERENCED TO PATTERSON #101 R.K.B. OF 18 FT.							

99.00	0.44	51.78	-0.3	0.44	99.00	0.4 51.8	0.24 N 0.30 E
124.00	0.43	48.37	-0.4	0.11	124.00	0.6 51.2	0.36 N 0.44 E
149.00	0.42	44.96	-0.6	0.11	149.00	0.8 50.1	0.48 N 0.58 E
174.00	0.41	48.40	-0.7	0.12	174.00	0.9 49.4	0.61 N 0.71 E
199.00	0.39	55.05	-0.8	0.20	199.00	1.1 49.8	0.72 N 0.85 E
224.00	0.37	61.71	-1.0	0.19	224.00	1.3 50.9	0.80 N 0.99 E
249.00	0.35	68.37	-1.1	0.18	249.00	1.4 52.4	0.87 N 1.13 E
274.00	0.37	66.96	-1.3	0.10	273.99	1.6 53.9	0.93 N 1.27 E
299.00	0.42	61.76	-1.4	0.22	298.99	1.7 54.9	1.00 N 1.43 E
324.00	0.46	56.56	-1.6	0.23	323.99	1.9 55.3	1.10 N 1.59 E
349.00	0.50	51.35	-1.8	0.24	348.99	2.1 55.2	1.22 N 1.76 E
374.00	0.56	48.30	-1.9	0.26	373.99	2.4 54.6	1.37 N 1.94 E
399.00	0.63	46.26	-2.1	0.28	398.99	2.6 53.9	1.55 N 2.13 E
424.00	0.70	44.22	-2.3	0.29	423.99	2.9 53.1	1.75 N 2.33 E
449.00	0.76	42.17	-2.5	0.29	448.99	3.2 52.1	1.99 N 2.55 E
474.00	0.80	42.06	-2.8	0.13	473.98	3.6 51.1	2.24 N 2.78 E
499.00	0.81	42.85	-3.0	0.08	498.98	3.9 50.4	2.50 N 3.02 E

A Gyrodata Directional Survey

FASKEN OIL & RANCH

Lease: GOSSETT 20 Well: 3H, 4 1/2" DRILL PIPE

Location: PATTERSON #101, EDDY COUNTY, NEW MEXICO

Job Number: MD0911GVCW393

MEASURED DEPTH feet	INCL deg.	AZIMUTH deg.	VERTICAL SECTION feet	DOGLEG SEVERITY deg./ 100 ft.	VERTICAL DEPTH feet	CLOSURE DIST. AZIMUTH feet deg.	HORIZONTAL COORDINATES feet
524.00	0.83	43.64	-3.3	0.08	523.98	4.3 49.8	2.76 N 3.26 E
549.00	0.85	44.43	-3.5	0.08	548.98	4.6 49.3	3.02 N 3.52 E
574.00	0.84	44.65	-3.8	0.02	573.97	5.0 49.0	3.29 N 3.77 E
599.00	0.83	44.60	-4.0	0.06	598.97	5.4 48.7	3.54 N 4.03 E
624.00	0.81	44.55	-4.3	0.06	623.97	5.7 48.4	3.80 N 4.28 E
649.00	0.79	44.50	-4.5	0.06	648.97	6.1 48.2	4.05 N 4.53 E
674.00	0.79	45.01	-4.8	0.04	673.96	6.4 48.0	4.29 N 4.77 E
699.00	0.79	45.78	-5.0	0.04	698.96	6.8 47.9	4.53 N 5.01 E
724.00	0.78	46.55	-5.3	0.04	723.96	7.1 47.8	4.77 N 5.26 E
749.00	0.78	47.32	-5.5	0.04	748.96	7.4 47.8	5.00 N 5.51 E
774.00	0.79	51.73	-5.8	0.24	773.95	7.8 47.8	5.23 N 5.77 E
799.00	0.80	57.84	-6.0	0.34	798.95	8.1 48.1	5.43 N 6.05 E
824.00	0.81	63.95	-6.4	0.35	823.95	8.5 48.7	5.60 N 6.36 E
849.00	0.83	70.06	-6.7	0.35	848.95	8.8 49.4	5.74 N 6.69 E
874.00	0.81	74.02	-7.0	0.23	873.94	9.1 50.2	5.85 N 7.03 E
899.00	0.78	76.95	-7.4	0.20	898.94	9.5 51.1	5.93 N 7.36 E
924.00	0.76	79.89	-7.7	0.19	923.94	9.8 52.0	6.00 N 7.69 E
949.00	0.73	82.82	-8.0	0.19	948.94	10.0 52.9	6.05 N 8.01 E
974.00	0.74	83.68	-8.3	0.06	973.94	10.3 53.8	6.09 N 8.33 E
999.00	0.76	83.55	-8.7	0.10	998.93	10.6 54.7	6.12 N 8.66 E
1024.00	0.79	83.43	-9.0	0.10	1023.93	10.9 55.6	6.16 N 8.99 E
1049.00	0.82	83.31	-9.3	0.10	1048.93	11.2 56.4	6.20 N 9.34 E

A Gyrodata Directional Survey

FASKEN OIL & RANCH

Lease: GOSSETT 20 Well: 3H, 4 1/2" DRILL PIPE

Location: PATTERSON #101, EDDY COUNTY, NEW MEXICO

Job Number: MD0911GVCW393

MEASURED DEPTH feet	INCL deg.	AZIMUTH deg.	VERTICAL SECTION feet	DOGLEG SEVERITY deg./ 100 ft.	VERTICAL DEPTH feet	CLOSURE DIST. feet	AZIMUTH deg.	HORIZONTAL COORDINATES feet	
1074.00	0.84	84.67	-9.7	0.12	1073.93	11.5	57.2	6.24 N	9.70 E
1099.00	0.86	86.72	-10.1	0.15	1098.92	11.9	58.1	6.27 N	10.07 E
1124.00	0.88	88.77	-10.4	0.15	1123.92	12.2	59.0	6.28 N	10.45 E
1149.00	0.90	90.82	-10.8	0.15	1148.92	12.5	59.9	6.28 N	10.84 E
1174.00	0.92	90.63	-11.2	0.07	1173.91	12.9	60.8	6.28 N	11.23 E
1199.00	0.93	89.38	-11.6	0.10	1198.91	13.2	61.7	6.28 N	11.64 E
1224.00	0.95	88.12	-12.1	0.10	1223.91	13.6	62.4	6.29 N	12.05 E
1249.00	0.96	86.87	-12.5	0.10	1248.90	14.0	63.2	6.31 N	12.46 E
1274.00	0.96	88.35	-12.9	0.10	1273.90	14.3	63.9	6.32 N	12.88 E
1299.00	0.95	91.12	-13.3	0.19	1298.90	14.7	64.6	6.33 N	13.30 E
1324.00	0.94	93.89	-13.7	0.19	1323.89	15.1	65.3	6.31 N	13.71 E
1349.00	0.93	96.66	-14.1	0.18	1348.89	15.4	66.1	6.27 N	14.12 E
1374.00	0.93	96.93	-14.5	0.02	1373.89	15.8	66.8	6.22 N	14.52 E
1399.00	0.94	96.01	-14.9	0.06	1398.88	16.2	67.5	6.18 N	14.93 E
1424.00	0.94	95.10	-15.3	0.06	1423.88	16.5	68.2	6.14 N	15.34 E
1449.00	0.95	94.18	-15.8	0.06	1448.88	16.9	68.8	6.10 N	15.75 E
1474.00	0.94	94.65	-16.2	0.05	1473.87	17.3	69.4	6.07 N	16.16 E
1499.00	0.92	95.76	-16.6	0.10	1498.87	17.6	70.0	6.03 N	16.56 E
1524.00	0.90	96.88	-16.9	0.10	1523.87	18.0	70.5	5.99 N	16.95 E
1549.00	0.88	97.99	-17.3	0.10	1548.86	18.3	71.1	5.94 N	17.34 E
1574.00	0.87	99.14	-17.7	0.08	1573.86	18.7	71.6	5.88 N	17.72 E

A Gyrodata Directional Survey

FASKEN OIL & RANCH

Lease: GOSSETT 20 Well: 3H, 4 1/2" DRILL PIPE

Location: PATTERSON #101, EDDY COUNTY, NEW MEXICO

Job Number: MD0911GVCW393

MEASURED DEPTH feet	INCL deg.	AZIMUTH deg.	VERTICAL SECTION feet	DOGLEG SEVERITY deg./ 100 ft.	VERTICAL DEPTH feet	CLOSURE DIST. AZIMUTH feet deg.	HORIZONTAL COORDINATES feet
1599.00	0.86	100.31	-18.1	0.07	1598.86	19.0 72.2	5.82 N 18.09 E
1624.00	0.86	101.48	-18.5	0.07	1623.86	19.3 72.7	5.75 N 18.46 E
1649.00	0.85	102.65	-18.8	0.07	1648.85	19.7 73.2	5.67 N 18.82 E
1674.00	0.83	103.13	-19.2	0.11	1673.85	20.0 73.8	5.59 N 19.18 E
1699.00	0.79	103.30	-19.5	0.14	1698.85	20.3 74.2	5.51 N 19.52 E
1724.00	0.76	103.46	-19.9	0.14	1723.85	20.6 74.7	5.43 N 19.85 E
1749.00	0.72	103.63	-20.2	0.14	1748.84	20.9 75.1	5.35 N 20.17 E
1774.00	0.67	106.73	-20.5	0.27	1773.84	21.1 75.5	5.28 N 20.46 E
1799.00	0.60	111.23	-20.7	0.32	1798.84	21.4 75.9	5.19 N 20.72 E
1824.00	0.54	115.72	-20.9	0.31	1823.84	21.6 76.3	5.09 N 20.95 E
1849.00	0.47	120.21	-21.1	0.30	1848.84	21.7 76.7	4.98 N 21.14 E
1874.00	0.43	123.62	-21.3	0.19	1873.84	21.9 77.1	4.88 N 21.31 E
1899.00	0.41	126.53	-21.5	0.14	1898.84	22.0 77.5	4.77 N 21.46 E
1924.00	0.38	129.43	-21.6	0.14	1923.84	22.1 77.8	4.67 N 21.60 E
1949.00	0.35	132.33	-21.7	0.13	1948.84	22.2 78.1	4.56 N 21.72 E

Final Station Closure: Distance: 22.19 ft Az: 78.13 deg.



SURVEY CALCULATION PROGRAM

OPERATOR: Fasken Oil and Ranch, Ltd.						Supervisors:						
WELL: Gossett 20 #3H						Tony Bautista MWD						
LOCATION: Eddy Co.N.M						David Martinez MWD						
JOB NUMBER: WT-11514						Luis Suarez DD						
Curr<	Prev<	DIFF				S/Ahead	PROJ	Roman Duran DD				
		0.0					0.00	Bobby Grice Co. Rep				
Slide Seen			A/BR	BRN	JNT			D/S	Taylor Billingsley Co. Rep			
0.00			0.00		0.0			Patterson 101 Rig				

Target # 1	MD 3500	TVD 2586.00	Vertical Section 1145.60	N-S 2.30	E-W 1245.60	Sec/Plane 270.10	TARGET TRACKING TO CENTER				
SVY NUM	MD	INC	TRUE AZM	COURSE LENGTH	TVD	SECT	N-S	E-W	DLS/100	ABOVE(+) BELOW(-)	RIGHT(+) LEFT(-)
TIE	1949	0 35	132.33	1949.00	1948.84	-21 70	4 56	21.72	0 00	675 02	4 60
1	1997	1.00	172.50	48 00	1996.84	-21.88	4 05	21 88	1.60	627 02	4.08
2	2029	2 60	272.30	32 00	2028.82	-21 19	3 80	21.19	9 19	595 02	3 84
3	2061	6 90	270.20	32.00	2060 71	-18.54	3 83	18 55	13.45	563 07	3 87
4	2093	10 50	269.00	32 00	2092.33	-13 70	3.79	13 71	11.26	531.32	3.81
5	2124	13.60	266.10	31 00	2122 65	-7.24	3 49	7.24	10.19	500.84	3 51
6	2156	17 20	266.10	32 00	2153 49	1.24	2.91	-1 23	11 25	469.77	2 91
7	2188	20 80	266.90	32 00	2183 75	11.63	2 29	-11.63	11 28	439.26	2.27
8	2220	24 50	268.40	32 00	2213 27	23.94	1 79	-23.94	11 70	409.41	1.75
9	2251	28 20	270.00	31 00	2241 05	37.70	1 61	-37.69	12.15	381 29	1.55
10	2283	31 80	271.10	32.00	2268.76	53.69	1 78	-53.69	11.38	353 17	1 68
11	2315	35.30	270.70	32 00	2295.42	71 37	2 05	-71 37	10 96	326.05	1.93
12	2346	38 50	270.20	31 00	2320.21	89 98	2.19	-89 98	10.37	300.78	2.04
13	2377	42 10	270.00	31 00	2343.85	110 03	2 23	-110 03	11.62	276.63	2.03
14	2408	45 70	269.70	31.00	2366 18	131 52	2 17	-131.52	11.63	253 75	1 94
15	2439	48.40	269.50	31 00	2387 30	154 21	2 01	-154.21	8.72	232.04	1.74
16	2470	48 60	269 00	31 00	2407 84	177 43	1.71	-177.42	1.37	210 91	1 40
17	2502	50 20	268.80	32.00	2428.67	201 72	1 24	-201.71	5.02	189.46	0 89
18	2534	50 50	268 40	32.00	2449 08	226.35	0.64	-226.35	1.34	168 41	0 24
19	2565	52 30	268 60	31 00	2468 42	250 56	0.00	-250.56	5.83	148 45	-0 43
20	2596	54 40	268 80	31 00	2486 93	275 43	-0.56	-275 43	6.79	129.30	-1 04
21	2628	57.20	268.80	32 00	2504 91	301.88	-1.12	-301.88	8 75	110 64	-1 64
22	2659	60 20	269 10	31.00	2521.02	328.36	-1 60	-328 37	9.71	93.86	-2 17
23	2690	63.00	269 70	31.00	2535.76	355 63	-1.88	-355 63	9.19	78.42	-2 50
24	2722	65.30	270.00	32.00	2549 71	384.42	-1.96	-384 43	7.24	63.72	-2 63
25	2753	67 90	270.50	31.00	2562.02	412 87	-1.83	-412 87	8.52	50 68	-2 55
26	2784	71.10	270.50	31 00	2572 88	441 90	-1.58	-441.91	10.32	39.08	-2 35
27	2815	74.70	270.50	31.00	2581.99	471 53	-1 32	-471.53	11 61	29.21	-2.14
28	2847	77 60	270.40	32.00	2589.65	502 59	-1 08	-502.59	9.07	20.75	-1 95
29	2878	80 80	270.40	31 00	2595 46	533 04	-0 86	-533.04	10 32	14.16	-1 79
30	2958	87.90	269.80	80 00	2603.33	612 60	-0 73	-612 60	8 91	4 25	-1.80
31	2990	88.50	269.50	32.00	2604.33	644 58	-0 92	-644 58	2.10	2 43	-2.05
32	3022	89.80	269.70	32 00	2604.81	676 58	-1 15	-676 58	4.11	1 13	-2.33
33	3053	91 20	269.70	31 00	2604.54	707 57	-1 31	-707 58	4 52	0.60	-2.54
34	3085	91.30	269.50	32 00	2603 84	739 56	-1.53	-739 57	0.70	0 48	-2.82
35	3148	92 10	269.70	63.00	2601.97	802 53	-1 97	-802 54	1.31	0.74	-3.37
36	3212	92 20	269.70	64 00	2599 57	866.49	-2 31	-866.49	0 16	1.49	-3.82
37	3275	91.70	269.90	63 00	2597.43	929 45	-2.53	-929.46	0 85	2 02	-4.15
38	3339	92 00	270.00	64 00	2595.36	993.42	-2 58	-993 42	0.49	2 45	-4.32
39	3403	91 10	270 20	64 00	2593.63	1057.39	-2 47	-1057 40	1 44	2 54	-4.32
40	3466	91 10	269.80	63.00	2592 42	1120 38	-2.47	-1120 39	0 63	2.13	-4.43
41	3530	91 20	269 70	64.00	2591.13	1184.37	-2.75	-1184.37	0.22	1 77	-4.82



SURVEY CALCULATION PROGRAM

OPERATOR: Fasken Oil and Ranch, Ltd.										Supervisors:	
WELL: Gossett 20 #3H										Tony Bautista MWD	
LOCATION: Eddy Co.N.M										David Martinez MWD	
JOB NUMBER: WT-11514										Luis Suarez DD	
Curr<	Prev<	DIFF					S/Ahead	PROJ	Roman Duran DD		
		0.0						0.00	Bobby Grice Co. Rep		
Slide Seen			A/BR	BRN			JNT	D/S	Taylor Billingsley Co. Rep		
0.00			0.00		0.0				Patterson 101 Rig		

Target # 1	MD 3500	TVD 2586.00	Vertical Section 1145.60	N-S 2.30	E-W 1245.60	Sec/Plane 270.10	TARGET TRACKING TO CENTER				
SVY NUM	MD	INC	TRUE AZM	COURSE LENGTH	TVD	SECT	N-S	E-W	DLS/ 100	ABOVE(+) BELOW(-)	RIGHT(+) LEFT(-)
42	3593	91 40	269.70	63 00	2589.71	1247.35	-3 08	-1247.36	0.32	1 59	-5 26
43	3656	91 50	270.00	63 00	2588.11	1310.33	-3.24	-1310.34	0.50	1 56	-5.53
44	3719	91 80	269.70	63 00	2586.30	1373.30	-3.41	-1373.31	0.67	1.76	-5 81
45	3783	91 80	269.80	64 00	2584.29	1437.27	-3 69	-1437.28	0 16	2.13	-6.20
46	3845	92.00	269.50	62.00	2582.23	1499.23	-4 07	-1499.24	0 58	2.60	-6 68
47	3908	91.40	269.80	63.00	2580.36	1562.20	-4.45	-1562.21	1.06	2 85	-7.18
48	3971	91 80	270.00	63 00	2578.60	1625.18	-4.56	-1625.19	0.71	2.99	-7 40
49	4034	91 20	270.20	63 00	2576.95	1688.15	-4.45	-1688.17	1 00	3.02	-7.40
50	4098	91 10	269.80	64 00	2575.67	1752.14	-4.45	-1752.15	0 64	2.67	-7.51
51	4162	91.00	269.50	64.00	2574.50	1816.13	-4.84	-1816.14	0.49	2 20	-8 01
52	4224	91.40	270.00	62.00	2573.20	1878.11	-5.11	-1878.13	1.03	1 91	-8 39
53	4288	91.50	269.70	64.00	2571.58	1942.09	-5 28	-1942.10	0 49	1.88	-8.67
54	4351	91.30	270.50	63.00	2570.04	2005.07	-5.17	-2005.09	1 31	1 81	-8.67
55	4415	91 10	270.70	64 00	2568.70	2069.06	-4 50	-2069.07	0.44	1.50	-8.11
56	4478	90.80	270.20	63.00	2567.65	2132.05	-4.01	-2132.06	0 93	0.93	-7 73
57	4542	90.60	269.70	64.00	2566.87	2196.04	-4.06	-2196.05	0 84	0.07	-7 89
58	4605	92.00	270.00	63.00	2565.44	2259.02	-4 23	-2259.03	2 27	-0.11	-8 17
59	4668	91.70	269.80	63.00	2563.41	2321.99	-4.34	-2322.00	0.57	0 30	-8 39
60	4732	91 90	271.10	64.00	2561.40	2385.96	-3.83	-2385.97	2 05	0 67	-8.00
61	4795	91.80	270.40	63 00	2559.37	2448.92	-3.01	-2448.93	1.12	1 09	-7.28
62	4857	92.30	270.40	62 00	2557.15	2510.88	-2 58	-2510.89	0 81	1.72	-6.96
63	4920	92 00	271.10	63 00	2554.78	2573.83	-1.75	-2573.84	1 21	2.47	-6 25
64	4983	92.20	271.20	63.00	2552.48	2636.78	-0 49	-2636.78	0 35	3 16	-5 09
65	5045	91.40	271.10	62.00	2550.53	2698.73	0 75	-2698.74	1.30	3 52	-3 96
66	5108	91 60	270.70	63.00	2548.88	2761.71	1 74	-2761.71	0.71	3 55	-3.08
67	5172	91 60	270.00	64 00	2547.09	2825.68	2.13	-2825.68	1 09	3 70	-2 80
68	5235	90.80	270.00	63.00	2545.77	2888.67	2.13	-2888.67	1 27	3.40	-2.91
69	5298	90 90	269.70	63 00	2544.84	2951.66	1 97	-2951.66	0 50	2.72	-3 18
70	5361	91.40	269.50	63 00	2543.57	3014.64	1 53	-3014.64	0.85	2.36	-3 73
71	5424	90 80	270.50	63.00	2542.36	3077.63	1.53	-3077.63	1 85	1.96	-3.84
72	5487	90 70	269.80	63 00	2541.54	3140.62	1 69	-3140.63	1.12	1.17	-3.79
73	5550	90.80	269.50	63.00	2540.71	3203.62	1 31	-3203.62	0.50	0.37	-4.28
74	5614	91.00	269.10	64 00	2539.71	3267.60	0 53	-3267.61	0.70	-0 26	-5 18
75	5677	91 50	269.80	63 00	2538.34	3330.58	-0.08	-3330.59	1.37	-0.50	-5 89
76	5740	91 70	271.40	63.00	2536.58	3393.55	0.58	-3393.56	2.56	-0 36	-5 34
77	5796	91 50	271.40	56 00	2535.01	3449.52	1 95	-3449.52	0.36	-0 23	-4.07
78	5858	91.40	271.20	62.00	2533.44	3511.48	3.36	-3511.48	0.36	-0.25	-2.77
79	5920	91.30	271.10	62 00	2531.98	3573.46	4.60	-3573.45	0 23	-0.38	-1.64
80	5982	91 30	270.90	62.00	2530.58	3635.43	5.68	-3635.43	0 32	-0.57	-0.66
81	6043	92 20	270.50	61.00	2528.71	3696.40	6.43	-3696.39	1.61	-0 27	-0.02
82	6106	91.80	271.80	63.00	2526.51	3759.35	7.69	-3759.34	2 16	0.31	1 13
83	6170	91.80	272.80	64.00	2524.50	3823.27	10 26	-3823.26	1 56	0.68	3.59



SURVEY CALCULATION PROGRAM

OPERATOR: Fasken Oil and Ranch, Ltd.		Supervisors:	
WELL: Gossett 20 #3H		Tony Bautista	MWD
LOCATION: Eddy Co.N.M		David Martinez	MWD
JOB NUMBER: WT-11514		Luis Suarez	DD
Curr<	Prev<	DIFF	S/Ahead PROJ
		0.0	0.00
Slide Seen		A/BR	BRN JNT D/S
0.00		0.00	0.0
		Patterson 101 RIG	

Target # 1	MD 3500	TVD 2586.00	Vertical Section 1145.60	N-S 2.30	E-W 1245.60	Sec/Plane 270.10	TARGET TRACKING TO CENTER	
SVY NUM	MD	INC	TRUE AZM	COURSE LENGTH	TVD	SECT	N-S	E-W
								DLS/ 100
								ABOVE(+) BELOW(-)
								RIGHT(+) LEFT(-)

84	6233	91.60	275.30	63.00	2522.63	3886.09	14.71	-3886.07	3.98	0.94	7.92
85	6296	91.60	273.70	63.00	2520.88	3948.88	19.65	-3948.85	2.54	1.09	12.75
87	6359	91.40	272.10	63.00	2519.23	4011.78	22.83	-4011.74	2.56	1.12	15.83
88	6423	91.80	270.50	64.00	2517.44	4075.74	24.28	-4075.70	2.58	1.27	17.17
89	6486	91.50	270.00	63.00	2515.63	4138.71	24.56	-4138.67	0.93	1.47	17.33
90	6549	91.30	268.60	63.00	2514.09	4201.68	23.79	-4201.65	2.24	1.39	16.46
91	6613	90.90	268.30	64.00	2512.86	4265.64	22.06	-4265.61	0.78	0.98	14.61
92	6676	91.20	267.50	63.00	2511.70	4328.59	19.75	-4328.56	1.36	0.52	12.20
93	6739	91.00	267.40	63.00	2510.49	4391.51	16.95	-4391.48	0.35	0.11	9.28
94	6803	91.50	267.50	64.00	2509.10	4455.42	14.10	-4455.41	0.80	-0.13	6.32
95	6866	91.40	268.40	63.00	2507.50	4518.36	11.85	-4518.34	1.44	-0.15	3.96
96	6930	91.20	269.80	64.00	2506.05	4582.33	10.84	-4582.32	2.21	-0.34	2.85
97	6993	90.90	270.20	63.00	2504.90	4645.32	10.84	-4645.31	0.79	-0.80	2.74
98	7057	90.50	270.70	64.00	2504.11	4709.31	11.35	-4709.30	1.00	-1.66	3.13
99	7101	90.20	271.20	44.00	2503.85	4753.31	12.08	-4753.29	1.33	-2.53	3.78
TD	7151	90.20	271.20	50.00	2503.67	4803.30	13.12	-4803.28	0.00	-3.63	4.74