

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

STATE OF NEW MEXICO
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-103
Revised August 1, 2011

| | | |
|--|--|---|
| SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) | | WELL API NO. 30-005-60648 |
| 1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <u>IG</u> | | 5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> |
| 2. Name of Operator Canyon E&P Company | | 6. State Oil & Gas Lease No. |
| 3. Address of Operator 4925 Greenville Ave, Ste 900, Dallas, Texas 75206 | | 7. Lease Name or Unit Agreement Name Twin Lakes San Andres Unit |
| 4. Well Location Unit Letter <u>K</u> : <u>1650</u> feet from the <u>South</u> line and <u>2310</u> feet from the <u>West</u> line Section <u>25</u> Township <u>8S</u> Range <u>28E</u> NMPM County <u>CHAVES</u> | | 8. Well Number 2 |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3920.3 GR | | 9. OGRID Number 269864 |
| | | 10. Pool name or Wildcat Twin Lakes San Andres |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data


| | | | |
|---|---|--|--|
| NOTICE OF INTENTION TO: | | SUBSEQUENT REPORT OF: | |
| PERFORM REMEDIAL WORK <input type="checkbox"/> | PLUG AND ABANDON <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/> | ALTERING CASING <input type="checkbox"/> |
| TEMPORARILY ABANDON <input type="checkbox"/> | CHANGE PLANS <input type="checkbox"/> | COMMENCE DRILLING OPNS. <input type="checkbox"/> | P AND A <input type="checkbox"/> |
| PULL OR ALTER CASING <input type="checkbox"/> | MULTIPLE COMPL <input type="checkbox"/> | CASING/CEMENT JOB <input type="checkbox"/> | |
| DOWNHOLE COMMINGLE <input type="checkbox"/> | | | |
| OTHER: Convert Injection Well to Producer <input checked="" type="checkbox"/> | | OTHER: <input type="checkbox"/> | |

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Canyon respectfully request approval to convert this well from an injector to a producer using the following procedure:

- 1) The injection tubing has been pulled and laid down.
- 2) RIH and perforate P-2 & P-4 sections of San Andres from 2630 to 2644 & 2720 to 2744 with 2 jsp.
- 3) Acidize, run new rods and tubing, set pumping unit, and place well on production.
- 4) Attached is a log shot, and wellbore schematic.

*Out of compliance - Lacked DRIT
Require MTT to pass signed by OCD*



Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE President

DATE

6-1-12

Type or print name Mike Myers

E-mail address: mike@canyonep.com

PHONE: 214-709-6784

For State Use Only

APPROVED BY:

Conditions of Approval (if any):

DATE

7-1

Submit current C102

DENIED

TLSAU #2 Well
30-005-60648

Original P-1 Perfs

2600

Proposed P-2 Perfs

CASING COLLARS
CORRECT DEPTH

CASING COLLARS
RECORDED DEPTH

QC

Proposed P-3 Perfs

Gamma Ray

TLSAU #2

Formerly - O'Brien F #3

Lease No.: 24988

Dist. No.:

County: Chaves

Field: Twin Lakes San Andres

Section: 25

Twp: 8S

Range: 28E Unit Lr: K

Location: 1650' FSL & 2310' FWL

API No. 30-005-60648

Spud Date: 03/04/80

TD Date: 03/08/80

Comp Date: 03/31/80

Hole Size
12.500

120

GRE: 3920

KBE: 3925

8 5/8"

75 sx "C"

TOC @ SURF

TOC - 2022' CBL

2586

P₁ San Andres

2604

P₂ San Andres

Hole Size
7.875

PBTD 2758

TD 2770

4 1/2" 9.5"

125 sx

Original Perf Details: P1: 2566, 66.5, 68.5, 69, 69.5, 70, 71.5, 72, 78, 78.5, 79, 79.5, 81, 81.5, 82.5, 83, 94, 94.5, 96, 96.5, 97, 97.5
6000 gals 28% acid

Jan-88

Add P1: 2585, 86, 87, 89, 90, 92, 93, 2601, 02, 03, 04
No treatment

09/26/2001