N.M. OIL CONSERVATION DIVISION

Form 3160-5 (August 2007)

Final Abandonment Notice

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

Convert to Injection

811	S.	FIR	ŞT	STREET
			ŀ	

Water Disposal

ARTESIA, NM

FORM APPROVED

, INIVI 8821U	Expires: July 31, 20
5. Lease Serial No.	

Do not use this	NOTICES AND REP form for proposals Use Form 3160-3 (/	6. If Indian, Allottee or Tribe Name 7. If Unit of CA/Agreement, Name and/or No			
SUBM	IT IN TRIPLICATE - Othe				
1. Type of Well Oil Well Gas V	Well Other			8. Well Name and No. Bevmor 24 Federal	
Name of Operator Western Reserve Oil Co., Inc.				9. API Well No. 3000560937	
3a. Address	3b. Phone No. (include area code)		10. Field and Pool or Exploratory Area		
P.O Box 993, Midland Texas	432-683-5533		<u> </u>		
4. Location of Well (Footage, Sec., T. Section 24, T5S, R24E Chavez Count	•	11. Country or Parish, State New Mexico			
I2. CHE	CK THE APPROPRIATE B	OX(ES) TO INDICATE NATUR	RE OF NOTIC	CE, REPÔRT OR OTHE	ER DATA
TYPE OF SUBMISSION	\	T	YPE OF ACT	ION	
Notice of Intent	Acidize Alter Casing Casing Repair	Deepen Fracture Treat New Construction	Recla	uction (Start/Resume) amation mplete	Water Shut-Off Well Integrity Other
✓ Subsequent Report	Change Plans	Plug and Abandon		orarily Abandon	Written Order

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

Plug Back

Western Reserve requested an extension to prepare of surface reclamation plan. (Date: December 1, 2011) On November 19, 2011, Tetra Tech inspected the location and prepared the surface reclamation plan for the site. The reclamation plan is attached with the Sundry Notice and pending BLM approval.



ROSWELL FIELD OFFICE

04-081-11W

NAME ENVIRONMENTAL PRO

		202.07				
14. I hereby certify that the foregoing is true and correct. Name (Printed Typed)			·			
lke Tavarez (agent for Western Reserve Oil Co., Inc.)	Title Project Manager					
Signature ////	Date 1/- 25-	- 1 /				
THIS SPACE FOR FED	ERAL OR STATE OFFI	CE USE				
Approved by						
	Title	Date				
Conditions of approval, if any, are attached. Approval of this notice does not warrant or that the applicant holds legal or equitable title to those rights in the subject lease which ventitle the applicant to conduct operations thereon.		,				
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any	person knowingly and willfully to n	nake to any department or agency of the Uni	ited States any false,			

fictitious or fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on page 2)



November 29, 2011

Berner 24

Ms. Beth Skaggs Environmental Protection Specialist Bureau of Land Management 2909 W. Second Street Roswell, New Mexico 88201-2019

Re: Response to Bureau of Land Management, Notice of Written Order for the Western Reserves Oil Co., Inc., Bevmor 24 Federal #2 Located in Section 24, Township 5 South, Range 24 East, Chavez County, New Mexico. Order # 04-081-11W

Ms. Skaggs:

This letter is written to respond to a Bureau of Land Management (BLM) Notice of Written Order (NWO), dated September 20, 2011 for the Bevmor 24 Federal #2 (P& A location) located in Section 24, Township 5 South, Range 24 East, Chavez County, New Mexico. The site coordinates are N 33.85946°, W 104.37793°. The site location is shown on Figures 1 and 2.

On August 31, 2011, the BLM inspected the site and noted some disturbed areas, which required surface reclamation. The BLM identified several concerns, which include disturbed areas and a concrete pad. Based on the findings, the BLM requested Western Reserves to submit a surface reclamation plan for the site. The BLM's recommended corrective action stated in the NWO was "remove concrete pad, rip and contour surface to resemble surrounding landscape, and seed using BLM's recommended seed".

Site Inspection

Tetra Tech personnel inspected the site on November 19, 2011. The site plan is shown on Figure 3. During the inspection, Tetra Tech noted several disturbed areas and areas of concern are listed below:

1. Well pad area measured approximately 130' x 160' and appears to have a mixture of caliche and sand. The area is approximately 25% to 30% re-vegetated.

Tetra Tech



- 2. A concrete pad (approximately 4' x 10') is located southeast of the well pad area.
- 3. Reserve pit area is located north of the well pad and measured approximately 110' x 130'. The reserve pit has some plastic exposed on the surface and some areas with visible salt staining on the surface. The reserve pit is approximately 5% re-vegetated.
- A stressed/runoff area is located southeast of the reserve pit and measures approximately 90' x 300' and is approximately 5% to 10% re-vegetated

Restoration Plan

Prior to performing the restoration activities, the concrete pad will be removed and hauled to proper disposal. In order to restore the site, the well pad, reserve pit and run-off area will be either tilled or disked and contoured to the surrounding surface landscape. If plastic is visible on the surface, the plastic will be removed and disposed of properly. In addition, hay may be added to the soils for structure, organic material and help promote growth.

If needed, fresh, uncontaminated soil will be brought on site to mix into the surface soils, especially in the areas where salts are present. In addition, erosional diversions will be installed to channel run-off around the closed reserve or windrows installed for erosional and runoff controls, if warranted. Once completed, the area will then be seeded with BLM seed mix for Loamy SD-3 Ecological Site, Loamy CP-2, Gyp Upland CP-1, as directed by the BLM. Once the restoration activities are performed, the area will be monitored for growth. Prior to completing the activities, the BLM will be contacted to inspect and approve the restoration activities.

Once completed to BLM specifications, the site will be monitored for growth. If you have any questions or comments concerning the proposed remediation activities for this site, please call me at (432) 682-4559.

Tetra Tech, Inc.

lke Tavarez, P.G. Project Manager

cc: Chris Renaud - Western Reserves

