

Submit 1 Copy To Appropriate District
Office
District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
October 13, 2009

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

| |
|---|
| WELL API NO. 30-015-34498 |
| 5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> |
| 6. State Oil & Gas Lease No. |
| 7. Lease Name or Unit Agreement Name Lakewood 15 |
| 8. Well Number 6 |
| 9. OGRID Number 16696 |
| 10. Pool name or Wildcat Wildcat Bone Spring |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3340' GR |

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐

2. Name of Operator
OXY USA Inc.

3. Address of Operator
P.O. Box 50250 Midland, TX 79710

4. Well Location
Unit Letter **H** : **1980** feet from the **north** line and **660** feet from the **east** line
Section **15** Township **19S** Range **26E** NMPM County **Eddy**


11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3340' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

| NOTICE OF INTENTION TO: | SUBSEQUENT REPORT OF: |
|--|---|
| PERFORM REMEDIAL WORK <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/> |
| TEMPORARILY ABANDON <input type="checkbox"/> | ALTERING CASING <input type="checkbox"/> |
| PULL OR ALTER CASING <input type="checkbox"/> | COMMENCE DRILLING OPERATIONS <input type="checkbox"/> |
| DOWNHOLE COMMINGLE <input type="checkbox"/> | CASING/CEMENT JOB <input type="checkbox"/> |
| OTHER: <input type="checkbox"/> | OTHER: <input type="checkbox"/> |

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-8000' PBDT-7000' Perfs-6702-6734' CIBP-7050'
13-3/8" 48# csg @ 520' w/ 445sx, 17-1/2" hole, TOC-Surf-Circ
8-5/8" 32# csg @ 1115' w/ 600sx, 11" hole, TOC-Surf-Circ
5-1/2" 15.5-17# csg @ 8000' w/ 450sx, 7-7/8" hole, TOC-4100'-CBL
1. RIH & set CIBP @ 6652', M&P 25sx cmt
2. M&P 25sx cmt @ 5215-5015' WOC-Tag
3. Perf @ 3850', sqz 35sx cmt to 3750' WOC-Tag
4. Perf @ 3220', sqz 65sx cmt to 3025' WOC-Tag
5. Perf @ 1165', sqz 40sx cmt to 1065' WOC-Tag
6. Perf @ 570', sqz 190sx cmt to surface
10# MLF between plugs



**SEE ATTACHED
CONDITIONS OF
APPROVAL**

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 1/30/12

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: [Signature] TITLE Approval Granted providing work DATE 2/2/2012

Conditions of Approval (if any):

is complete by 5/2/2012

OXY USA Inc. - Proposed
Lakewood 15 #6
API No. 30-015-34898

190sx @ 570'-Surface

40sx @ 1165-1065' WOC-Tag

65sx @ 3220-3025' WOC-Tag


35sx @ 3850-3750' WOC-Tag

25sx @ 5215-5015' WOC-Tag

CIBP @ 6652' w/ 25sx

8/06-CIBP @ 7050' w/ 50' cmt

7/06-CIBP @ 7850' w/ 50' cmt



Perf @ 570'

Perf @ 1165'

Perf @ 3220'

Perf @ 3850'

Perfs @ 6702-6734'

Perfs @ 7102-7158'

Perfs @ 7892-7906'


17-1/2" hole @ 520'
13-3/8" csg @ 520'
w/ 445sx-TOC-Surf-Cir

11" hole @ 1115'
8-5/8" csg @ 1115'
w/ 600sx-TOC-Surf-Circ

7-7/8" hole @ 8000'
5-1/2" csg @ 8000'
w/ 450sx-TOC-4100'-CDL

TD-8000'

OXY USA Inc. - Current
Lakewood 15 #6
API No. 30-015-34898



17-1/2" hole @ 520'
13-3/8" csg @ 520'
w/ 445sx-TOC-Surf-Cir

11" hole @ 1115'
8-5/8" csg @ 1115'
w/ 600sx-TOC-Surf-Circ

8/06-CIBP @ 7050' w/ 50' cmt

7/06-CIBP @ 7850' w/ 50' cmt

Perfs @ 6702-6734'

Perfs @ 7102-7158'

7-7/8" hole @ 8000'
5-1/2" csg @ 8000'
w/ 450sx TOC 4100' CBL

Perfs @ 7892-7906'

TD-8000'