

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐
Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Yates Petroleum Company Telephone: 505-748-4500 e-mail address: mikes@ypc.com

Address: 105 South 4th Street, Artesia, N.M. 88210

Facility or well name: Clarence BCU I API #: 30-015-33148 U/L or Qtr/Qtr D Sec 14 T 16S R 26E

County: Eddy Latitude: 32.92755 Longitude: 104.35825 NAD: 1927 ☐ 1983 ☒

Surface Owner: Federal ☐ State ☒ Private ☐ Indian ☐

RECEIVED

APR 26 2005

Pit Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Work over <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness <u>12</u> mil Clay <input type="checkbox"/> Pit Volume <u>12,000</u> bbl	Below-grade tank Volume: _____ bbl Type of fluid: <u>OOB-ARTESIA</u> Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) XXXX 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) XXXX
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points) XXXX
Ranking Score (Total Points) 20 points	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☒ If offsite, name of facility NA. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: Closure work plan for drilling pit. The drilling pit contents will be excavated and hauled to an OCD approved soil waste facility.

The excavated area will then be backfilled to grade using a min. of 3' of clean soil or like material. A one call and a 48 hour notice will be provided to the Oil Conservation Division.

Pit Closure start date NA. Final closure date NA.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☒, or an (attached) alternative OCD-approved plan ☐.

Date: 04/04/05

Printed Name/Title Dan Dolan / Regulatory Agent

Signature 

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title Field Rep TD

Signature 

APR 27 2005

New Mexico Office of the State Engineer
Well Reports and Downloads

30-015-33148
Clarence Bell 1

Township: **16S** Range: **26E** Sections: *17*

NAD27 X: Y: Zone: Search Radius:

County: Basin: Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic
☒ All

Well / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

WATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 04/04/2005

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
RA	16S	26E					1	200	200	200
RA	16S	26E	03				1	8	8	8
RA	16S	26E	04				8	20	80	50
RA	16S	26E	05				8	25	105	62
RA	16S	26E	06				3	58	60	59
RA	16S	26E	07				8	43	80	67
RA	16S	26E	08				4	40	65	48
RA	16S	26E	09				3	30	75	48
RA	16S	26E	10				1	66	66	66
RA	16S	26E	14				1	15	15	15
RA	16S	26E	15				1	48	48	48
RA	16S	26E	16				2	16	80	48
RA	16S	26E	17				4	25	78	62
RA	16S	26E	18				7	35	115	73
RA	16S	26E	19				25	50	135	98
RA	16S	26E	19		305	290	1	110	110	110
RA	16S	26E	20				4	50	120	80
RA	16S	26E	21				10	20	60	45
RA	16S	26E	22				1	45	45	45
RA	16S	26E	23				3	15	60	32
RA	16S	26E	24				2	30	35	33
RA	16S	26E	27				2	50	60	55
RA	16S	26E	28				4	40	80	60
RA	16S	26E	29				23	40	130	81
RA	16S	26E	30				29	45	160	119
RA	16S	26E	31				25	40	170	100
RA	16S	26E	32				21	30	160	100
RA	16S	26E	33				17	40	70	56
RA	16S	26E	34				9	27	150	52

Record Count: 228

