<u>District 1</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144

June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Pit or Below-Grade Tank Registration or Closure		
Is pit or below-grade tank covered by a "general plan"? Yes X No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank X		
Type of action: Registration of a pit or below-grade tank [] Closure of a pit or below-grade tank X		
Operator: Yates Petroleum Corporation Telephone: 505-748-4500 e-mail address: mikes@ypc.com		
Address: 105 South 4 th Street. Artesia, N.M. 88210		
Facility or well name: Jacque AQJ State 6 API #: 30-015-31929 U/L or Qtr/Qtr F Sec 34 T 21S R 31E		RECEIVED
County: <u>Eddy</u> <u>Latitude</u> <u>32.43586</u> <u>Longitude</u> <u>103.76629</u> NAD: 1927		APR 1 9 2005
Surface Owner: Federal State X Private Indian		2005
Pit	Below-grade tank	ODDIANTESIA
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:	
Work over Emergency	Construction material:	
Lined X Unlined [Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic Thickness 12 mil Clay Clay		
Pit Volume 12.000 bbl		Dro-
111 Volume 12.000	Less than 50 feet	(20 points) (10 points) (10 points) (10 points) (10 points) (10 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) JUI 2 9 2005
	100 feet or more	(10 points) XXXXXX
	Too teet of more	(0 points) XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Wellhead protection area: (Less than 200 feet from a private domestic water	Yes	(20 points)
source, or less than 1000 feet from all other water sources.)	No	(0 points) XXXX
	1 4 200 5	(20 i)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points) XXXX
_	Ranking Score (Total Points)	0 POINTS
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are		
burying in place) onsite X offsite If offsite, name of facility NA . (3) Attach a general description of remedial action taken including remediation start date and end date.		
(4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: Closure work plan for drilling pit. The drilling pit contents will be mixed to stiffen the pit contents. Encapsulation trench will be excavated and lined with a 12		
mil. Synthetic liner on former drilling pit site. Drilling pit contents will then be emplaced into the encapsulation trench. A 20 mil. Synthetic liner will then be placed over the pit contents		
with a min. of a 3' over lap of the underlying trench areas. The encapsulation trenches will then be backfilled back to grade using a min. of 3' of clean soil and like material. A one call &		
48 hour notice will be provided to the Oil Conservation Division before pit closure actions begin.		
Pit Closure actions to begin by NA. Ending date NA		
	₩. u. u.	
I hereby certify that the information above is true and complete to the best of m	y knowledge and belief. I further certify that the above	e-described nit or below-grade tank has
been/will be constructed or closed according to NMOCD guidelines □, a general permit X, or an (attached) alternative OCD-approved plan □.		
7		
Date: 04/11/2005	a Vota Packer han	
Printed Name/Title Dan Dolan / Regulatory Agent Signature Lattle Harkly, for I am Dolan Your certification and NMOCD approval of this application (shows does not allow the approval of this application (shows does not allow the approval of this application).		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Δ.	W B	
Approval:		
Printed Name/Title	Signature	
	-	

MARTIN VATES, III 1912 - 1989 FRANK W. FATES :985 1986



105 SOUTH FOURTH STREET ARTESIA, NEW MEXICO 88210-2118 TELEPHONE (505) 748-1471

S. P. VATES CHAIRMAN OF THE BOARD JOHN 4 YATES PRESIDENT PEYTON VATES EXECUTIVE VICE PRESIDENT RANDY G. PATTERSON SECRETARY DENNIS G. KINSEY TREASURER

I certify that on $\frac{\eta/14/2005}{1}$, tests were conducted on soil samples from the

UT.F 34-215-31e JACque AQJ STATE #6

Following are results of those tests.

middle D.P. 1'-30 ppm.

EPA Method 9074, TPH NW cornel D.P. 1'- 42 ppm middle D.P. 1'- 39 ppm. middle D.P. 1'- 418 ppm

EPA Method 9253, NW corner D. P. 1'- 42 ppm

Middle D.P. 1' - Oppm.

PID Meter, BTEX. N. W. coince D. P. 1'- Oppm

All testing was done at Yates Petroleum Corp., or on location.

Daniel W. Dolan CWC

Environmental Regulatory Agent