

ARTESIA OFFICE COPY

Form 9-331
(May 1963)UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPL
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

LC 064488

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Yates Petroleum Corporation

3. ADDRESS OF OPERATOR

207 South 4th Street-Artesia, NM 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

2310' FNL & 150' FEL of Sec. 26-18S-25E

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Yates Federal

9. WELL NO.

2

10. FIELD AND POOL, OR WILDCAT

Penasco Draw (Yeso S.A.)

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 26-18S-25E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

12. COUNTY OR PARISH 13. STATE

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other) & Plug back

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Set Cast Iron Bridge Plug at 1530' and dumped 10' of cement on top of plug to plug off the Yeso perforations 2119½-2284½'.

Perforated 1376-1426' w/20 .50" shots (Slaughter zone). Treated perforations w/60000 gallons of gelled 1% KCL, 95000# sand, 75000# 20-40 sand and 20000# 100 mesh. Hung well on beam and put well back to producing.

Production has increased from 1 BOPD to 35 BOPD.

RECEIVED

FEB 17 1977

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

Christine Tomlinson

TITLE

Geol. Secty

DATE

2-16-77

(This space for Federal or State office use)

APPROVED BY

Joe D. Lara

TITLE

ACTING DISTRICT ENGINEER

DATE

FEB 18 1977

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

(Typed) D. W. GORDON
FEB 22 1977