District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

6

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes X No 

[Section 1 | Property of the law grade tank | Yes | Property of the law grade tank | Yes | Yes

Type of action: Registration of a pi	t or below-grade tank \(\bigcup\) Closure of a pit or below-grade	tank A			
Operator: Yates Drilling Company Telephone: 505-748-4500 e-mail ad	dress: mikes@ypc.com				
Address: 105 South 4 <sup>th</sup> Street, Artesia, N.M. 88210		A. Brand			
Facility or well name: Bennett Federal 2 API #: 30-015-32189 U/L or Qtr/Q	COD-WILEGIN				
County: Eddy Latitude 32.09984 Longitude 10	03.92143 NAD: 1927 🗌 1983 X	HECEIVED SOOS			
Surface Owner: Federal X State Private Indian		Ω ¬			
Pit	Below-grade tank	HECEINEL			
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:	-3			
Work over Emergency	Construction material:  Double-walled, with leak detection? Yes  If not, explain why not.				
Lined X Unlined					
Liner type: Synthetic X Thickness 12 mil Clay					
Pit Volume 20,000 bbl					
	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)			
water elevation of ground water.)	100 feet or more	( 0 points) XXXX			
	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic water	No.	( 0 points) XXXX			
source, or less than 1000 feet from all other water sources.)	110	( o points) 757577			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
migation stands, ditenses, and personnel and opnomistal materiologists.	1000 feet or more	( 0 points) XXXX			
	Ranking Score (Total Points)	0 POINTS			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's re	ationship to other equipment and tanks. (2) Indicate dispo	osal location: (check the onsite box if your are			
burying in place) onsite X offsite If offsite, name of facility NA	. (3) Attach a general description of remedial action t	aken including remediation start date and end date.			
(4) Groundwater encountered: No Yes If yes, show depth below ground surfaceft. and attach sample results.					
(5) Attach soil sample results and a diagram of sample locations and excavation					
Additional Comments: Registration for encapsulation trench. The drilling pit	·				
mil. Synthetic liner on former drilling pit site. Drilling pit contents will then be emplaced into the encapsulation trench. A 20 mil. Synthetic liner will then be placed over the pit contents					
with a min. of a 3' over lap of the underlying trench areas. The encapsulation	trenches will then be backfilled back to grade using a min	. of 3' of clean soil and like material. A one call &			
48 hour notice will be provided to the Oil Conservation Division before pit closure actions begin.					
Pit Closure actions to begin by NA. Ending date NA					
*Amendment to previously submitted C-144 dated 2/5/05					
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , a	ny knowledge and belief. I further certify that the above general permit X, or an (attached) alternative OCD a	e-described pit or below-grade tank has approved plan .			
Date: 07/12/2005		<del>,</del>			
Printed Name/Title Dan Dolan / Regulatory Agent	Signature				
Your certification and NMOCD approval of this application/closure does not endanger public health or the environment. Nor does it relieve the operator of	relieve the operator of liability should the contents of the price responsibility for compliance with any other federal, s	oit or tank contaminate ground water or otherwise tate, or local laws and/or regulations.			
	000				
Approval: Printed Name/Title Field Supervisor	Signature	JUL 18 2005			

## New Mexico Office of the State Engineer Well Reports and Downloads

Township: 25S	Range: 30E	Sections:			
NAD27 X:	Y:	Zone:	Search	Radius:	
County: B	asin:	Number: Suffix:			
Owner Name: (First)	(La	Last)			
Well / Surface Data Report Avg Depth to Water Report  Water Column Report  Clear Form WATERS Menu Help					
AVERAGE DEPTH	OF WATER REPO	RT 07/12/200	05		

(Depth Water in Feet)

Bsn Tws Rng Sec Zone X Y Wells Min Max Avg

No Records found, try again

