

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-21748
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other SWD		5. Indicate Type of Lease STATE <input type="checkbox"/> FED <input checked="" type="checkbox"/>
2. Name of Operator Geronimo SWD, LLC		6. State Oil & Gas Lease No. 37812
3. Address of Operator PO Box 568, Artesia, NM 88211-0568 SWD; STRAWN		7. Lease Name or Unit Agreement Name Green A Federal
4. Well Location Unit Letter K : 1980 feet from the South line and 1980 feet from the West line Section 29 Township 17S Range 29E NMPM County Eddy		8. Well Number 10 SWD
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number
		10. Pool name or Wildcat (96188) Grayburg Jackson; SR Q-G SA

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

10/22/2012 MIRU Alliance Well Service. Installed 5000K Hydraulic BOP. Released Packer and let equalize. Pumped 40 bbls brine down annulus. Laid down 2 7/8 Injection String and Packer. RIH w/5 1/2 x 2 7/8, NP ASI-X Packer w/SS O/O Tool w/2.312 F Profile Nipple, 282 jnts 3 1/2 J-55 Tbg w/turned back collars. Set Packer @ 9132'. Release O/O Tool. Circulate packer fluid. Latched into O/O Tool. Tested casing to 680#'s for 30 minutes, held. ND BOP, landed tubing w/16 points in tension. Hooked up wellhead. Put well on injection.


12/12/2012 Ran MIT Test. Paul Swartz w/BLM Carlsbad District, witnessed test.

End of Report.

Please see Chart and Well Bore Diagram attached.

Spud Date:

Rig Release Date:



SWD-843

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

Member/Manager

DATE

12/20/12

Type or print name James B. Campanella

E-mail address: jbc@judahoil.com

PHONE: (575)746-1280

For State Use Only

APPROVED BY:

TITLE

DATE

12/21/12

Conditions of Approval (if any):

**GERONIMO SWD, LLC
GREEN "A" FED NO 10
API # 30-015-21748
1980' FSL - 1980 FWL
K-29-T17S-R28E NMPM, EDDY CO, NM**

