

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-29233
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Harron 15
8. Well Number 3
9. OGRID Number 16696
10. Pool name or Wildcat (96100) Cedar Canyon SWD DeWane

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other SWD-1326
2. Name of Operator OXY USA Inc. (5/10/12)

3. Address of Operator
P.O. Box 50250 Midland, TX 79710

4. Well Location
Unit Letter H : 1657 feet from the north line and 330 feet from the east line
Section 15 Township 24S Range 29E NMPM County Eddy

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
2937' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: Convert to SWD, Run MIT ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

RUPU 8/13/12, RUPU, NDWH, NUBOP, RIH & tag @ 3374', drill out cmt/CIBP, clean out to 5050', POOH.
Circ hole w/ 10# MLF, RIH to 4600', spot 25sx CL C, PUH, WOC. RIH & tag cmt @ 4365', POOH. RIH & set CIBP @ 4065', spot 15sx CL C cmt, PUH, WOC. RIH & tag cmt @ 3960'. Perf 6 SPF 3765-3509, 3417-3041' Total 840 holes. Frac w/ 21041g Water Frac GR-21 + 10000g 15% NeFe Acid + 173630g Delta Frac R-21 + 84238g Delta Frac R-16 w/ 604720# sand, RD Halliburton. Swab and flow back to clean up well.
RIH w/ 2-7/8" tbg and pkr, set @ 2990'. RDPU 9/21/12. 9/28/12, run MIT, test to 610#. Put well on continuous Injection 12/17/12 @ 858 BWPD @ 415#.

Spud Date:

Rig Release Date:

RECEIVED

JAN 28 2013

NMOC ARTESIA

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE Regulatory Advisor

DATE 1/29/13

Type or print name

David Stewart

E-mail address: david.stewart@oxy.com

PHONE: 432-685-5717

For State Use Only

APPROVED BY:

David Stewart

TITLE COMPLIANCE OFFICER

DATE 1/29/13

Conditions of Approval (if any):

6 A.M.

5

4

3

2

1

MIDNIGHT

11

10

9

8

7

6

5

4

3

2

1

NOON

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3


4

5

6

<

OXY USA Inc. - Current
Harroun 15 #3
API No. 30-015-29233



14-3/4" hole @ 504'
10-3/4" csg @ 504'
w/ 575sx-TOC-Surf-Circ

9-7/8" hole @ 2900'
7-5/8" csg @ 2900'
w/ 800sx-TOC-Surf-Circ

2-7/8" tbg & pkr @ 2990'

Perfs @ 3041-3765'

8/12-CIBP @ 4065' w/ 15sx cmt to 3965'
WOC-Tagged

8/12-25sx @ 4600-4365' WOC-Tagged

2/10-CIBP @ 5086' w/ 35' cmt-5051'

5/04-Perfs @ 5136-5154'

5/04-Perfs @ 6044-6086'

5/04-Perfs @ 6482-6505'

4/04-CIBP @ 6755' w/ 35' cmt

6-3/4" hole @ 8056'
4-1/2" csg @ 8056'
DVT @ 6226', 4511'
1st w/ 375sx-TOC-6221'-Circ
2nd w/ 386sx-TOC-4506'-Circ
3rd w/ 570sx-TOC-1280'-CBL

Perfs @ 7830-7856'

PB-7970'

TD-8056'