

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505		Form C-105 July 17, 2008						
		1. WELL API NO. 30-015-40235		2. Type of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN						
		3. State Oil & Gas Lease No. X0-0647-0405								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)				5. Lease Name or Unit Agreement Name D State (308712) 6. Well Number: 090						
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER				<div style="border: 2px solid black; padding: 5px; display: inline-block;"> RECEIVED JAN 31 2013 NMOC D ARTESIA </div>						
8. Name of Operator Apache Corporation				9. OGRID 873						
10. Address of Operator 303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705				11. Pool name or Wildcat Artesia; Glorieta-Yeso (O) (96830)						
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	I	34	17S	28E		1540	South	330	East	Eddy
BH:										
13. Date Spudded 10/19/2012	14. Date T.D. Reached 10/26/2012	15. Date Rig Released 10/27/2012		16. Date Completed (Ready to Produce) 12/16/2012		17. Elevations (DF and RKB, RT, GR, etc.) 3678' GR				
18. Total Measured Depth of Well 4703'		19. Plug Back Measured Depth 4660'		20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run CN/SGR/BHC/Hi-Res LL				
22. Producing Interval(s), of this completion - Top, Bottom, Name Yeso 3870'-4400'										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
8-5/8"		24#		402'		12-1/4"		590 sx Class C		
5-1/2"		17#		4703'		7-7/8"		769 sx Class C		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
					2-7/8"	4523'				
26. Perforation record (interval, size, and number) Yeso 3870'-4400'; (1 SPF, 29 holes) Producing						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED Yeso 186,102' gals 20#, 226,762# 16/30 sand, 3500 gals acid, 4158 gals gel				
28. PRODUCTION										
Date First Production 12/16/2012		Production Method (Flowing, gas lift, pumping - Size and type pump) 640 Pumping Unit				Well Status (Prod. or Shut-in) Producing				
Date of Test 01/25/2013	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 65	Gas - MCF 170	Water - Bbl. 442	Gas - Oil Ratio 2615			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.) 36.8				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						30. Test Witnessed By Apache Corp.				
31. List Attachments Inclination Report, C-102, C-103, C-104 (Logs submitted 11/01/2012)										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD 1927 1983		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name		Title		Date				
		Fatima Vasquez		Regulatory Tech		01/30/2013				
E-mail Address Fatima.Vasquez@apachecorp.com										

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 636'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers 898'	T. Devonian	T. Cliff House	T. Leadville
T. Queen 1511'	T. Silurian	T. Menefee	T. Madison
T. Grayburg 1987'	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 2360'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 3851'	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock 3982'	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T. Bowers - SD 1277'	T. Entrada	
T. Wolfcamp	T. Yeso 3982'	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....	to.....	feet.....
No. 2, from.....	to.....	feet.....
No. 3, from.....	to.....	feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology