

Submittal 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-39423
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Delaware Ranch 11 NC Fee
8. Well Number 1H
9. OGRID Number 14744
10. Pool name or Wildcat Red Bluff South Bone Spring 51010

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	
2. Name of Operator Mewbourne Oil Company	
3. Address of Operator PO Box 5270, Hobbs, New Mexico	
4. Well Location Unit Letter <u>N</u> : <u>330</u> feet from the <u>South</u> line and <u>2260</u> feet from the <u>West</u> line Section <u>11</u> Township <u>26S</u> Range <u>28E</u> NMPM Eddy County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 2970' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☒

OTHER: ☐

OTHER: ☐


13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

03/04/13...MI & spud 17 1/2" hole. TD'd hole @ 630'. Ran 630' 13 3/8" 48# H40 ST&C csg. Cemented with 650 sks Class "C" w/2% CaCl2. Mixed @ 14.8 #/g w/ 1.34 yd. Plug down @ 12:30 PM 03/06/13. Did not circ cement. Slow rate lift pressure @ 250# @ 2.8 BPM. Ran temp survey indicating TOC @ 150'. RIH with 1" pipe. Tag at 147'. Cmt 1st plug with 125 sks Class C w/4% CaCl2. Mixed @ 14.8#/g w/1.34 yd. Circ 10 sks cement to pit. WOC 18 hrs. At 12:15 P.M. 03/07/13, tested BOPE & csg to 1250# for 30 minutes, held OK. Drilled out with 8 3/4" bit.

Copy of temperature survey is attached.

Spud Date: 03/04/2013

Rig Release Date:



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jackie Lathan TITLE Hobbs Regulatory DATE 03/08/13

Type or print name Jackie Lathan E-mail address: jlathan@mewbourne.com PHONE: 575-393-5905

For State Use Only

APPROVED BY: Dr. P. Spewson TITLE Dr. P. Spewson DATE 3/14/2013

Conditions of Approval (if any):



Rotary Wire Line

SERVICE, INC.

"Specializing in Pipe Recovery"

Hobbs, New Mexico 88240

Temperature

Company Mewbourne Oil Company Well Delaware Ranch 11 NC Fee #1 H Field County Eddy State New Mexico	Company Mewbourne Oil Company	
	Well Delaware Ranch 11 NC Fee #1 H	
Field		County Eddy
State New Mexico		Country
Location:		API #:
SEC		TWP
RGE		
Permanent Datum		Elevation
Log Measured From		
Drilling Measured From		
Date	03-06-2013	
Run Number		
Depth Driller		
Depth Logger		
Bottom Logged Interval		
Top Log Interval		
Open Hole Size		
Type Fluid		
Density / Viscosity		
Max. Recorded Temp.		
Estimated Cement Top	150'	
Time Well Ready		
Time Logger on Bottom		
Equipment Number		
Location		
Recorded By	S. Emrick	
Witnessed By	G. Berryman	
Borehole Record		
Run Number	Bit	From To Size Weight
Casing Record		
Surface String	Size 13 3/8	Wgt/Ft Top Surface
Prot. String		
Production String		
Liner		

