District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 CLEZ Revised August 1, 2011

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: X Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

jest does not relieve the operator of liability should operations result in

environment. Nor does approval relieve the operator of its responsibility to comply with any ot		
Operator: CIMAREX ENERGY CO. OF COLORADO	OGRID #: 162683	
Address: 600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701		
Facility or well name: SHUGART A #006		
API Number: 30-015-05639 OCD Permit Number: 214372		
U/L or Qtr/Qtr J Section 29 Township 18S Rang		
Center of Proposed Design: Latitude Longitude		
Surface Owner: X Federal State Tribal Trust or Indian Allotment		
2. Closed-loop System: Subsection H of 19.15.17.11 NMAC Operation: □ Drilling a new well □ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) ₽&A Above Ground Steel Tanks or □ Haul-off Bins		
3.	- INCUEIVED F	
Signs: Subsection C of 19.15.17.11 NMAC	MAY 2 0 2013	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telep	none numbers	
Signed in compliance with 19.15.16.8 NMAC	NMOCD ARTESIA	
attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.	15.17.12 NMAC	
	of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19. Closure Plan (Please complete Box 5) - based upon the appropriate requirements of 19. Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: 5.	of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19. Closure Plan (Please complete Box 5) - based upon the appropriate requirements of 19. Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: **Suste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling the steel of the disposal of liquids of the disposal of l	of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) ag fluids and drill cuttings. Use attachment if more than two	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19. Closure Plan (Please complete Box 5) - based upon the appropriate requirements of 19. Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: **S.** **Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling facilities are required. **GANDY MARLEY* **Disposal Facility Name: **R360* **Disposal Facility Name: **Disposal F	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) ag fluids and drill cuttings. Use attachment if more than two NM 01-0019 posal Facility Permit Number: NM 01-0006	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19. Closure Plan (Please complete Box 5) - based upon the appropriate requirements of 19. Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: **Suste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling facilities are required. **GANDY MARLEY** Disposal Facility Name: **R 3 6 0** Disposal Facility Name: **Disposal Facility Name: R 3 6 0** **Disposal Facility Name: R	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) ag fluids and drill cuttings. Use attachment if more than two NM 01-0019 posal Facility Permit Number: NM 01-0006	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19. Closure Plan (Please complete Box 5) - based upon the appropriate requirements of 19. Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: **Suste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling facilities are required. **GANDY MARLEY** Disposal Facility Name: **R 3 6 0** **Disposal Facility Name: **Disposal Facili	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) In g fluids and drill cuttings. Use attachment if more than two NM 01-0019 In Disal Facility Permit Number: NM 01-0006 NM 01-0003	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19. Closure Plan (Please complete Box 5) - based upon the appropriate requirements of 19. Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: **S.** **Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling facilities are required. GAN DY MARLEY Disposal Facility Name: R360 Disposal Facility Name: SUNDANCE Disposal Facility Name: Operating and Maintenance Plan API Number: **API Number: **Disposal Facilities Above Ground Steel Instructions: Please indentify the facilities for the disposal of liquids, drilling facilities are required. GAN DY MARLEY Disposal Facility Name: SUNDANCE Disposal Facility Name: Disposal Facility Name: Operating and Maintenance Plan API Number: **Disposal Facility Name: Api Number: Disposal Facility Name: Api Number:	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) To gradies and drill cuttings. Use attachment if more than two NM 01-0019 Osal Facility Permit Number: Osal Facility Permit Number: NM 01-0003 In or in areas that will not be used for future service and operations: irements of Subsection H of 19.15.17.13 NMAC 9.15.17.13 NMAC	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19. Closure Plan (Please complete Box 5) - based upon the appropriate requirements of 19. Closure Plan (Please complete Box 5) - based upon the appropriate requirements of 19. Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: 5. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling facilities are required. GAN DY MARLEY Disposal Facility Name: R360 Disposal Facility Name: SUNDANCE Disposal Facility Name: Ves (If yes, please provide the information below) No Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection I of 1 Site Reclamation Plan - based upon the appropriate requirements of Subsection G	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) To gradies and drill cuttings. Use attachment if more than two NM 01-0019 Osal Facility Permit Number: Osal Facility Permit Number: NM 01-0003 In or in areas that will not be used for future service and operations: irements of Subsection H of 19.15.17.13 NMAC 9.15.17.13 NMAC	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19. ☐ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of 19. ☐ Previously Approved Design (attach copy of design) API Number: ☐ Previously Approved Operating and Maintenance Plan API Number: ☐ Previously Approved Operating and Maintenance Plan API Number: ☐ S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling facilities are required. GANDY MARLEY ☐ Disposal Facility Name: R360 ☐ Disposal Facility Name: SUNDANCE ☐ Supposed closed-loop system operations and associated activities occur or ☐ Yes (If yes, please provide the information below) ☑ No Required for impacted areas which will not be used for future service and operations: ☐ Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection I of 1 ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G Subsection G Operator Application Certification:	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) In gluids and drill cuttings. Use attachment if more than two NM 01-0019 NM 01-0006 NM 01-0003 In or in areas that will not be used for future service and operations: In or in areas that will not be used for future service and operations: In or in areas that will not be used for future service and operations: In or in areas that will not be used for future service and operations: In or in areas that will not be used for future service and operations: In or in areas that will not be used for future service and operations:	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19. Closure Plan (Please complete Box 5) - based upon the appropriate requirements of 19. Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: 5. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please indentify the facility or facilities for the disposal of liquids, drillin facilities are required. GAN DY MARLEY Disposal Facility Name: R360 Disposal Facility Name: SUNDANCE of future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection I of 1 Site Reclamation Plan - based upon the appropriate requirements of Subsection Gotoperator Application Certification: I hereby certify that the information submitted with this application is true, accurate and construction of the proposed construction of	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) In a gradient of the section C of 19.15.17.9 NMAC and 19.15.17.13.D NMAC) In a gradient of the section C of 19.15.17.13.D NMAC) In or in areas that will not be used for future service and operations of 19.15.17.13 NMAC In or in a section H of 19.15.17.13 NMAC In or in a section H of 19.15.17.13 NMAC In or in a section H of 19.15.17.13 NMAC In or in a section H of 19.15.17.13 NMAC In or in a section H of 19.15.17.13 NMAC In or in a section H of 19.15.17.13 NMAC In or in a section H of 19.15.17.13 NMAC In or in a section H of 19.15.17.13 NMAC In or in a section H of 19.15.17.13 NMAC In or in a section H of 19.15.17.13 NMAC	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19. Closure Plan (Please complete Box 5) - based upon the appropriate requirements of 19. Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please indentify the facility or facilities for the disposal of liquids, drillin facilities are required. GAN DY MARLEY Disposal Facility Name: R360 Disposal Facility Name: SUNDANCE Disposal Facility Name: Vill any of the proposed closed-loop system operations and associated activities occur of Yes (If yes, please provide the information below) No Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection I of 1 Site Reclamation Plan - based upon the appropriate requirements of Subsection G Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) In gluids and drill cuttings. Use attachment if more than two NM 01-0019 NM 01-0006 NM 01-0003 In or in areas that will not be used for future service and operations: In or in areas that will not be used for future service and operations: In or in areas that will not be used for future service and operations: In or in areas that will not be used for future service and operations: In or in areas that will not be used for future service and operations: In or in areas that will not be used for future service and operations:	

OCD Approval: Permit Application (including closure plan) Closure Pl	lan (only)	
OCD Representative Signature:	Approval Date: 5/34/13	
Title: D157 P. Sypew 150	Approval Date: 5/24/13 OCD Permit Number: 214372	
8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:		
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) \sum No		
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan. Name (Print): Title:		
	 -	
Signature:	Date:	
e-mail address:	Telephone:	

Glosed-Loop Design Plan:

The closed loop system will not entall a drying pad, temporary pit, below grade tank or aump. It will entail an above ground haul-off bin suitable for holding the cuttings and fluids for rig operations. The haul-off bin will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- · 1.) Fencing is not required for an above ground closed-loop system.
 - 2.) This site will be signed in compliance with 19.15.3.103 NMAC.
 - 3.) Please see attached Closed-Loop System diagram.

Glosed-Loop Operating and Maintenance Plan;

In order to protect public health and environment, the closed-loop haul-off bin will be operated and maintained to contain liquids and solids. This will aid in the prevention of contemination of freeh water sources. To attain this goal the following steps will be followed:

- 1.) The solids and liquids in the closed-loop haul-off bin will be transported off the drilling facility and disposed of at the CRI facility (Permit No. R8166) in Halfway, Nik on a periodic basis once a bin is determined to be at full volume capacity.
- No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cuttings used or generated by rig operations will be placed or stored in the tank.
- The division district office will be notified within 40 hours of the discovery of compromised integrity of the haut-off bin. Upon the discovery of the compromised haut-off bin, repairs will be encoted immediately.
- 4.) All of the above operations will be inspected and a log will be signed and deted. During rig operations, the inspection will be delily.

Closed-Loop Closure Plan:

The hual-off bin will be maintained in accordance with 19.15.17.13 NMAC. This will be done by transporting and disposing all cuttings and liquids to the CRI Facility (Permit No. R2168) during and immediately following rig operations. The haut-off bins will be removed from the location as part of the rig move. At the time of well abandonment, the site will be recisimed and re-vegetated to pre-existing conditions when possible.

CLOSED-LOOP SCHEMATIC

